NEMO

PRICE LIST 2026

Made in Italy

INDEX

04
FLOOR

12
PENDANT

34
TABLE

43
WALL

61
WALL / CEILING

66
CEILING

68
SYSTEMS


77
ACCESSORIES

82
THE LINESCAPES SYSTEM

84
APPENDIX

96
CODES LIST


FLOOR



AM2C F.Albini, F.Helg, A.Piva, M.Albini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	250W	E27	230V			dimmable on cable according to bulb	chrome/white glass	**ALB EHW 22**	19608,00
note	IP20, cable length 3,2m								*Prices without bulb*


EAC



AM2Z F.Albini, F.Helg, A.Piva, M.Albini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	250W	E27	230V			dimmable on cable according to bulb	chrome/chrome	**ALB EHH 22**	26105,00
note	IP20, cable length 3,2m								*Prices without bulb*

EAC




ARA LED Ilaria Marelli

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	23+45W	LED board + linear LED	230V	2390+3426lm	2200-3000K	double switch dim to warm on board	white/white	**ARA LWW 24**	18918,00
							anthracite/anthracite	**ARA LXX 24**	18918,00
							champagne/polished	**ARA LDL 24**	19320,00
							anthracite/polished	**ARA LXL 24**	19320,00
							moka/polished	**ARA LML 24**	19320,00
note	CRI 85, IP20, cable length 2,7m, orientable diffuser, white RAL 9003, anthracite RAL 7016, champagne RAL 9007, color temperature from 2200K (at min.) to 3000K (at max.), also available in 120V								

EAC


BORNE BÉTON GRANDE Le Corbusier



version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	38,5W	LED board	110-240V	1920lm	3000K	ON/OFF	concrete	**BBG LDW 23**	17653,00
accessories	vandal proof fixing plate							**BBG FIX 21**	2185,00
note	CRI 80, IP44, cable length 3m, body and cable IP65 rated, more specifications on appendix section								

IP44


CLARITAS Vico Magistretti, Mario Tedeschi



version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	150W	E27	230V			dimmable on cable according to bulb	black	**CLA ENN 21**	9775,00
note	IP20, cable length 3,3m, black RAL 9005, orientable								*Prices without bulb*

EAC

ELLISSE Federico Palazzari



version	*power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	66W	linear LED	110-240V	3450lm	2700K	dimmable on cable	black	**ELP LNN 21**	13858,00
							gold polished anodized	**ELP LGN 21**	20298,00
accessories	base						black "marquinia" marble	**ELP BNN 21**	5233,00
note	CRI 85, IP20, cable length 5m, black RAL 9005								


EAC

ESCARGOT Le Corbusier




version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	160W	E27	230V			dimmable on cable according to bulb	brass	**ESC EGG 11**	156285,00
note	IP20, black textile cable length 3,5m, LED 4-25W, HALO 25-160W								*Prices without bulb*

EAC



FLAMINGO Bernhard Osann

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	18W	LED URG linear	220/240V	1800lm	2700K	dimmable on board	red/stone	**FLM LRR 21**	15870,00
							black/stone	**FLM LNN 21**	15870,00
							chrome/stone	**FLM LLH 21**	20240,00
					3000K	dimmable on board	red/stone	**FLM LRR 22**	15870,00
							black/stone	**FLM LNN 22**	15870,00
							chrome/stone	**FLM LLH 22**	20240,00
note	IP20, cable lenght 1,6m, red RAL3002, black RAL9005								



FOX Bernhard Osann

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	15W	LED board	110-240V	839lm	2700K	dimmable on cable	black	**FOX LN2 21**	10753,00
							white	**FOX LW2 21**	10753,00
							titan grey	**FOX LD2 21**	11155,00
							gold	**FOX LG2 21**	11155,00
note	CRI 90, IP20, cable length 3,5m, honeycomb accessory included, 90° orientable spot, 40° orientable body, 60° optic, black RAL 9005								




IN THE WIND Arihiro Miyake

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	58W	linear LED	110-240V	2570lm	2700K	dimmable on cable	white	**ITW LWW 22**	24093,00
							black	**ITW LNW 22**	24093,00
							titan grey	**ITW LDW 22**	25703,00
							gold	**ITW LGW 22**	27198,00
				2850lm	3000K	dimmable on cable	white	**ITW LWW 21**	24093,00
							black	**ITW LNW 21**	24093,00
							titan grey	**ITW LDW 21**	25703,00
							gold	**ITW LGW 21**	27198,00
note	CRI 85, IP20, cable length 2m, black RAL 9005, white RAL 9003								




LAMPE DE BUREAU READING Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	20W	E14	230V			switch on board	green	LDB EDV 21	5233,00
							yellow	LDB EDG 21	5233,00
							red	LDB EDR 21	5233,00
							blue mare	LDB EDB 21	5233,00
							blue grey	LDB EDC 21	5233,00
							white	LDB EDW 21	5233,00
note	IP20, cable length 2,7m, base dark grey RAL7016, body light grey RAL7046, internal glass color white								*Prices without bulb*




LINESCAPES Nemo

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
2700K	42W	linear LED	110-240V	2050lm	2700K	dimmable on cable	white/grey	LIN LW2 22	9143,00
							black/grey	LIN LN2 22	9143,00
							gold/grey/white	LIN LG2 22	9143,00
3000K	42W	linear LED	110-240V	2050lm	3000K	dimmable on cable	white/grey	LIN LWD 22	9143,00
							black/grey	LIN LND 22	9143,00
							gold/grey	LIN LGD 22	9143,00
note	CRI 85, IP20, cable length 2,5m, black RAL 9005, white RAL 9003								



MAIS PLUS QUE CELA JE NE PEUX PAS Rudy Ricciotti


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
IP44	10W	linear LED	230V	550lm	2700K	dimmable TRIAC	raw metal	RIC LME 21	5520,00
IP20	10W	linear LED	230V	550lm	2700K	dimmable on cable	raw metal	RIC LMM 21	6268,00
accessories	vandal proof fixing plate for outdoor version						grey	RIC FIX 21	1150,00
note	CRI 85, indoor: cable length 2,7m / outdoor: cable length 3m, body and cable IP65 rated, also available in 120V, marine version available on request (+1380 kr); more specifications on appendix section								



NEO Bernhard Osann

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	11W	linear LED	110-240V	600lm	2700K	dimmable on cable	black	**NEO LNN 21**	6325,00
							gold	**NEO LGN 21**	6325,00
note	CRI 95, IP20, cable length 3,5m, 180° orientable, wall fixing accessory included, black RAL 9005								

EAC



NEWTON Andrea Branzi

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	16W	LED board	110-240V	1150lm	2700K	dimmable on cable	black glossy	**NEW LNW 21**	22943,00
							chrome	**NEW LHW 21**	22943,00
note	CRI 95, IP20, cable length 3,5m, orientable diffuser								


EAC



PARLIAMENT Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x52W	E27	230V			double switch on cable	grey/whitewash	**PAR EDW 22**	11558,00
							green/yellow	**PAR EGV 22**	11558,00
							black/yellow	**PAR ENG 22**	11558,00
							black/red	**PAR ENR 22**	11558,00
note	IP20, cable length 2,7m, grey RAL 7046, whitewash RAL 9002, green RAL 6016, yellow RAL 1033, black RAL 9005, red RAL 3002, whitewash inside the diffusers								*Prices without bulb*


EAC



PROJECTEUR 365 Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	150W	E27	230V			switch on cable	night blue	PRJ EDW 2A	11328,00
							whitesand	PRJ EWS 2A	11328,00
							moka	PRJ EMS 2A	11328,00
note	IP20, cable length 2,9m, orientable								*Prices without bulb*


EAC



TRU Roberto Paoli

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	16+33W	linear LED + LED board	110-240V	2125lm (up) 1765lm (back)	2700K	double switch, double dimmer on board	white	TRU LWW 25	20298,00
							black	TRU LNN 25	20298,00
							titan grey	TRU LDD 25	20930,00
							gold	TRU LGG 25	20930,00
					3000K	double switch, double dimmer on board	white	TRU LWW 24	20298,00
							black	TRU LNN 24	20298,00
							titan grey	TRU LDD 24	20930,00
							gold	TRU LGG 24	20930,00
note	CRI 85, IP20, cable length 3,3m, white RAL 9003, black RAL 9005								

EAC



TYPE READING Guillaume Bloget

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	8W	LED board	110-240V	467lm	2700K	dim and zoom on board	aluminum satin	TYP LSN 21	10695,00
							black	TYP LNN 21	9258,00
					3000K	dim and zoom on board	aluminum satin	TYP LSN 22	10695,00
							black	TYP LNN 22	9258,00
note	CRI 90, IP20, cable length 2m, 360° magnetic rotation, 15-60° optic, black RAL 9005								


UK CA

UNTITLED READING Bernhard Osann


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
linear	4,5W	linear LED	110-240V	485lm	2700K	dimmable on board	black	**UNT LN2 2A**	4543,00
							white	**UNT LW2 2A**	4543,00
							titan grey	**UNT LD2 2A**	5003,00
							gold	**UNT LG2 2A**	5003,00
					3000K		black	**UNT LNN 2A**	4543,00
							white	**UNT LWW 2A**	4543,00
							titan grey	**UNT LDD 2A**	5003,00
							gold	**UNT LGG 2A**	5003,00
spot	5W	LED spot	110-240V	395lm	2700K		black	**UNT LN2 2B**	5060,00
							white	**UNT LW2 2B**	5060,00
							titan grey	**UNT LD2 2B**	5578,00
							gold	**UNT LG2 2B**	5578,00
					3000K		black	**UNT LNN 2B**	5060,00
							white	**UNT LWW 2B**	5060,00
							titan grey	**UNT LDD 2B**	5578,00
							gold	**UNT LGG 2B**	5578,00
note	CRI 90, IP20, cable length 2m, 40° optic LED spot, 155° joint rotation, black RAL 9005								

EAC


linear



spot




PENDANT



AM4C F.Albini, F.Helg, A.Piva, M.Albini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	250W	E27	230V			dimmable according to bulb	chrome/white glass	**ALB EHW 53**	9948,00
							black/white glass	**ALB ENW 53**	9603,00
note	IP20, cable length 2,5m, black RAL 9005								*Prices without bulb*


EAC



AM4Z F.Albini, F.Helg, A.Piva, M.Albini


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	250W	E27	230V			dimmable according to bulb	chrome	**ALB EHH 53**	15583,00
note	IP20, cable length 2,5m								*Prices without bulb*

EAC




AS41C F.Albini, F.Helg, A.Piva, M.Albini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	250W	E27	230V			dimmable according to bulb	black/white glass	**ALB ENW 54**	15698,00
							chrome/white glass	**ALB EHW 54**	19435,00
note	IP20, max cable length 1,85m, orientable arm total length 1m, black RAL 9005, cable adjustable only by the loop (curved part), cable not to be cut								*Prices without bulb*




AS41Z F.Albini, F.Helg, A.Piva, M.Albini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	250W	E27	230V			dimmable according to bulb	chrome	**ALB EHH 54**	24955,00
note	IP20, max cable length 1,85m, orientable arm total length 1m, cable adjustable only by the loop (curved part), cable not to be cut								*Prices without bulb*



AS43C F.Albini, F.Helg, A.Piva, M.Albini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	3x70W	E27	230V			dimmable according to bulb	black/white glass	**ALB ENW 55**	37203,00
							chrome/white glass	**ALB EHW 55**	47668,00
note	IP20, cable length 2,5m, black RAL 9005								*Prices without bulb*



ASTEROIDE Nemo

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
Ø30	100W	E27	230V			dimmable according to bulb	white/white glass	AST EWC 52	2760,00
							chrome/white glass	AST EHC 52	3048,00
Ø40	150W	E27	230V			dimmable according to bulb	white/white glass	AST EWC 53	3508,00
							chrome/white glass	AST EHC 53	3853,00
Ø50	150W	E27	230V			dimmable according to bulb	white/white glass	AST EWC 54	5520,00
							chrome/white glass	AST EHC 54	5693,00
note	IP20, cable length 1,5m								*Prices without bulb*


EAC



CANNA NUDA Piero Castiglioni, Roberto Menghi

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
L 50cm	75W	G9	110-240V			dimmable according to bulb	satin nickel	CAN HSW 51	3220,00
L 75cm	75W	G9	110-240V			dimmable according to bulb	satin nickel	CAN HSW 52	3335,00
note	IP20, cable length 3m, kit G9 LED NEMO available in the accessory section								*Prices without bulb*


EAC



CANNA NUDA METALLO Piero Castiglioni, Roberto Menghi

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	6,2W	LED board	110-240V	360lm	3000K		white	CAM LWW 52	3968,00
							chrome	CAM LHH 52	4830,00
accessory	canopy for ceiling mounting						white	COM KWW 41	518,00
							chrome	COM KHH 41	518,00
note	CRI 85, IP20, cable length 2,5m, semi recessed lamp, recessed hole: Ømin4/max6 x Hmin3cm, white RAL 9003 canopy accessory for standard mounting; more specifications on appendix section								


EAC



CHLORIS Arihiro Miyake

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	74W	LED board	110-240V	3050lm	2700K	dimmable, DALI push	nickel / white	**CHL LGD 51**	27945,00
note	IP20, cable length 2,5m, Emission: diffused, CRI 90, TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)								


UK CA



CROWN MINOR Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	12x25W	G9	110-240V			dimmable according to bulb	white	**CRO HWT 51**	13053,00
							black	**CRO HNT 51**	13053,00
							gold painted	**CRO HGW 51**	13283,00
							polished aluminium	**CRO HLT 51**	13685,00
							gold plated	**CRO HOW 51**	27428,00
							black plated	**CRO HPW 51**	31395,00
note	IP20, cable length 2,5m, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005								*Prices without bulb*


EAC



CROWN MAJOR Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	30x25W	G9	110-240V			dimmable according to bulb	white	**CRO HWT 52**	28865,00
							black	**CRO HNT 52**	28865,00
							gold painted	**CRO HGW 52**	29153,00
							polished aluminium	**CRO HLT 52**	29498,00
							gold plated	**CRO HOW 52**	63998,00
							black plated	**CRO HPW 52**	73658,00
note	IP20, cable length 3m, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005								*Prices without bulb*

EAC




CROWN MULTI Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	15x25W	G9	110-240V			dimmable according to bulb	white	CRO HWW 58	15698,00
							black	CRO HNW 58	15698,00
							gold painted	CRO HGW 58	16158,00
							polished aluminium	CRO HLW 58	16733,00
							gold plated	CRO HOW 58	26680,00
							black plated	CRO HPW 58	30705,00

note IP20, cable length 2,5m, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005

Prices without bulb

EAC




CROWN MAGNUM Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	42x25W	G9	110-240V			double, dim according to bulb	white	CRO HWW 5A	53935,00
							black	CRO HNW 5A	53935,00
							gold painted	CRO HGW 5A	55028,00
							polished aluminium	CRO HLW 5A	56178,00
							gold plated	CRO HOW 5A	96313,00
							black plated	CRO HPW 5A	110803,00

note IP20, cable length 3,5m, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005

Prices without bulb

EAC




CROWN SUMMA Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	48x25W	G9	110-240V			double, dim according to bulb	white	CRO HWW 59	61065,00
							black	CRO HNW 59	61065,00
							gold painted	CRO HGW 59	61870,00
							polished aluminium	CRO HLW 59	63883,00
							gold plated	CRO HOW 59	99188,00
							black plated	CRO HPW 59	114080,00

note IP20, cable length 3,5m, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005

Prices without bulb

EAC




CROWN ROYAL Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	120x3W	G9	110-240V			double, dim according to bulb	white	**CRO HWW 5B**	208898,00
							black	**CRO HNW 5B**	208898,00
							gold painted	**CRO HGW 5B**	214935,00
							polished aluminium	**CRO HLW 5B**	228218,00
							gold plated	**CRO HOW 5B**	247538,00
							black plated	**CRO HPW 5B**	265650,00

note IP20, cable length 3,5m, double switch, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005

Prices without bulb

EAC




CROWN PLANA Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	10x25W	G9	110-240V			dimmable according to bulb	white	**CRO HWW 56**	16503,00
							black	**CRO HNW 56**	16503,00
							gold painted	**CRO HGW 56**	17078,00
							polished aluminium	**CRO HLW 56**	17308,00
							gold plated	**CRO HOW 56**	25645,00
							black plated	**CRO HPW 56**	29498,00

note IP20, cable length 2,5m, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005

Prices without bulb

EAC




CROWN PLANA LINEA Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	10x25W	G9	110-240V			dimmable according to bulb	white	**CRO HWW 54**	14893,00
							black	**CRO HNW 54**	14893,00
							gold painted	**CRO HGW 54**	15410,00
							polished aluminium	**CRO HLW 54**	16158,00
							gold plated	**CRO HOW 54**	28233,00
							black plated	**CRO HPW 54**	31970,00

note IP20, cable length 3,5m, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005

Prices without bulb

EAC




CROWN PLANA MAJOR Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	12x25W	G9	110-240V			dimmable according to bulb	white	**CRO HWW 53**	21045,00
							black	**CRO HNW 53**	21045,00
							gold painted	**CRO HGW 53**	21908,00
							polished aluminium	**CRO HLW 53**	21965,00
							gold plated	**CRO HOW 53**	30073,00
							black plated	**CRO HPW 53**	34615,00

note IP20, cable length 3,5m, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005

Prices without bulb

EAC




CROWN PLANA MEGA Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	12x25W	G9	110-240V			dimmable according to bulb	white	**CRO HWW 57**	21160,00
							black	**CRO HNW 57**	21160,00
							gold painted	**CRO HGW 57**	21850,00
							polished aluminium	**CRO HLW 57**	22195,00
							gold plated	**CRO HOW 57**	31510,00
							black plated	**CRO HPW 57**	36340,00

note IP20, cable length 2,5m, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005

Prices without bulb

EAC




CROWN PLANA MINOR Jehs+Laub


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	12x25W	G9	110-240V			dimmable according to bulb	white	**CRO HWW 55**	18055,00
							black	**CRO HNW 55**	18055,00
							gold painted	**CRO HGW 55**	18573,00
							polished aluminium	**CRO HLW 55**	18918,00
							gold plated	**CRO HOW 55**	29095,00
							black plated	**CRO HPW 55**	33465,00


note IP20, cable length 3,5m, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005

Prices without bulb

EAC








DABLIU Nemo

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
SPOT	3x5W	LED spot	110-240V	3x395lm	2700K	dimmable 1-10V	black	**DAB LNN 51**	9085,00
					3000K		black	**DAB LNN 52**	9085,00
CONE	3x5W	LED spot	110-240V	3x395lm	2700K		black/gold burnished	**DAB LNN 55**	9948,00
					3000K		black/gold burnished	**DAB LNN 56**	9948,00
GLOBE	3x4W	G4 LED 12V (included)	110-240V	3x350lm	2700K		black/white glass	**DAB LNN 53**	10753,00
					3000K		black/white glass	**DAB LNN 54**	10753,00

note CRI 90, IP20, cable length 3m, 40° optic (spot and cone version), G4 LED bulbs included (globe version), black RAL 9005






DROP 5 Arihiro Miyake

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	35W	linear LED	110-240V	975lm	2700K	dimmable, DALI push	black	**DRP LNN 51**	12823,00
							satin gold	**DRP LGG 51**	15410,00
							satin silver	**DRP LDD 51**	15410,00

note CRI 90, IP20, cable length 2,5m, black RAL 9005,
TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)






DROP 7 Arihiro Miyake


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	60W	linear LED	110-240V	1654lm	2700K	dimmable, DALI push	black	**DRP LNN 52**	21678,00
							satin gold	**DRP LGG 52**	25645,00
							satin silver	**DRP LDD 52**	25645,00

note CRI 90, IP20, cable length 2,5m, black RAL 9005,
TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)




DROP 9 Arihiro Miyake

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	90W	linear LED	110-240V	2277lm	2700K	dimmable, DALI push	black	**DRP LNN 53**	28233,00
							satin gold	**DRP LGG 53**	32028,00
							satin silver	**DRP LDD 53**	32028,00
note	CRI 90, IP20, cable length 2,5m, black RAL 9005, TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)								



ELLISSE MINOR Federico Palazzari

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
uplight	50W	linear LED	110-240V	2250lm	2700K	dimmable, DALI push	white	**ELP LW2 51**	10293,00
							black	**ELP LN2 51**	10293,00
							gold painted	**ELP LO2 51**	11385,00
							polished aluminium	**ELP LL2 51**	11788,00
							gold polished anodized	**ELP LGW 51**	13225,00
					3000K	dimmable, DALI push	white	**ELP LWW 51**	10293,00
							black	**ELP LNW 51**	10293,00
							gold painted	**ELP LOW 51**	11385,00
							polished aluminium	**ELP LLW 51**	11788,00
downlight	50W	linear LED	110-240V	2250lm	2700K	dimmable, DALI push	white	**ELP LW2 52**	10293,00
							black	**ELP LN2 52**	10293,00
							gold painted	**ELP LO2 52**	11385,00
							polished aluminium	**ELP LL2 52**	11788,00
							gold polished anodized	**ELP LGW 52**	13225,00
					3000K	dimmable, DALI push	white	**ELP LWW 52**	10293,00
							black	**ELP LNW 52**	10293,00
							gold painted	**ELP LOW 52**	11385,00
							polished aluminium	**ELP LLW 52**	11788,00
note	CRI 85, IP20, cable length 2,5m, adjustable cable length up to 0,4m, white RAL 9003, black RAL 9005, TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)								




ELLISSE MAJOR Federico Palazzari

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
uplight	69W	linear LED	110-240V	3450lm	2700K	dimmable, DALI push	white	**ELP LW2 53**	16158,00
							black	**ELP LN2 53**	16158,00
							gold painted	**ELP LO2 53**	18285,00
							polished aluminium	**ELP LL2 53**	19148,00
							gold polished anodized	**ELP LGW 53**	20298,00
					3000K	dimmable, DALI push	white	**ELP LWW 53**	16158,00
							black	**ELP LNW 53**	16158,00
							gold painted	**ELP LOW 53**	18285,00
							polished aluminium	**ELP LLW 53**	19148,00
downlight	69W	linear LED	110-240V	3450lm	2700K	dimmable, DALI push	white	**ELP LW2 54**	16158,00
							black	**ELP LN2 54**	16158,00
							gold painted	**ELP LO2 54**	18285,00
							polished aluminium	**ELP LL2 54**	19148,00
							gold polished anodized	**ELP LGW 54**	20298,00
					3000K	dimmable, DALI push	white	**ELP LWW 54**	16158,00
							black	**ELP LNW 54**	16158,00
							gold painted	**ELP LOW 54**	18285,00
							polished aluminium	**ELP LLW 54**	19148,00

note CRI 85, IP20, cable length 2,5m, adjustable cable length up to 0,4m, white RAL 9003, black RAL 9005,
TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)


EAC



ELLISSE MEGA Federico Palazzari

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
uplight	76W	linear LED	110-240V	4425lm	2700K	dimmable, DALI push	white	**ELP LW2 58**	20298,00
							black	**ELP LN2 58**	20298,00
							gold painted	**ELP LO2 58**	22195,00
					3000K	dimmable, DALI push	white	**ELP LWW 58**	20298,00
							black	**ELP LNW 58**	20298,00
							gold painted	**ELP LOW 58**	22195,00
downlight	76W	linear LED	110-240V	4425lm	2700K	dimmable, DALI push	white	**ELP LW2 59**	20298,00
							black	**ELP LN2 59**	20298,00
							gold painted	**ELP LO2 59**	22195,00
					3000K	dimmable, DALI push	white	**ELP LWW 59**	20298,00
							black	**ELP LNW 59**	20298,00
							gold painted	**ELP LOW 59**	22195,00


note CRI 85, IP20, cable length 2,5m, adjustable cable length up to 0,4m, white RAL 9003, black RAL 9005,
TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)



ELLISSE DOUBLE Federico Palazzari

version	*power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
minor uplight major downlight	90W	linear LED	110-240V	2825+1850lm	2700K	dimmable, DALI push	white	**ELP LW2 56**	25013,00
							black	**ELP LN2 56**	25013,00
							gold painted	**ELP LO2 56**	28118,00
							polished aluminium	**ELP LL2 56**	28463,00
							gold polished anodized	**ELP LGW 56**	31108,00
					3000K	dimmable, DALI push	white	**ELP LWW 56**	25013,00
							black	**ELP LNW 56**	25013,00
							gold painted	**ELP LOW 56**	28118,00
							polished aluminium	**ELP LLW 56**	28463,00

note CRI 85, IP20, cable length 2,5m, adjustable cable length up to 0,4m, white RAL 9003, black RAL 9005,
TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)




ELLISSE DOUBLE MEGA Federico Palazzari

version	*power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
major uplight mega downlight	90W	linear LED	110-240V	2825+1850lm	2700K	dimmable, DALI push	white	**ELP LW2 5A**	36800,00
							black	**ELP LN2 5A**	36800,00
							gold painted	**ELP LO2 5A**	41170,00
					3000K	dimmable, DALI push	white	**ELP LWW 5A**	36800,00
							black	**ELP LNW 5A**	36800,00
							gold painted	**ELP LOW 5A**	41170,00

note CRI 85, IP20, cable length 2,5m, adjustable cable length up to 0,4m, white RAL 9003, black RAL 9005,
TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)

EAC



ELLISSE TRIPLE Federico Palazzari

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
minor uplight major downlight minor downlight	94W	linear LED	110-240V	1325+2050 +1325lm	2700K	dimmable, DALI push	white	**ELP LW2 57**	36340,00
							black	**ELP LN2 57**	36340,00
							gold painted	**ELP LO2 57**	40595,00
							polished aluminium	**ELP LL2 57**	40883,00
							gold polished anodized	**ELP LGW 57**	46000,00
					3000K	dimmable, DALI push	white	**ELP LWW 57**	36340,00
							black	**ELP LNW 57**	36340,00
							gold painted	**ELP LOW 57**	40595,00
							polished aluminium	**ELP LLW 57**	40883,00

note CRI 85, IP20, cable length 2,5m, adjustable cable length up to 0,4m, white RAL 9003, black RAL 9005,
TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)


EAC



ILIUM LED Foster+Partners

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
H75	7W	LED board	230V	345lm	3000K	ON/OFF	chrome/clear glass	**ILI LHC 51**	4658,00
note	CRI 85, IP20, cable length 3m								


EAC



ILIUM Foster+Partners

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
H77	50W	E27 halo par20 bulb	230V			dimmable according to bulb	chrome/clear glass	**ILI HHC 51**	7993,00
note	CRI 85, IP20, cable length 3m								*Prices without bulb*

EAC



IN THE WIND HORIZONTAL Arihiro Miyake

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	58W	linear LED	230V	2570lm	2700K	dimmable, DALI push	white	**ITW LWW 56**	24093,00
							black	**ITW LNW 56**	24093,00
							titan grey	**ITW LDW 56**	25703,00
							gold	**ITW LGW 56**	27198,00
				2850lm	3000K	dimmable, DALI push	white	**ITW LWW 57**	24093,00
							black	**ITW LNW 57**	24093,00
							titan grey	**ITW LDW 57**	25703,00
							gold	**ITW LGW 57**	27198,00
note	CRI 85, IP20, metal cable length 3m, electric cable length 5m, white RAL 9003, black RAL 9005, also available in 120V, TRIAC version on request (+2300 kr), CASAMBI version on request (+2588 kr)								

EAC




IN THE WIND VERTICAL Arihiro Miyake

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	58W	linear LED	230V	2570lm	2700K	dimmable, DALI push	white	**ITW LWW 55**	24093,00
							black	**ITW LNW 55**	24093,00
							titan grey	**ITW LDW 55**	25703,00
							gold	**ITW LGW 55**	27198,00
				2850lm	3000K	dimmable, DALI push	white	**ITW LWW 58**	24093,00
							black	**ITW LNW 58**	24093,00
							titan grey	**ITW LDW 58**	25703,00
							gold	**ITW LGW 58**	27198,00

note	CRI 85, IP20, cable length 3m, white RAL 9003, black RAL 9005, also available in 120V, TRIAC version on request (+2300 kr), CASAMBI version on request (+2588 kr)


EAC



KEPLER PETITE Arihiro Miyake

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
downlight	55W	linear LED	110-240V	1954lm	2700K	dimmable, DALI push	white	**KES LWW 54**	9545,00
							black	**KES LNN 54**	9545,00
							gold	**KES LOW 54**	10983,00
					3000K	dimmable, DALI push	white	**KES LWW 52**	9545,00
							black	**KES LNN 52**	9545,00
							gold	**KES LOW 52**	10983,00

note	CRI 85, IP20, cable length 2,5m, adjustable cable length up to 0,4m, TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr), white RAL 9003, black RAL 9005




KEPLER MINOR Arihiro Miyake

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
uplight	69W	linear LED	110-240V	4000lm	2700K	dimmable, DALI push	white	KEM LWW 53	17020,00
							black	KEM LNN 53	17020,00
							gold	KEM LOW 53	19205,00
					3000K	dimmable, DALI push	white	KEM LWW 51	17020,00
							black	KEM LNN 51	17020,00
							gold	KEM LOW 51	19205,00
downlight	69W	linear LED	110-240V	4000lm	2700K	dimmable, DALI push	white	KEM LWW 54	17020,00
							black	KEM LNN 54	17020,00
							gold	KEM LOW 54	19205,00
					3000K	dimmable, DALI push	white	KEM LWW 52	17020,00
							black	KEM LNN 52	17020,00
							gold	KEM LOW 52	19205,00

note CRI 85, IP20, cable length 2,5m, adjustable cable length up to 0,4m, white RAL 9003, black RAL 9005,
TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)

EAC




KEPLER Arihiro Miyake

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
uplight	83W	linear LED	110-240V	4800lm	2700K	dimmable, DALI push	white	KEP LWW 53	21965,00
							black	KEP LNN 53	21965,00
							gold	KEP LOW 53	24898,00
					3000K	dimmable, DALI push	white	KEP LWW 51	21965,00
							black	KEP LNN 51	21965,00
							gold	KEP LOW 51	24898,00
downlight	83W	linear LED	110-240V	4800lm	2700K	dimmable, DALI push	white	KEP LWW 54	21965,00
							black	KEP LNN 54	21965,00
							gold	KEP LOW 54	24898,00
					3000K	dimmable, DALI push	white	KEP LWW 52	21965,00
							black	KEP LNN 52	21965,00
							gold	KEP LOW 52	24898,00


note CRI 85, IP20, cable length 2,5m, adjustable cable length up to 0,4m, white RAL 9003, black RAL 9005,
TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)

EAC




LINESCAPES HORIZONTAL Nemo

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
L130	19W	linear LED	110-240V	1125lm	2700K	dimmable 1-10V	white	**LIN LW2 5D**	7475,00
							black	**LIN LN2 5D**	7475,00
					3000K	dimmable 1-10V	white	**LIN LWW 5D**	7475,00
							black	**LIN LNN 5D**	7475,00
L200	33W	linear LED	110-240V	1765lm	2700K	dimmable 1-10V	white	**LIN LW2 5E**	7935,00
							black	**LIN LN2 5E**	7935,00
					3000K	dimmable 1-10V	white	**LIN LWW 5E**	7935,00
							black	**LIN LNN 5E**	7935,00



note CRI 85, IP20, metal cable length 3m, electric cable length 3m, 360° orientable, DALI version on request (+1380 kr), white RAL 9003, black RAL 9005

EAC



LINESCAPES VERTICAL Nemo

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	12W	linear LED	110-240V	475lm	2700K	ON/OFF	white	**LIN LW2 59**	4083,00
					3000K	ON/OFF	white	**LIN LWW 59**	4083,00
recessed	19W	linear LED	110-240V	1125lm	2700K	dimmable 1-10V	white	**LIN LW2 5A**	4313,00
					3000K	dimmable 1-10V	white	**LIN LWW 5A**	4313,00

note CRI 85, IP20, cable length 3m, 360° orientable, side emission, white RAL 9003, black RAL 9005,
Recessed: recessed hole Ø8xHmin4cm, DALI version on request (+1380 kr); more specifications on appendix section

⧈ *(only recessed version)* EAC




LOROSAE Ø20 Álvaro Siza

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	1x60W	E27 LED/HALO/FLUO	230V			dimmable according to bulb	jasmine white	LOR EWW 51	3220,00
							ocean blu	LOR EWB 51	3450,00
							sorrento yellow	LOR EWG 51	3450,00
							sicilian orange	LOR EWA 51	3450,00
							rosemary green	LOR EWV 51	3450,00
note	IP20, cable length 2,5m, Emission: diffused/direct								*Prices without bulb*




LOROSAE Ø30 Álvaro Siza

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	1x60W	E27 LED/HALO/FLUO	230V			dimmable according to bulb	jasmine white	LOR EWW 52	4543,00
							ocean blu	LOR EWB 52	4773,00
							sorrento yellow	LOR EWG 52	4773,00
							sicilian orange	LOR EWA 52	4773,00
							rosemary green	LOR EWV 52	4773,00
note	IP20, cable length 2,5m, Emission: diffused/direct								*Prices without bulb*



LOROSAE Ø40 Álvaro Siza


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	1x60W	E27 LED/HALO/FLUO	230V			dimmable according to bulb	jasmine white	LOR EWW 53	5808,00
							ocean blu	LOR EWB 53	6153,00
							sorrento yellow	LOR EWG 53	6153,00
							sicilian orange	LOR EWA 53	6153,00
							rosemary green	LOR EWV 53	6153,00
note	IP20, cable length 2,5m, Emission: diffused/direct								*Prices without bulb*



MAGA Nemo

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	46W	E14	230V			dimmable according to bulb	chrome/white glass	**MGA EWW 52**	1955,00
note	IP20, cable length 1,5m								*Prices without bulb*


EAC



NUVOLA Mario Bellini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	132W	linear LED	110-240V	9000lm	2700K	dimmable 1-10V	white	**NUV LWW 51**	28578,00
note	CRI 85, IP20, cable length 3m, TRIAC version on request (+1666RMB), DALI version on request (+1380 kr), CASAMBI version on request (+2588 kr), remote control available in the accessory section								

EAC



NUVOLA MINOR Mario Bellini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	90W	linear LED	110-240V	6000lm	2700K	dimmable, DALI push	white	**NUM LWW 51**	18343,00
note	CRI 85, IP20, cable length 3m, TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr) remote control available in the accessory section								


EAC



PROJECTEUR 165 Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
IP20	23W	E27 LED/FLUO	230V			dimmable according to bulb	night blue	**PRP FDW 51**	2243,00
							whitesand	**PRP FWS 51**	2243,00
							moka	**PRP FMW 51**	2243,00
IP44	23W	E27 LED/FLUO	230V			dimmable according to bulb	night blue	**PRP FDW 52**	2760,00
							whitesand	**PRP FWS 52**	2760,00
							moka	**PRP FMW 52**	2760,00
note	cable length 2m, orientable, max bulb H 11cm, black canopy								*Prices without bulb*


EAC *(only IP20 version)*



PROJECTEUR 365 Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
IP20	150W	E27	230V			dimmable according to bulb	night blue	**PRJ EDW 51**	9200,00
							whitesand	**PRJ EWS 51**	9200,00
							moka	**PRJ EMS 51**	9200,00
IP54	60W	E27	230V			dimmable according to bulb	night blue	**PRJ EDW 52**	9833,00
							whitesand	**PRJ EWS 52**	9833,00
							moka	**PRJ EMS 52**	9833,00
note	cable length 3m								*Prices without bulb*


EAC *(only IP20 version)*



SIRIUS Carlo Colombo

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	6x40W	G9	230V			dimmable according to bulb	nickel/white glass	**SIR HLW 51**	6325,00
note	IP20, metal cable length 3m, electrical cable length 3,3m, kit G9 LED NEMO available in the accessory section								*Prices without bulb*


EAC



SPIGOLO VERTICAL Studiocharlie

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x19W	2x linear LED	110-240V	2x1125lm	2700K	mono switch dimmable 1-10V	white	**SPI LW2 51**	9948,00
							black	**SPI LN2 51**	9948,00
					3000K	mono switch dimmable 1-10V	white	**SPI LWW 51**	9948,00
							black	**SPI LNN 51**	9948,00
note	CRI 85, IP20, cable length 3m, 360° orientable diffusers, DALI version on request (+1380 kr), white RAL 9003, black RAL 9005								

EAC




SPIGOLO HORIZONTAL Studiocharlie

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x19W	2x linear LED	110-240V	2x1125lm	2700K	mono switch dimmable 1-10V	white	**SPI LW2 52**	10350,00
							black	**SPI LN2 52**	10350,00
					3000K	mono switch dimmable 1-10V	white	**SPI LWW 52**	10350,00
							black	**SPI LNN 52**	10350,00

note CRI 85, IP20, metal cable length 3m, electric cable length 5m, 360° orientable diffusers, decentralized ceiling canopy, white RAL 9003, black RAL 9005 , DALI version on request (+1380 kr)

EAC




TITIA Arihiro Miyake

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	90W	linear LED	110-240V	3850lm	2700K	dimmable, DALI push	white	**TIT LWW 51**	21275,00
							black	**TIT LNN 51**	21275,00

note CRI 85, IP20, cable length 3m, TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr), white RAL 9003, black RAL 9005


EAC



TITIA MINOR Arihiro Miyake

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	65W	linear LED	110-240V	2452lm	2700K	dimmable, DALI push	black	**TIT LNN 52**	11098,00

note CRI 85, IP20, cable length 3m, TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr), black RAL 9005





DOWN+DOWN




UP+DOWN

TRU Roberto Paoli

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
downlight + downlight	2x33W	linear LED	110-240V	2x1765lm	2700K	single dimmer on board, single switch	white	**TRU LWW 57**	16848,00
							black	**TRU LNN 57**	16848,00
							titan grey	**TRU LDD 57**	17480,00
					3000K	single dimmer on board, single switch	white	**TRU LWW 5C**	16848,00
							black	**TRU LNN 5C**	16848,00
							titan grey	**TRU LDD 5C**	17480,00
uplight + downlight	2x33W	linear LED	110-240V	2x1765lm	2700K	single dimmer on board, single switch	white	**TRU LWW 55**	16848,00
							black	**TRU LNN 55**	16848,00
							titan grey	**TRU LDD 55**	17480,00
					3000K	single dimmer on board, single switch	white	**TRU LWW 5A**	16848,00
							black	**TRU LNN 5A**	16848,00
							titan grey	**TRU LDD 5A**	17480,00

note CRI 85, IP20, metal cable length 3m, electric cable length 5m, white RAL 9003, black RAL 9005

EAC




TUBES 3 Charles Kalpakian

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	3x4W	LED board	110-240V	3x190lm	2700K	dimmable, push	whitewash/whitewash	**TTB LWW 53**	7188,00
							whitewash/copper	**TTB LWC 53**	7993,00
							black/black	**TTB LNW 53**	7188,00

note CRI 85, IP20, cable length 3m, white RAL 9003, black RAL 9005

EAC




TYPE PENDANT Guillaume Bloget

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	8W	LED board	110-240V	467lm	2700K	dim and zoom on board	black	**TYP LNN 51**	6383,00
							aluminum satin	**TYP LSN 51**	6958,00
					3000K	dim and zoom on board	black	**TYP LNN 52**	6383,00
							aluminum satin	**TYP LSN 52**	6958,00

note CRI 90, IP20, cable length 2,5m, 15-60° optic

UK CA


TABLE



AM1N F.Albini, F.Helg, A.Piva, M.Albini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	150W	E27	230V			dimmable on cable according to bulb	black/white glass	**ALB ENW 14**	11040,00
							chrome/white glass	**ALB EHW 14**	12248,00
note	IP20, cable length 2,2m, black RAL 9005								*Prices without bulb*


EAC



AS1C F.Albini, F.Helg, A.Piva, M.Albini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	150W	E27	230V			dimmable on cable according to bulb	black/white glass	**ALB ENW 15**	9948,00
							chrome/white glass	**ALB EHW 15**	13685,00
note	IP20, cable length 2,2m, black RAL 9005								*Prices without bulb*


EAC



BIRD Bernhard Osann

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	10W	linear LED	110-240V	715lm	2700K	dimmable on board	black/brass	**BIR LNO 11**	6383,00
note	CRI 85, IP20, cable length 2m, 345° orientable head, black RAL 9005								


EAC




BORNE BÉTON PETITE Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
indoor	19W	LED board	110-240V	960lm	3000K	dimmable on cable	concrete	**BBP LDW 21**	9833,00
outdoor	19W	LED board	110-240V	960lm	3000K	ON/OFF	concrete	**BBP LDW 23**	10293,00
accessories	vandal proof fixing plate for outdoor version							**BBP FIX 21**	2013,00
note	CRI 80, indoor: IP20, cable length 2,7m / outdoor: IP44, cable length 3m, body and cable IP65 rated, more specifications on appendix section								


EAC *(only indoor version)*





CUPIDO Alon Rotman


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	5W	LED linear	110/240V	245lm	2700K	dimmable on board	polished/orange/ yellow	**CUP LLG 11**	5980,00
							polished/polished	**CUP LLL 11**	6383,00
note	CRI 90, IP20, orange RAL 2004, yellow RAL 1033								



KUTA Vico Magistretti


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	100W	E27	230V			switch on cable	white/black diffuser, chrome, white marble	**KUT EWN 11**	6153,00
note	IP20, cable length 1,5m, white RAL 9003, black RAL 9005								*Prices without bulb*

EAC




LAMPE CABANON Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	25W	E27 LED	230V			dimmable on cable according to bulb	gunmetal, green, tracing paper sheet	**CAB ENW 11**	5003,00
note	cable length 2,5m, LED 4-25W, green RAL 6016								*Prices without bulb*



LAMPE DE BUREAU Charlotte Perriand


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	20W	E14	230V			switch on board	green	**LDB EDV 11**	4428,00
							yellow	**LDB EDG 11**	4428,00
							red	**LDB EDR 11**	4428,00
							blue mare	**LDB EDB 11**	4428,00
							blue grey	**LDB EDC 11**	4428,00
							white	**LDB EDW 11**	4428,00
note	IP20, cable length 1,5m, base dark grey RAL7016, body light grey RAL7046, internal glass color white								*Prices without bulb*



LOROSAE TABLE Álvaro Siza


version	*total power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	3W	LED board	5V	380lm	2700K	dimmable touch on board	jasmine white	**LOR LWW 11**	3968,00
							ocean blu	**LOR LWB 11**	4255,00
							sorrento yellow	**LOR LWG 11**	4255,00
							sicilian orange	**LOR LWA 11**	4255,00
							rosemary green	**LOR LWV 11**	4255,00
note	IP54, Emission: diffused, CRI 90,Equipped with USB-C socket, cable included, Charging time: 5h, Battery life: min 3,5h / MAX 14h								

IP54




MAGA TABLE Nemo

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	46W	E14	230V			dimmable according to bulb	chrome/white glass	**MGA EWW 12**	1840,00
note	IP20, cable length 2m								*Prices without bulb*



MINI MAIS PLUS QUE CELA JE NE PEUX PAS Rudy Ricciotti


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2,4W	linear LED	110-240V	200lm	2700K	switch on cable	raw metal	RCM LMM 12	1150,00
							gold	RCM LGG 11	2243,00
note	CRI 85, IP20, cable length 3m								



MR. LIGHT Javier Mariscal


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	42W	E27	230V			switch on cable	black	MRL ENN 11	6958,00
note	IP20, cable length 2m, orientable, Ø12cm bulb (not included), black RAL 9005								*Prices without bulb*






ON LINES Jean Nouvel

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	15W	linear LED	110-240V	1700lm	2700K	dimmable on board	white	ONL LWW 11	5520,00
							black	ONL LNW 12	5520,00
note	CRI 85, IP20, cable length 2m, colored diffusers, white RAL 9003, black RAL 9005								



PANAMA Euga Design


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	14W	LED board	110-240V	1010lm	2700K	switch on cable	white textured	**PAN LWW 13**	5348,00
							coal black	**PAN LXX 13**	5348,00
note	CRI 85, IP20, cable length 2m, white RAL 9003								



PANAMA MINI Euga Design


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
led	13W	LED board	110-240V	411lm	2700K	switch on cable	white textured	**PNM LWW 14**	3450,00
							coal black	**PNM LXX 14**	3450,00
led battery	3W	LED board	5V	190lm	2700K	dimmable on board	white textured	**PNM LWW 15**	4025,00
							coal black	**PNM LXX 15**	4025,00
note	led: CRI 85, IP20, cable length 1,5m, white RAL 9003 led battery: CRI 85, IP20, rechargeable, 17 hours battery life, 7 hours charge time (light off)								

(battery) *(plug)*



PIVOTANTE À POSER Charlotte Perriand


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	60W	E27	230V			switch on cable	white	**PAP EDW 12**	2530,00
							yellow	**PAP EDG 12**	2530,00
							blue	**PAP EDB 12**	2530,00
							pastel blue	**PAP EDC 12**	2530,00
							carmine red	**PAP EDR 12**	2530,00
							sage green	**PAP EDV 12**	2530,00
							light grey	**PAP EDD 12**	2530,00
note	IP20, cable length 2m, 360° orientable, white RAL 9003, yellow RAL 1033, blue RAL 5002, pastel blue RAL 5024, carmine red RAL 3002, sage green RAL 6021, light grey RAL 7046								*Prices without bulb*



PORTOFINO Valerio Sommella

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
Standard	1,8W	LED board	5V	190lm	2700K	dimmable on board	white	**POR LWW 11**	1725,00
							black	**POR LNN 11**	1725,00
							pastel blue	**POR LBB 11**	2128,00
							emerald green	**POR LVV 11**	2128,00
							gold	**POR LGG 11**	2415,00


marble version



Marble	1,8W	LED board	5V	190lm	2700K	dimmable on board	white/travertino	**POR LWW 12**	2358,00
							black/sahara noir	**POR LNN 12**	2358,00
							pastel blue/ blue portofino	**POR LBB 12**	2760,00
							emerald green/ green guatemala	**POR LVV 12**	2760,00
							gold/travertino	**POR LGG 12**	3048,00

note CRI 90, IP20, equipped with USB-C socket, cable included, rechargeable, 10 h battery life based on a medium dimming output (5 h max / 15 h low). 4,5 h charging time, white RAL 9003, black RAL 9005, pastel blue RAL 5024, emerald green RAL 6005






PROJECTEUR 165 PINCER CLIP Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	23W	E27 LED FLUO	230V			switch on cable	night blue	**PRP FDW 11**	2645,00
							white sand	**PRP FWS 11**	2645,00
							moka	**PRP FMW 11**	2645,00

note IP20, cable length 2m, orientable, max clip opening 3cm, max bulb H 11cm *Prices without bulb*






SORRENTO 1X Valerio Sommella

version	*total power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	1,8W	LED board	5V			dimmable on board	black + grey base	**SRT LDN 11**	2990,00
							white + grey base	**SRT LDW 11**	2990,00


note IP20, Emission: diffused/indirect, CRI 90, equipped with USB-C socket, cable included, rechargeable, min 5h MAX 15h battery life, 4,5h charging time, white RAL 9003, black RAL 9005






SORRENTO 3X Valerio Sommella

version	*total power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	5,4W	LED board	5V			dimmable on board	black + grey base	**SRT LDN 13**	5348,00
							white + grey base	**SRT LDW 13**	5348,00
note	IP20, Emission: diffused/indirect, CRI 90, equipped with USB-C socket, cable included, rechargeable, min 5h MAX 15h battery life, 4,5h charging time, white RAL 9003, black RAL 9005								




UNTITLED MINI TABLE Bernhard Osann

version	*total power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
linear	4,5W	linear LED	110-240V	485lm	2700K	dimmable on board	black	**UNT LN2 15**	2703,00
							white	**UNT LW2 15**	2703,00
							titan grey	**UNT LD2 15**	3048,00
							gold	**UNT LG2 15**	3048,00
					3000K	dimmable on board	black	**UNT LNN 15**	2703,00
							white	**UNT LWW 15**	2703,00
							titan grey	**UNT LDD 15**	3048,00
							gold	**UNT LGG 15**	3048,00
note	CRI 90, IP20, cable length 2m, 40° optic LED spot, 155° joint rotation, accessories sold separately, black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054								



UNTITLED MINI TABLE Bernhard Osann

version	*total power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
spot	5W	spot LED	110-240V	495lm	2700K	dimmable on board	black	**UNT LN2 16**	2990,00
							white	**UNT LW2 16**	2990,00
							titan grey	**UNT LD2 16**	3278,00
							gold	**UNT LG2 16**	3278,00
					3000K	dimmable on board	black	**UNT LNN 16**	2990,00
							white	**UNT LWW 16**	2990,00
							titan grey	**UNT LDD 16**	3278,00
							gold	**UNT LGG 16**	3278,00
note	CRI 90, IP20, cable length 2m, 40° optic LED spot, 155° joint rotation, accessories sold separately, black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054								




UNTITLED TABLE Bernhard Osann

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
linear	4,5W	linear LED	110-240V	485lm	2700K	dimmable on board	black	**UNT LNN 11**	3220,00
							white	**UNT LWW 11**	3220,00
							titan grey	**UNT LDD 11**	3508,00
							gold	**UNT LGG 11**	3508,00
					3000K	dimmable on board	black	**UNT LNN 13**	3220,00
							white	**UNT LWW 13**	3220,00
							titan grey	**UNT LDD 13**	3508,00
							gold	**UNT LGG 13**	3508,00

note	CRI 90, IP20, cable length 2m, 40° optic LED spot, 155° joint rotation, accessories sold separately, black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054

EAC



UNTITLED TABLE Bernhard Osann

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
spot	5W	spot LED	110-240V	395lm	2700K	dimmable on board	black	**UNT LNN 12**	3565,00
							white	**UNT LWW 12**	3565,00
							titan grey	**UNT LDD 12**	3968,00
							gold	**UNT LGG 12**	3968,00
					3000K	dimmable on board	black	**UNT LNN 14**	3565,00
							white	**UNT LWW 14**	3565,00
							titan grey	**UNT LDD 14**	3968,00
							gold	**UNT LGG 14**	3968,00


note	CRI 90, IP20, cable length 2m, 40° optic LED spot, 155° joint rotation, accessories sold separately, black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054

EAC

BASE




DESK CLAMP



ACCESSORIES


version	*finish*	*code*	*SEK*
base	black	**UNT BAN 11**	690,00
	white	**UNT BAW 11**	690,00
	titan grey	**UNT BAD 11**	690,00
	gold	**UNT BAG 11**	690,00
desk clamp	black	**UNT ATN 11**	690,00
	white	**UNT ATW 11**	690,00
	titan grey	**UNT ATD 11**	690,00
	gold	**UNT ATG 11**	690,00

WALL




APPLIQUE RADIEUSE Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x40W	E27	230V			mono switch dimmable according to bulb	white	**ARS EWW 31**	4773,00
							red	**ARS ERW 31**	4773,00
							orange	**ARS EAW 31**	4773,00
							blue	**ARS EBW 31**	4773,00
							green	**ARS EVW 31**	4773,00
note	IP20, white RAL 9002, red RAL 3002, blue RAL 5015, orange RAL 2011, green RAL 6016								*Prices without bulb*




APPLIQUE À VOLET PIVOTANT Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	80W	R7s (75mm)	230V			dimmable according to bulb	black anodized	**AVP HWN 31**	2300,00
							natural anodized	**AVP HWD 31**	2300,00
							polished inox	**AVP HWH 31**	2760,00
note	IP20, white body								*Prices without bulb*



APPLIQUE À VOLET PIVOTANT Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	8W	E14	230V			dimmable according to bulb	black anodized	**AVP EWN 31**	2300,00
							natural anodized	**AVP EWD 31**	2300,00
							white	**AVP EWW 31**	2473,00
							red	**AVP EWR 31**	2473,00
							yellow	**AVP EWG 31**	2473,00
							blue	**AVP EWB 31**	2473,00
							polished inox	**AVP EWH 31**	2818,00
note	IP20, cable length 1,1m, switch on board, bulb Ømax 3cm, with external cable plug (removable), white body, white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002								*Prices without bulb*




APPLIQUE À VOLET PIVOTANT LED Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
IP54	10W	LED board	230V	805lm*	3000K	dimmable TRIAC	black anodized	**AVP LWN 34**	2818,00
							natural anodized	**AVP LWD 34**	2818,00
							white	**AVP LWW 34**	3048,00
							red	**AVP LWR 34**	3048,00
							yellow	**AVP LWG 34**	3048,00
							blue	**AVP LWB 34**	3048,00
							polished inox	**AVP LWH 34**	3393,00

note CRI 85, white body, white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002, *minimum value measured with the white volet in parallel position

UK CA




APPLIQUE À VOLET PIVOTANT DOUBLE Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x80W	R7s (75mm)	230V			dimmable according to bulb	black anodized	**AVP HWN 33**	3508,00
							natural anodized	**AVP HWD 33**	3508,00
							polished inox	**AVP HWH 33**	4198,00

note IP20, indirect orientable, recommended use of R7s LED bulb *Prices without bulb*

EAC




APPLIQUE À VOLET PIVOTANT DOUBLE Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x8W	E14	230V			dimmable according to bulb	black anodized	**AVP EWN 33**	3508,00
							natural anodized	**AVP EWD 33**	3508,00
							white	**AVP EWW 33**	4313,00
							red	**AVP EWR 33**	4313,00
							yellow	**AVP EWG 33**	4313,00
							blue	**AVP EWB 33**	4313,00
							polished inox	**AVP EWH 33**	4198,00

note IP20, bulb Ømax 3cm, white body, white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002 *Prices without bulb*

EAC




APPLIQUE À VOLET PIVOTANT DOUBLE LED Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
IP54	20W	LED board	230V	1515lm*	3000K	dimmable TRIAC	black anodized	**AVP LWN 36**	3853,00
							natural anodized	**AVP LWD 36**	3853,00
							white	**AVP LWW 36**	4198,00
							red	**AVP LWR 36**	4198,00
							yellow	**AVP LWG 36**	4198,00
							blue	**AVP LWB 36**	4198,00
							polished inox	**AVP LWH 36**	4600,00

note CRI 85, white body, white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002, *minimum value measured with the white volet in parallel position

EAC UK CA




APPLIQUE À VOLET PIVOTANT PLIÉ Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x80W	R7s (75mm)	230V			dimmable according to bulb	black anodized	**AVP HWN 32**	3680,00
							natural anodized	**AVP HWD 32**	3680,00

note IP20, only for vertical installation, recommended use of R7s LED bulb *Prices without bulb*

EAC




APPLIQUE À VOLET PIVOTANT PLIÉ Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x8W	E14	230V			dim according to bulb	black anodized	**AVP EWN 32**	3680,00
							natural anodized	**AVP EWD 32**	3680,00
							white	**AVP EWW 32**	4083,00
							red	**AVP EWR 32**	4025,00
							yellow	**AVP EWG 32**	4025,00
							blue	**AVP EWB 32**	4025,00

note IP20, bulb Ømax 3cm, white body,
white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002, only for vertical installation *Prices without bulb*

EAC




APPLIQUE À VOLET PIVOTANT PLIÉ LED Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
IP54	20W	LED board	230V	1500lm	3000K	dimmable TRIAC	black anodized	**AVP LWN 35**	4025,00
							natural anodized	**AVP LWD 35**	4025,00
							white	**AVP LWW 35**	4485,00
							red	**AVP LWR 35**	4485,00
							yellow	**AVP LWG 35**	4485,00
							blue	**AVP LWB 35**	4485,00

note CRI 85, white body, white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002, only for vertical installation

UK CA




APPLIQUE CYLINDRIQUE PETITE Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	40W	E14	230V			switch on board dimmable according to bulb	pastel blue	**CYL EBN 31**	4025,00
							anthracite grey	**CYL ENN 31**	4025,00
							whitewash	**CYL EWW 31**	4025,00

note IP20, orientable, pastel blue RAL 5024, anthracite grey RAL 7016, whitewash RAL 9002 *Prices without bulb*

EAC




APPLIQUE CYLINDRIQUE LONGUE Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x40W	E14	230V			dimmable according to bulb	pastel blue	**CYL EBN 32**	5175,00
							anthracite grey	**CYL ENN 32**	5175,00
							whitewash	**CYL EWW 32**	5175,00

note IP20, orientable, pastel blue RAL 5024, anthracite grey RAL 7016, whitewash RAL 9002 *Prices without bulb*


EAC



APPLIQUE DE MARSEILLE MINI Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x20W	E14	230V			mono switch dimmable according to bulb	whitewash	**AMM EWW 31**	2933,00
							grey	**AMM EDD 31**	2933,00
							black	**AMM ENN 31**	2933,00


note	IP20, whitewash RAL 9002, grey RAL 7046, black RAL 7021, whitewash inside the diffusers	*Prices without bulb*



APPLIQUE DE MARSEILLE Le Corbusier


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x52W	E27	230V			mono switch dimmable according to bulb	whitewash	**ADM EWW 31**	5003,00
							grey	**ADM EDD 31**	5003,00
							black	**ADM ENN 31**	5003,00

note	IP20, whitewash RAL 9002, grey RAL 7046, black RAL 7021, whitewash inside the diffusers	*Prices without bulb*




ARA WALL 29 Ilaria Marelli

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	11,5W	linear LED	230V	911lm	2700K	dimmable TRIAC	white/white	**ARA LWW 36**	3623,00
							anthracite/anthracite	**ARA LXX 36**	3853,00
							white/polished	**ARA LWL 36**	3853,00
							anthracite/polished	**ARA LXL 36**	3853,00
							champagne/polished	**ARA LDL 36**	3853,00
					3000K	dimmable TRIAC	white/white	**ARA LWW 37**	3623,00
							anthracite/anthracite	**ARA LXX 37**	3853,00
							white/polished	**ARA LWL 37**	3853,00
							anthracite/polished	**ARA LXL 37**	3853,00
							champagne/polished	**ARA LDL 37**	3853,00
note	CRI 85, IP20, orientable diffuser, white RAL 9003, black RAL 9005, anthracite RAL 7016								




ARA WALL 69 Ilaria Marelli

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x16W	LED board	230V	3600lm	3000K	dimmable DALI, push	white/white	**ARA LWW 32**	6785,00
							white/polished	**ARA LWL 32**	7015,00
							anthracite/polished	**ARA LXL 32**	7015,00
							champagne/polished	**ARA LDL 32**	7015,00
note	CRI 85, IP20, orientable diffuser, white RAL 9003, black RAL 9005, anthracite RAL 7016, champagne RAL9007								



AS3C F.Albini, F.Helg, A.Piva, M.Albini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	100W	E27	230V			dimmable according to bulb	black/white glass	**ALB ENW 31**	9315,00
							chrome/white glass	**ALB EHW 31**	11328,00
note	IP20, black RAL 9005								*Prices without bulb*




CROWN APPLIQUE Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x4W	G9 LED	110-240V			dimmable according to bulb	white	**CRO HWW 33**	1955,00
							black	**CRO HNW 33**	1955,00
							gold painted	**CRO HGW 33**	2070,00
							polished aluminium	**CRO HLW 33**	2243,00
							gold plated	**CRO HOW 33**	2473,00
							black plated	**CRO HPW 33**	2588,00

note IP20, satin glass diffuser included, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005

Prices without bulb




CROWN 2 Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x60W	G9	110-240V			dimmable according to bulb	white	**CRO HWW 31**	3278,00
							black	**CRO HNW 31**	3278,00
							gold painted	**CRO HGW 31**	3393,00
							polished aluminium	**CRO HLW 31**	3450,00
							gold plated	**CRO HOW 31**	5980,00
							black plated	**CRO HPW 31**	6785,00

note IP20, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005

Prices without bulb

EAC




CROWN 4 Jehs+Laub

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	4x60W	G9	110-240V			dimmable according to bulb	white	**CRO HWW 32**	4830,00
							black	**CRO HNW 32**	4830,00
							gold painted	**CRO HGW 32**	5348,00
							polished aluminium	**CRO HLW 32**	5693,00
							gold plated	**CRO HOW 32**	8740,00
							black plated	**CRO HPW 32**	10063,00

note IP20, satin glass diffuser included, ribbed transparent diffuser available in the accessory section, kit G9 LED NEMO available in the accessory section, bulb H max: 6cm, white RAL 9003, black RAL 9005

Prices without bulb


EAC



ELLISSE Federico Palazzari

version	*power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	66W	linear LED	110-240V	3450lm	2700K	dimmable on cable	black	**ELP LNN 21**	13168,00
							gold polished anodized	**ELP LGN 21**	19320,00
accessories	wall hanger						gold polished anodized	**ELP AGG 31**	1093,00
note	CRI 85, IP20, cable length 5m, black RAL 9005								


EAC




FIX Nemo

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x6W	LED board	230V	2x380lm	2700K	dimmable TRIAC	white	**FIM LWW 3D**	1955,00
							black	**FIM LNW 3D**	1955,00
							gold	**FIM LGT 3D**	2070,00
							burnished gold	**FIM LGW 3D**	2415,00
100° optic	2x6W	LED board	230V	2x524lm	2700K	dimmable TRIAC	white	**FIM LWW 3C**	2243,00
							black	**FIM LNW 3C**	2243,00
							gold	**FIM LGT 3C**	2358,00
							burnished gold	**FIM LGW 3C**	2760,00
note	CRI 85, IP20, also available in 120V, white RAL 9003, black RAL 9005								

EAC






FLACA Roberto Paoli


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
1-10V	24W	2xLED board	110-240V	1246+642lm	3000K	dimmable 1-10V	white	**FLA LWW 32**	3738,00
							anthracite	**FLA LXW 32**	3853,00
							moka	**FLA LBW 32**	3853,00
							champagne	**FLA LDW 32**	3853,00
TRIAC	24W	2xLED board	230V	1246+642lm	3000K	dimmable TRIAC	white	**FLA LWW 33**	3968,00
							anthracite	**FLA LXW 33**	4083,00
							moka	**FLA LBW 33**	4083,00
							champagne	**FLA LDW 33**	4083,00
note	CRI 85, IP20, white RAL 9003, anthracite RAL 7016, champagne RAL 9007								

EAC




FOX WALL Bernhard Osann

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	15W	LED board	110-240V	839lm	2700K	dimmable on board	black	**FOX LN2 31**	7130,00
							white	**FOX LW2 31**	7130,00
							titan grey	**FOX LD2 31**	7418,00
							gold	**FOX LG2 31**	7418,00
note	CRI 90, IP20, cable length 3,5m, honeycomb accessory included, 90° orientable spot, 180° orientable body, 60° optic, black RAL 9005								




KUTA Vico Magistretti

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	100W	E27	230V			dimmable according to bulb	white/black diffuser chrome structure	**KUT EWN 31**	4083,00
note	IP20, white RAL 9003, black RAL 9005								*Prices without bulb*



LA ROCHE Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
IP20	10W	LED board	230V	925lm	2700K	dimmable TRIAC	grey	**ROC LDW 31**	5348,00
							black	**ROC LNW 31**	5348,00
					3000K		grey	**ROC LD3 31**	5348,00
							black	**ROC LN3 31**	5348,00
IP45	10W	LED board	230V	925lm	2700K	dimmable TRIAC	grey	**ROC LDW 33**	5578,00
							black	**ROC LNW 33**	5578,00
					3000K		grey	**ROC LD3 33**	5578,00
							black	**ROC LN3 33**	5348,00
note	CRI 85, grey RAL 7046, black RAL 7021, also available in 120V								




LAMPE DE BUREAU APPLIQUE Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	20W	E14	230V			switch on board	green	LDB EDV 31	3910,00
							yellow	LDB EDG 31	3910,00
							red	LDB EDR 31	3910,00
							blue mare	LDB EDB 31	3910,00
							blue grey	LDB EDC 31	3910,00
							white	LDB EDW 31	3910,00

note IP20, cable length 1m, Installation with or without plug, dimmable according to bulb only with direct wall electrical installation, wall cover dark grey RAL7016, body light grey RAL7046, internal glass color white, 140° orientable

Prices without bulb




LAMPE DE MARSEILLE Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x70W	E27	230V			double switch on cable	whitewash	LDM EWW 31	9488,00
							grey	LDM EDD 31	9488,00
							black	LDM ENN 31	9488,00

note IP20, cable length 1,5+1,3m, orientable, dimmable according to bulb only with direct wall electrical installation, bulb Ø11cm (down)+A60 (up), whitewash RAL 9002, grey RAL 7046, black RAL 7021, whitewash inside the diffusers

Prices without bulb





LAMPE DE MARSEILLE MINI Le Corbusier


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x46W	E14	230V			mono switch on cable	whitewash	LMM EWW 31	6383,00
							grey	LMM EDD 31	6383,00
							black	LMM ENN 31	6383,00

note IP20, cable length 0,4+1,2m, orientable, dimmable according to bulb only with direct wall electrical installation, whitewash RAL 9002, grey RAL 7046, black RAL 7021, whitewash inside the diffusers

Prices without bulb








NORMA Mario Barbaglia, Steve Blackman

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
25	17W	LED board	110-240V	1800lm	3000K	ON/OFF	chrome/white	**NOR LLW 35**	4658,00
65	17,5W	LED board	230V	1444lm	3000K	dimmable DALI, push	chrome/white	**NOR LLW 32**	6268,00
95	27W	LED board	230V	2400lm	3000K	dimmable 1-10V, push	chrome/white	**NOR LLW 33**	6843,00
note	CRI 85, IP20, horizontal and vertical mounting, 65 and 95 also available in 120V								


(only for 25 version) EAC



POTENCE PIVOTANTE MINI Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	4W	G9 LED (included)	230V	400lm	2700K	switch on cable	black	POM HNW 31	5003,00
							red	POM HRW 31	5003,00
							grey	POM HDW 31	5003,00
accessory	wall electrical installation cover						black	POM ATT 31	748,00
							red	POM ATR 31	748,00
							grey	POM ATD 31	748,00
note	CRI 80, IP20, cable length 2,5m, orientable, cover for direct wall electrical installation (no plug), LED dimmable bulb included, dimmable (only with direct wall electrical installation); more specifications on appendix section, max power allowed: 25W G9 HALO bulb, also available in 120V, black RAL 9005, red RAL 3004, grey RAL7046								*Prices **with** bulb*






POTENCE PIVOTANTE Charlotte Perriand

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	8W	E27 LED (included)	230V	900lm	2700K	dimmable on cable according to bulb	black	POT ENW 32	8568,00
note	CRI 80, IP20, cable length 3,2m, orientable, installation with cable and plug, LED dimmable bulb included, max power allowed: 100W E27 LED, black RAL 9005								*Prices **with** bulb*


SWAN Bernhard Osann


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
wall	15W	LED board	110-240V	839lm	2700K	dimmable on cable	black	SWA LN2 31	9775,00
wall plus	15W	LED board	110-240V	839lm	2700K	dimmable on cable	black	SWA LN2 32	12190,00
note	CRI 90, IP20, cable length 3,5m, honeycomb accessory included, 60° optics, the plus version is adjustable from 134cm to 184cm in six 10cm steps, black RAL 9005								

wall



wall plus






TUBES 2 Charles Kalpakian

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x4W	LED board	230V	2x190lm	2700K	dimmable TRIAC	whitewash	**TTB LWW 35**	4025,00
							black	**TTB LNW 35**	4025,00
note	CRI 85, IP20, orientable on three axes, white RAL 9003, black RAL 9005, also available in 120V								


EAC



TUBES LARGE Charles Kalpakian

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x13W	LED board	230V	2x640lm	2700K	dimmable TRIAC	white/white	**TTU LWW 31**	5980,00
							white/light gold	**TTU LWG 31**	6210,00
note	CRI 85, IP20, one element orientable 60°, white RAL 9003, grey RAL 7046, also available in 120V								5865,00


EAC



UNTITLED MINI WALL Bernhard Osann

version	*total power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
linear	4,5W	linear LED	110-240V	485lm	2700K	dimmable on board	black	**UNT LN2 15**	2703,00
							white	**UNT LW2 15**	2703,00
							titan grey	**UNT LD2 15**	5750,00
							gold	**UNT LG2 15**	5750,00
					3000K	dimmable on board	black	**UNT LNN 15**	2703,00
							white	**UNT LWW 15**	2703,00
							titan grey	**UNT LDD 15**	5750,00
							gold	**UNT LGG 15**	5750,00
note	CRI 90, IP20, cable length 2m, 40° optic LED spot, 155° joint rotation, accessories sold separately, black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054								


EAC



UNTITLED MINI WALL Bernhard Osann

version	*total power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
spot	5W	spot LED	110-240V	495lm	2700K	dimmable on board	black	**UNT LN2 16**	2990,00
							white	**UNT LW2 16**	2990,00
							titan grey	**UNT LD2 16**	3278,00
							gold	**UNT LG2 16**	3278,00
					3000K	dimmable on board	black	**UNT LNN 16**	2990,00
							white	**UNT LWW 16**	2990,00
							titan grey	**UNT LDD 16**	3278,00
							gold	**UNT LGG 16**	3278,00
note	CRI 90, IP20, cable length 2m, 40° optic LED spot, 155° joint rotation, accessories sold separately, black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054								


EAC



UNTITLED WALL Bernhard Osann

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
linear	4,5W	linear LED	110-240V	485lm	2700K	dimmable on board	black	**UNT LNN 11**	3220,00
							white	**UNT LWW 11**	3220,00
							titan grey	**UNT LDD 11**	5003,00
							gold	**UNT LGG 11**	5003,00
					3000K	dimmable on board	black	**UNT LNN 13**	3220,00
							white	**UNT LWW 13**	3220,00
							titan grey	**UNT LDD 13**	5003,00
							gold	**UNT LGG 13**	5003,00
note	CRI 90, IP20, cable length 2m, 40° optic LED spot, 155° joint rotation, accessories sold separately, black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054								

EAC



UNTITLED WALL Bernhard Osann

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
spot	5W	spot LED	110-240V	395lm	2700K	dimmable on board	black	**UNT LNN 12**	3565,00
							white	**UNT LWW 12**	3565,00
							titan grey	**UNT LDD 12**	5578,00
							gold	**UNT LGG 12**	5578,00
					3000K	dimmable on board	black	**UNT LNN 14**	3565,00
							white	**UNT LWW 14**	3565,00
							titan grey	**UNT LDD 14**	5578,00
							gold	**UNT LGG 14**	5578,00
note	CRI 90, IP20, cable length 2m, 40° optic LED spot, 155° joint rotation, accessories sold separately, black RAL 9005, white RAL 9003, titan grey RAL VL047, gold RAL VL054								


EAC



ACCESSORIES


version	*finish*	*code*	*SEK*
wall fixing	black	**UNT ATN 31**	690,00
	white	**UNT ATW 31**	690,00
	titan grey	**UNT ATD 31**	690,00
	gold	**UNT ATG 31**	690,00

WALL SHADOWS GRANDE Charles Kalpakian



version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	59W	LED board	110-240V	4640lm	3000K	dimmable 1-10V, push	white	**WSH LWW 31**	38928,00
note	CRI 80, IP20, TRIAC version on request (+2300 kr), horizontal and vertical mounting, white RAL 9003								


EAC



WALL SHADOWS LONG Charles Kalpakian

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	30W	LED board	110-240V	1050lm	3000K	dimmable 1-10V	white	**WSH LWW 34**	17308,00
note	CRI 80, IP20, TRIAC version on request (+2300 kr), horizontal and vertical mounting, white RAL 9003								


EAC



WALL SHADOWS MOYEN Charles Kalpakian

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	11W	LED board	110-240V	445lm	3000K	dimmable 1-10V	white	**WSH LWW 33**	5233,00
note	CRI 80, IP20, TRIAC version on request (+2300 kr), horizontal and vertical mounting, white RAL 9003								


EAC



WALL SHADOWS PETIT Charles Kalpakian

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	8W	LED board	110-240V	435lm	3000K	dimmable 1-10V	white	**WSH LWW 32**	3335,00
note	CRI 80, IP20, TRIAC version on request (+2300 kr), horizontal and vertical mounting, white RAL 9003								


EAC



ZENA Roberto Paoli

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
IP20	30W	LED board	230V	3000lm	2700K	dimmable TRIAC	white	**ZEN LW2 31**	3105,00
							black	**ZEN LN2 31**	3105,00
							corten	**ZEN LM2 31**	3393,00
					3000K	dimmable TRIAC	white	**ZEN LWW 31**	3105,00
							black	**ZEN LNW 31**	3105,00
							corten	**ZEN LMM 31**	3393,00
IP44	30W	LED board	230V	3000lm	2700K	dimmable TRIAC	white	**ZEN LW2 33**	3623,00
							black	**ZEN LN2 33**	3623,00
							corten	**ZEN LM2 33**	3968,00
					3000K	dimmable TRIAC	white	**ZEN LWW 33**	3623,00
							black	**ZEN LNW 33**	3623,00
							corten	**ZEN LMM 33**	3968,00

note CRI 85, white RAL 9003, black RAL 9005




ZENA 60 Roberto Paoli

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
IP20	60W	LED board	230V	6000lm	2700K	dimmable TRIAC	white opal	**ZEN LW2 34**	4370,00
							black opal	**ZEN LN2 34**	4370,00
							Corten	**ZEN LM2 34**	4830,00
					3000K	dimmable TRIAC	white opal	**ZEN LWW 34**	4370,00
							black opal	**ZEN LNW 34**	4370,00
							Corten	**ZEN LMM 34**	4830,00
IP44	60W	LED board	230V	6000lm	2700K	dimmable TRIAC	white opal	**ZEN LW2 35**	4888,00
							black opal	**ZEN LN2 35**	4888,00
							Corten	**ZEN LM2 35**	5405,00
					3000K	dimmable TRIAC	white opal	**ZEN LWW 35**	4888,00
							black opal	**ZEN LNW 35**	4888,00
							Corten	**ZEN LMM 35**	5405,00


note CRI 85, white RAL 9003, black RAL 9005

WALL/CEILING



ASTEROIDE CEILING Nemo


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	46W	E14	230V			dimmable according to bulb	chrome/white glass	**AST EHW 43**	2013,00
note	IP20								*Prices without bulb*



CANNA NUDA Piero Castiglioni, Roberto Menghi

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
L50cm	75W	G9	110-240V			dimmable according to bulb	satin nickel	**CAN HSW 41**	3163,00
L75cm	75W	G9	110-240V			dimmable according to bulb	satin nickel	**CAN HSW 42**	3278,00
note	IP20, kit G9 LED NEMO available in the accessory section, more specifications in the appendix section								*Prices without bulb*


EAC



LINESCAPES WALL Nemo

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
102cm	19W	linear LED	110-240V	1125lm	2700K	dimmable, push	white/grey	**LIN LW2 35**	4773,00
							black/grey	**LIN LN2 35**	4773,00
					3000K	dimmable, push	white/grey	**LIN LWD 35**	4773,00
							black/grey	**LIN LND 35**	4773,00
182cm	33W	linear LED	110-240V	1765lm	2700K	dimmable, push	white/grey	**LIN LW2 36**	5635,00
							black/grey	**LIN LN2 36**	5635,00
					3000K	dimmable, push	white/grey	**LIN LWD 36**	5635,00
							black/grey	**LIN LND 36**	5635,00
note	CRI 85, IP20, side emission, driver on board, white RAL 9003, black RAL 9005								


EAC




MAGA Nemo

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	46W	E14	230V			dimmable according to bulb	chrome/white glass	**MGA EWW 32**	1610,00
note	IP20								*Prices without bulb*

EAC







NUVOLA Mario Bellini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
H20	66W	linear LED	110-240V	4500lm	2700K	dimmable, DALI push	white	**NUV LWW 33**	13513,00
H37	66W	linear LED	110-240V	4500lm	2700K	dimmable, DALI push	white	**NUV LWW 34**	15008,00
note	CRI 85, IP20, TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)								

EAC






NUVOLA MINOR Mario Bellini

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
H14	45W	linear LED	110-240V	3000lm	2700K	dimmable, DALI push	white	**NUM LWW 32**	8683,00
H25	45W	linear LED	110-240V	3000lm	2700K	dimmable, DALI push	white	**NUM LWW 31**	10465,00
note	CRI 85, IP20, TRIAC version on request (+2300 kr), 1-10 version on request (+1380 kr), CASAMBI version on request (+2588 kr)								


EAC



PROJECTEUR 165 Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
IP20	23W	E27 LED/FLUO	230V			dimmable according to bulb	night blue	PRP FDW 31	3335,00
							whitesand	PRP FWS 31	3335,00
							moka	PRP FMW 31	3335,00
IP44	23W	E27 LED/FLUO	230V			dimmable according to bulb	night blue	PRP FDW 32	3795,00
							whitesand	PRP FWS 32	3795,00
							moka	PRP FMW 32	3795,00
note	orientable, max bulb H 11cm								*Prices without bulb*


EAC *(only IP20 version)*



PROJECTEUR 365 Le Corbusier

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
IP20	150W	E27	230V			dimmable according to bulb	night blue	PRJ EDW 3A	9660,00
							white sand	PRJ EWS 3A	9660,00
							moka	PRJ EMS 3A	9660,00
IP54	60W	E27	230V			dimmable according to bulb	night blue	PRJ EDW 32	10178,00
							white sand	PRJ EWS 32	10178,00
							moka	PRJ EMS 32	10178,00
note	orientable								*Prices without bulb*


EAC *(only IP20 version)*



SAORI Kazuhide Takahama

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
Q1	75W	E27	230V			dimmable according to bulb	white	SAO EWW 41	4083,00
Q2	2x75W	E27	230V			dimmable according to bulb	white	SAO EWW 42	7878,00
note	IP20, diffuser in Lycra fabric								*Prices without bulb*

EAC




SPIGOLO Studiocharlie

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	14W	linear LED	110-240V	560lm	2700K		white	**SPI LW2 31**	3623,00
							black	**SPI LN2 31**	3623,00
					3000K		white	**SPI LWW 31**	3623,00
							black	**SPI LNN 31**	3623,00
note	CRI 85, IP20, 360° orientable diffuser, white RAL 9003, black RAL 9005								


EAC

CEILING




CANNA NUDA METALLO Piero Castiglioni, Roberto Menghi

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
L50cm	6,2W	LED board	110-240V	360lm	3000K	ON/OFF	white	**CAM LWW 71**	4025,00
							chrome	**CAM LHH 71**	4428,00
accessory	canopy for ceiling mounting						white	**COM KWW 41**	518,00
							chrome	**COM KHH 41**	518,00
note	CRI 85, IP20, semi recessed lamp, recessed hole: Ømin4/max6cm, 25° orientable, canopy (accessory) for standard mounting; more specifications on appendix section, white RAL 9003								




LBB01 Lina Bo Bardi

version	*total power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	4x60W	4xE27	110-240V			dimmable according to bulb	black	**LBB LNN 51**	23115,00
note	IP20, Emission: diffused/direct, Min/Max height: 90/154cm, Black RAL9005, whitewash inside the diffusers, orientable diffuser 340°								*Prices without bulb*



TUBES LARGE Charles Kalpakian

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x13W	LED board	230V	2x640lm	2700K	dimmable TRIAC	white/white	**TTU LWW 41**	5635,00
							white/light gold	**TTU LWG 41**	5865,00
note	CRI 85, IP20, 90°/340° elements orientability, white RAL 9003, grey RAL 7046, also available in 120V								




TUBES CEILING Charles Kalpakian

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
	2x4W	LED board	230V	2x190lm	2700K	dimmable TRIAC	whitewash	**TTB LWW 42**	3910,00
							black	**TTB LNW 42**	3910,00
note	CRI 85, IP20, 340° elements orientability, whitewash RAL 9002, black RAL 9005, also available in 120V								


THE LINESCAPES SYSTEM

LINESCAPES SYSTEM Nemo




SEGMENT


LED



version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
L 36	6W	linear LED	24V DC	335lm	2700K		white	**LSS LW8 51**	1093,00
							black	**LSS LN8 51**	1093,00
L 56	9,5W	linear LED	24V DC	600lm	2700K		white	**LSS LW7 51**	1553,00
							black	**LSS LN7 51**	1553,00
L 106	19W	linear LED	24V DC	1125lm	2700K		white	**LSS LW6 51**	2128,00
							black	**LSS LN6 51**	2128,00
L 171	33W	linear LED	24V DC	1765lm	2700K		white	**LSS LW5 51**	2933,00
							black	**LSS LN5 51**	2933,00
L 36	6W	linear LED	24V DC	335lm	3000K		white	**LSS LW4 51**	1093,00
							black	**LSS LN4 51**	1093,00
L 56	9,5W	linear LED	24V DC	600lm	3000K		white	**LSS LW3 51**	1553,00
							black	**LSS LN3 51**	1553,00
L 106	19W	linear LED	24V DC	1125lm	3000K		white	**LSS LW2 51**	2128,00
							black	**LSS LN2 51**	2128,00
L 171	33W	linear LED	24V DC	1765lm	3000K		white	**LSS LW1 51**	2933,00
							black	**LSS LN1 51**	2933,00
note	CRI80, IP20, orientable 360°, driver excluded; more specifications on appendix section, white RAL 9003, black RAL 9005								



WING



version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
L 36	6W	linear LED	24V DC	335lm	2700K		white	**LSS UW8 51**	1380,00
							black	**LSS UN8 51**	1380,00
L 56	9,5W	linear LED	24V DC	600lm	2700K		white	**LSS UW7 51**	1725,00
							black	**LSS UN7 51**	1725,00
L 106	19W	linear LED	24V DC	1125lm	2700K		white	**LSS UW6 51**	2530,00
							black	**LSS UN6 51**	2530,00
L 171	33W	linear LED	24V DC	1765lm	2700K		white	**LSS UW5 51**	3163,00
							black	**LSS UN5 51**	3163,00
L 36	6W	linear LED	24V DC	335lm	3000K		white	**LSS UW4 51**	1380,00
							black	**LSS UN4 51**	1380,00
L 56	9,5W	linear LED	24V DC	600lm	3000K		white	**LSS UW3 51**	1725,00
							black	**LSS UN3 51**	1725,00
L 106	19W	linear LED	24V DC	1125lm	3000K		white	**LSS UW2 51**	2530,00
							black	**LSS UN2 51**	2530,00
L 171	33W	linear LED	24V DC	1765lm	3000K		white	**LSS UW1 51**	3163,00
							black	**LSS UN1 51**	3163,00
note	CRI80, IP20, orientable 360°, driver excluded, white wing on white bar / black wing on black bar; more specifications on appendix section, white RAL 9003, black RAL 9005								

NO LIGHT



L 36

L 56

L 106

L 171


LINK

version	*finish*	*code*	*SEK*
36cm	white	**LSS BW4 51**	748,00
	black	**LSS BN4 51**	748,00
56cm	white	**LSS BW3 51**	1035,00
	black	**LSS BN3 51**	1035,00
106cm	white	**LSS BW2 51**	1323,00
	black	**LSS BN2 51**	1323,00
171cm	white	**LSS BW1 51**	1610,00
	black	**LSS BN1 51**	1610,00
note	24V electricity connection, orientable 360°, no light; more specifications on appendix section, white RAL 9003, black RAL 9005		

CONNECTIONS

LINEAR


version	*finish*	*code*	*SEK*
vertical start	white	**LSS CW1 51**	633,00
	black	**LSS CN1 51**	633,00
vertical end	white	**LSS CW6 51**	403,00
	black	**LSS CN6 51**	403,00
horizontal start	white	**LSS CW2 51**	633,00
	black	**LSS CN2 51**	633,00
horizontal end	white	**LSS CW3 51**	460,00
	black	**LSS CN3 51**	460,00
central supply	white	**LSS CW4 51**	633,00
	black	**LSS CN4 51**	633,00
central	white	**LSS CW5 51**	460,00
	black	**LSS CN5 51**	460,00
central oneway	white	**LSS CW7 51**	518,00
	black	**LSS CN7 51**	518,00
note	orientable 360°, square section 2x2, cable length 3m, more specifications on appendix section, white RAL 9003, black RAL 9005		




VERTICAL START




VERTICAL END




HORIZ. START




HORIZ. END



CENTRAL ONEWAY




CENTRAL SUPPLY



CENTRAL

ANGLES


version	*finish*	*code*	*SEK*
up vertical angle	white	**LSS AW1 51**	575,00
	black	**LSS AN1 51**	575,00
down vertical angle	white	**LSS AW2 51**	403,00
	black	**LSS AN2 51**	403,00
horizontal angle	white	**LSS AW3 51**	575,00
	black	**LSS AN3 51**	575,00
vertical angle supply	white	**LSS AW4 51**	1093,00
	black	**LSS AN4 51**	1093,00
horizontal angle supply	white	**LSS AW5 51**	1093,00
	black	**LSS AN5 51**	1093,00
note	orientable 360°, square section 2x2, cable length 3m, more specifications on appendix section, white RAL 9003, black RAL 9005		




UP VERT. ANGLE




DOWN VERT. ANGLE



HORIZ. ANGLE




VERT. ANGLE SUPPLY




HORIZ. ANGLE SUPPLY

T-SHAPE


version	*finish*	*code*	*SEK*
T up vertical	white	LSS TW2 51	863,00
	black	LSS TN2 51	863,00
T down vertical	white	LSS TW1 51	863,00
	black	LSS TN1 51	863,00
T horizontal	white	LSS TW3 51	863,00
	black	LSS TN3 51	863,00
note	orientable 360°, square section 2x2, cable length max 3m, more specifications on appendix section, white RAL 9003, black RAL 9005		



T UP
VERTICAL




T DOWN
VERTICAL




T HORIZONTAL

WALL/CEILING


version	*finish*	*code*	*SEK*
wall/ceiling start	white	LSS FW3 41	1150,00
	black	LSS FN3 41	1150,00
wall/ceiling end	white	LSS FW1 41	1208,00
	black	LSS FN1 41	1208,00
wall/ceiling end + xyz connector	white	LSS FW2 41	1323,00
	black	LSS FN2 41	1323,00
note	square section 2x2; more specifications on appendix section, white RAL 9003, black RAL 9005		



WALL/CEILING
START




WALL/CEILING
END



WALL/CEILING END+XYZ
CONNECTOR

EXTENSION CABLE KIT	*dimensions*	*finish*	*code*	*SEK*
metal 3m	4xØ0,9		LSS KHH 51	288,00
electric 3m	4x1,2x1,4		LSS KHH 52	460,00




box with power supply 29x5x5

DESK MATRIX Nemo

44X44 CM


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
vertical	24W	linear LED	110-240V	1340lm	2700K	dimmable 1-10V	white	**LSV LW2 51**	11788,00
							black	**LSV LN2 51**	11788,00
					3000K	dimmable 1-10V	white	**LSV LW3 51**	11788,00
							black	**LSV LN3 51**	11788,00
horizontal	24W	linear LED	110-240V	1340lm	2700K	dimmable 1-10V	white	**LSH LW2 51**	12305,00
							black	**LSH LN2 51**	12305,00
					3000K	dimmable 1-10V	white	**LSH LW3 51**	12305,00
							black	**LSH LN3 51**	12305,00
note	CRI 85, IP20, adjustable cable length 3m, DALI version on request (+1380 kr), orientable lighting bars 360°, white RAL 9003, black RAL 9005								
included	box with power supply 29x5x5cm								



box with power supply 29x5x5

64X44 CM


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
vertical	31W	linear LED	110-240V	1870lm	2700K	dimmable 1-10V	white	**LSV LW2 55**	12650,00
							black	**LSV LN2 55**	12650,00
					3000K	dimmable 1-10V	white	**LSV LW3 55**	12650,00
							black	**LSV LN3 55**	12650,00
horizontal	31W	linear LED	110-240V	1870lm	2700K	dimmable 1-10V	white	**LSH LW2 55**	13053,00
							black	**LSH LN2 55**	13053,00
					3000K	dimmable 1-10V	white	**LSH LW3 55**	13053,00
							black	**LSH LN3 55**	13053,00
note	CRI 85, IP20, adjustable cable length 3m, DALI version on request (+1380 kr),orientable lighting bars 360°, white RAL 9003, black RAL 9005								
included	box with power supply 29x5x5cm								



box with power supply 29x5x5

114X44 CM

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
vertical	50W	linear LED	110-240V	2920lm	2700K	dimmable 1-10V	white	**LSV LW2 58**	14030,00
							black	**LSV LN2 58**	13340,00
					3000K	dimmable 1-10V	white	**LSV LW3 58**	14030,00
							black	**LSV LN3 58**	14030,00
horizontal	50W	linear LED	110-240V	2920lm	2700K	dimmable 1-10V	white	**LSH LW2 58**	14490,00
							black	**LSH LN2 58**	14490,00
					3000K	dimmable 1-10V	white	**LSH LW3 58**	14490,00
							black	**LSH LN3 58**	14490,00
note	CRI 85, IP20, adjustable cable length 3m, DALI version on request (+1380 kr), orientable lighting bars 360°, white RAL 9003, black RAL 9005								
included	box with power supply 29x5x5cm								




178X44 CM



box with power supply 25x5,5x7

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
vertical	78W	linear LED	110-240V	4200lm	2700K	dimmable 1-10V	white	LSV LW2 5A	16445,00
							black	LSV LN2 5A	16445,00
					3000K	dimmable 1-10V	white	LSV LW3 5A	16445,00
							black	LSV LN3 5A	16445,00
horizontal	78W	linear LED	110-240V	4200lm	2700K	dimmable 1-10V	white	LSH LW2 5A	16848,00
							black	LSH LN2 5A	16848,00
					3000K	dimmable 1-10V	white	LSH LW3 5A	16848,00
							black	LSH LN3 5A	16848,00
note	CRI 85, IP20, adjustable cable length 3m, DALI version on request (+1380 kr), orientable lighting bars 360°, white RAL 9003, black RAL 9005								
included	box with power supply 25x5,5x7cm								




64X64 CM



box with power supply 29x5x5

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
vertical	38W	linear LED	110-240V	2400lm	2700K	dimmable 1-10V	white	LSV LW2 52	13570,00
							black	LSV LN2 52	13570,00
					3000K	dimmable 1-10V	white	LSV LW3 52	13570,00
							black	LSV LN3 52	13570,00
horizontal	38W	linear LED	110-240V	2400lm	2700K	dimmable 1-10V	white	LSH LW2 52	13915,00
							black	LSH LN2 52	13915,00
					3000K	dimmable 1-10V	white	LSH LW3 52	13915,00
							black	LSH LN3 52	13915,00
note	CRI 85, IP20, adjustable cable length 3m, DALI version on request (+1380 kr), orientable lighting bars 360°, white RAL 9003, black RAL 9005								
included	box with power supply 29x5x5cm								




114X64 CM



box with power supply 29x5x5

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
vertical	57W	linear LED	110-240V	3450lm	2700K	dimmable 1-10V	white	LSV LW2 56	14950,00
							black	LSV LN2 56	14950,00
					3000K	dimmable 1-10V	white	LSV LW3 56	14950,00
							black	LSV LN3 56	14950,00
horizontal	57W	linear LED	110-240V	3450lm	2700K	dimmable 1-10V	white	LSH LW2 56	15295,00
							black	LSH LN2 56	15295,00
					3000K	dimmable 1-10V	white	LSH LW3 56	15295,00
							black	LSH LN3 56	15295,00
note	CRI 85, IP20, adjustable cable length 3m, DALI version on request (+1380 kr), orientable lighting bars 360°, white RAL 9003, black RAL 9005								
included	box with power supply 29x5x5cm								






box with power supply 25x5,5x7

178X64 CM

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
vertical	85W	linear LED	110-240V	4730lm	2700K	dimmable 1-10V	white	**LSV LW2 59**	17308,00
							black	**LSV LN2 59**	17308,00
					3000K	dimmable 1-10V	white	**LSV LW3 59**	17308,00
							black	**LSV LN3 59**	17308,00
horizontal	85W	linear LED	110-240V	4730lm	2700K	dimmable 1-10V	white	**LSH LW2 59**	17653,00
							black	**LSH LN2 59**	17653,00
					3000K	dimmable 1-10V	white	**LSH LW3 59**	17653,00
							black	**LSH LN3 59**	17653,00
note	CRI 85, IP20, adjustable cable length 3m,DALI version on request (+1380 kr), orientable lighting bars 360°, white RAL 9003, black RAL 9005								
included	box with power supply 25x5,5x7cm								






box with power supply 25x5,5x7

114X114 CM

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
vertical	76W	linear LED	110-240V	4500lm	2700K	dimmable 1-10V	white	**LSV LW2 53**	17308,00
							black	**LSV LN2 53**	17308,00
					3000K	dimmable 1-10V	white	**LSV LW3 53**	17308,00
							black	**LSV LN3 53**	17308,00
horizontal	76W	linear LED	110-240V	4500lm	2700K	dimmable 1-10V	white	**LSH LW2 53**	17653,00
							black	**LSH LN2 53**	17653,00
					3000K	dimmable 1-10V	white	**LSH LW3 53**	17653,00
							black	**LSH LN3 53**	17653,00
note	CRI 85, IP20, adjustable cable length 3m,DALI version on request (+1380 kr), orientable lighting bars 360°, white RAL 9003, black RAL 9005								
included	box with power supply 25x5,5x7cm								






box with power supply 31x8x6

178X114 CM

version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
vertical	104W	linear LED	110-240V	5780lm	2700K	dimmable 1-10V	white	**LSV LW2 57**	18688,00
							black	**LSV LN2 57**	18688,00
					3000K	dimmable 1-10V	white	**LSV LW3 57**	18688,00
							black	**LSV LN3 57**	18688,00
horizontal	104W	linear LED	110-240V	5780lm	2700K	dimmable 1-10V	white	**LSH LW2 57**	19033,00
							black	**LSH LN2 57**	19033,00
					3000K	dimmable 1-10V	white	**LSH LW3 57**	19033,00
							black	**LSH LN3 57**	19033,00
note	CRI 85, IP20, adjustable cable length 3m, DALI version on request (+1380 kr), orientable lighting bars 360°, white RAL 9003, black RAL 9005								
included	box with power supply 31x8x6cm								






box with power supply 31x8x6

178X178 CM


version	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*switching*	*finish*	*code*	*SEK*
vertical	132W	linear LED	110-240V	7060lm	2700K	dimmable 1-10V	white	**LSV LW2 54**	20183,00
							black	**LSV LN2 54**	20183,00
					3000K	dimmable 1-10V	white	**LSV LW3 54**	20183,00
							black	**LSV LN3 54**	20183,00
horizontal	132W	linear LED	110-240V	7060lm	2700K	dimmable 1-10V	white	**LSH LW2 54**	20470,00
							black	**LSH LN2 54**	20470,00
					3000K	dimmable 1-10V	white	**LSH LW3 54**	20470,00
							black	**LSH LN3 54**	20470,00
note	CRI 85, IP20, adjustable cable length 3m, DALI version on request (+1380 kr), orientable lighting bars 360°, white RAL 9003, black RAL 9005								
included	box with power supply 31x8x6cm								

ACCESSORIES




LE CADRE PARFAIT Le Corbusier


	finish	*code*	*SEK*
	oiled solid beech	CLC SMT 31	4485,00
note	tempered transparent glass, aluminum anodized brackets		



KIT GLASS FOR CROWN / KIT VETRI CROWN

	finish	*code*	*SEK*
6 pieces / 6 pezzi	satin	CRO 000 20	575,00
	transparent ribbed	CRO 000 10	748,00







CANOPY / ROSONE

	finish	*code*	*SEK*
Ø11x3	white	ROS KWW 51	518,00
	black	ROS KNN 51	518,00
	chrome	ROS KHH 51	690,00
	gold	ROS KGW 51	805,00
	gold plated	ROS KOW 51	863,00
10x10	white	LSS PWR 51	748,00
	black	LSS PNR 51	748,00
note	to be used for decentrilized solution or remote mounting driver (example below), white RAL 9003, black RAL 9005		


example





EMPTY BOX FOR REMOTE LED DRIVERS / BOX VUOTO PER DRIVER LED REMOTO	*finish*	*code*	*SEK*
31x8x6	white	**ROS LWW 51**	1668,00
	black	**ROS LNN 51**	1668,00


note available for all the remote LED drivers from 100W to 240W, dimmable DALI and 1-10V /
disponibile per tutti gli alimentatori LED in remoto da 100W a 240W, dimmerabili DALI e 1-10V, white RAL 9003, black RAL 9005



DIMMER INTERFACE

WIRED

dimensions x,y,z	*switching*	*code*	*SEK*
4,4x1,9x5,7	0-10V | 1-10V | PUSH | DALI	**DIM LDP 51**	1323,00




DIMMER INTERFACE

WIRELESS

dimensions x,y,z	*switching*	*code*	*SEK*
4,4x2,5x5,7	CASAMBI | PUSH	**DIM LCP 51**	2530,00


note on board or external mounting, iOS and Android compatible, set up by customer





REMOTE CONTROL KIT / KIT PER DIMMERAZIONE IN REMOTO	*voltage*	*code*	*SEK*
mono channel dimmer for LED with RF (radio frequency) wireless remote control / dimmer monocanale per LED con telecomando RF (radiofrequenza) wireless	24V	**REM 24V 51**	633,00


note to be used as dimming solution in place of specific wiring / utilizzabile come soluzione di dimmerazione alternativa al cablaggio specifico
used to dim the following pendant lamps (all the codes) / utilizzabile per dimmerare le seguenti sospensioni (tutti i codici):
Drop, Ellisse, In the Wind, Kepler, Linescapes, Linescapes System, Spigolo, Titia, Tru



POWER SUPPLIES / ALIMENTATORI

1-10V


LxWxH cm	*max power*	*voltage*	*switching*	*code*	*SEK*
14,8x4x3,2	25W	110-240V input, 24V output	dimmable 1-10V	**LIN ALI 32**	1380,00
16,8x4,3x3,2	60W	110-240V input, 24V output	dimmable 1-10V	**LIN ALI 31**	1783,00
16x6x3,6	90W	110-240V input, 24V output	dimmable 1-10V	**LIN ALI 34**	2070,00
22,8x6,8x4	150W	110-240V input, 24V output	dimmable 1-10V	**LIN ALI 35**	2703,00
22,8x6,8x4	185W	110-240V input, 24V output	dimmable 1-10V	**LIN ALI 36**	2703,00
24,5x6,8x4	240W	110-240V input, 24V output	dimmable 1-10V	**LIN ALI 37**	3508,00
25,2x9x4,4	320W	110-240V input, 24V output	dimmable 1-10V	**LIN ALI 38**	5348,00
note	1-10V solution needs 5 wires to dim / per la dimmerazione tramite 1-10V è necessario un impianto elettrico con 5 cavi				



DALI

LxWxH cm	*max power*	*voltage*	*switching*	*code*	*SEK*
20x6,3x3,6	100W	110-240V input, 24V output	dimmable DALI	**LIN ALI 51**	2588,00
22x6,3x3,6	150W	110-240V input, 24V output	dimmable DALI	**LIN ALI 52**	2703,00
24,4x7x3,8	200W	110-240V input, 24V output	dimmable DALI	**LIN ALI 53**	3278,00
24,4x7x3,6	240W	110-240V input, 24V output	dimmable DALI	**LIN ALI 54**	3623,00
note	DALI solution needs 5 wires to dim / per la dimmerazione tramite DALI è necessario un impianto elettrico con 5 cavi				

IP65





TRIAC

LxWxH cm	*max power*	*voltage*	*switching*	*code*	*SEK*
19,5x6x4	96W	120-277V input, 24V output	TRIAC	**ALI 096 T1**	2300,00
note	TRIAC solution needs 3 wires to dim				


IP67

BOX WITH POWER SUPPLIES






version	*max power*	*voltage*	*switching*	*finish*	*code*	*SEK*
	60W	110-240V	1-10V	white	**LSS PW6 51**	4715,00
				black	**LSS PN6 51**	4715,00
	90W	110-240V	1-10V	white	**LSS PW9 51**	5635,00
				black	**LSS PN9 51**	5635,00
note	additional drivers and accessories available on the basis of a specific project, white RAL 9003, black RAL 9005					



NEMO E27 LED BULB 240V - 2700K

LxWxH cm	*N°*	*max power*	*voltage*	*lum. flux*	*switching*	*code*	*SEK*
Ø12,5x17	1 piece	8W	240V	900lm	dimmable according to dimmer specification	**LED D27 00**	690,00
note	white globe bulb,						



NEMO G9 LED KIT - 230V

2700K

LxWxH cm	*N°*	*max power*	*voltage*	*lum. flux*	*switching*	*code*	*SEK*
Ø1,6x5	6 pieces	2,2W each	230V	200lm	dimmable according to dimmer specification	**LED D02 72**	1438,00
	12 pieces					**LED D02 73**	2703,00
	30 pieces					**LED D02 74**	6670,00

3000K

Ø1,6x5	6 pieces	2,2W each	230V	220lm	dimmable according to dimmer specification	**LED D03 02**	1438,00
	12 pieces					**LED D03 03**	2703,00
	30 pieces					**LED D03 04**	6670,00


NEMO G9 LED KIT - 120V

2700K

LxWxH cm	*N°*	*max power*	*voltage*	*lum. flux*	*switching*	*code*	*SEK*
Ø1,6x5	6 pieces	2,2W each	120V	200lm	dimmable according to dimmer specification	**LED D62 71**	1840,00

3000K

Ø1,6x5	6 pieces	2,2W each	120V	220lm	dimmable according to dimmer specification	**LED D63 01**	1840,00
note	CRI 80						



NEMO G9 4W LED KIT

LxWxH cm	*N°*	*max power*	*source*	*voltage*	*lum. flux*	*CCT*	*code*	*SEK*
Ø1,8x6,2	2 pieces	4W each	G9 LED bulb	230V	400lm	2700K	**LED D02 75**	575,00
						3000K	**LED D03 05**	575,00
				120V	400lm	2700K	**LED D62 75**	575,00
						3000K	**LED D63 05**	575,00
note	dimmable according to dimmer specification							

PRESENTATION TOOLS



NEMO CROWN FINISH BOX PRESENTATION KIT

LxWxH cm	*N°*	*component / finish*	*code*	*SEK*
10x6,5x8,5	6 pieces in each box 6 pezzi in ogni scatola	crown finish sample (white, black, polished, gold, gold plated, black plated)	BOX CRO 00	-



NEMO CROWN GLASS FINISH BOX PRESENTATION KIT


LxWxH cm	*N°*	*component / finish*	*code*	*SEK*
10x6,5x8,5	2 pieces each box 2 pezzi in ogni scatola	1 satinated and 1 striped glass sample	BOX CRO 69	-

APPENDIX


BORNE BÉTON OUTDOOR

Floor mounting with vandal proof fixing plate / Montaggio a terra con accessorio antivandalo


1




2




3



4




5




CANNA NUDA PENDANT

Adjustable glass and cable length / Altezza del vetro e lunghezza del cavo regolabile



CANNA NUDA CEILING/WALL


Adjustable glass and cable length / Altezza del vetro e lunghezza del cavo regolabile




CANNA NUDA METALLO PENDANT

Ømin4 /max6cm x Hmin3

Standard version, mounting on plasterboard and concrete
Versione standard, montaggio su cartongesso e muratura




Version with canopy accessory, mounting on plasterboard and concrete
Versione con accessorio rosone, montaggio su cartongesso e muratura




CANNA NUDA METALLO CEILING

Ømin4 /max6cm

Standard version, mounting on plasterboard and concrete
Versione standard, montaggio su cartongesso e muratura




Version with canopy accessory, mounting on plasterboard and concrete
Versione con accessorio rosone, montaggio su cartongesso e muratura




LAMPE DE MARSEILLE / LAMPE DE MARSEILLE MINI


Mounting with cable and switch / direct electrical connection
Montaggio con cavo e interruttore / installazione diretta


Wall mounting with cable and switch
Montaggio a parete con cavo e interruttore




Wall mounting with cable and switch
Montaggio a parete con cavo e interruttore











LINESCAPES PENDANT VERTICAL

Sections for recessed pendant mounting (plasterboard) / Sezioni per installazione versione incasso sospesa (cartongesso)



Recessed pendant mounting, frontal and side view
Montaggio versione incasso sospesa, vista frontale e laterale





LINESCAPES SYSTEM

ABACUS OF CONNECTIONS AND POWER SUPPLIES
ABACO DELLE CONNESSIONI E ALIMENTATORI

LED SEGMENTS

170cm - 33W- 3000K	106cm - 19W- 3000K	56cm - 9,5W- 3000K	36cm - 6W- 3000K
● LSS LN1 51 black	● LSS LN2 51 black	● LSS LN3 51 black	● LSS LN4 51 black
○ LSS LW1 51 white	○ LSS LW2 51 white	○ LSS LW3 51 white	○ LSS LW4 51 white
170cm - 33W - 2700K	106cm - 19W - 2700K	56cm - 9,5W - 2700K	36cm - 6W - 2700K
● LSS LN5 51 black	● LSS LN6 51 black	● LSS LN7 51 black	● LSS LN8 51 black
○ LSS LW5 51 white	○ LSS LW6 51 white	○ LSS LW7 51 white	○ LSS LW8 51 white




WING SEGMENTS

170cm - 33W- 3000K	106cm - 19W- 3000K	56cm - 9,5W- 3000K	36cm - 6W- 3000K
● LSS UN1 51 black	● LSS UN2 51 black	● LSS UN3 51 black	● LSS UN4 51 black
○ LSS UW1 51 white	○ LSS UW2 51 white	○ LSS UW3 51 white	○ LSS UW4 51 white
170cm - 33W - 2700K	106cm - 19W - 2700K	56cm - 9,5W - 2700K	36cm -6W - 2700K
● LSS UN5 51 black	● LSS UN6 51 black	● LSS UN7 51 black	● LSS UN8 51 black
○ LSS UW5 51 white	○ LSS UW6 51 white	○ LSS UW7 51 white	○ LSS UW8 51 white




CONNECTION SEGMENTS

170cm	106cm	56cm	36cm
● LSS BN1 51 black	● LSS BN2 51 black	● LSS BN3 51 black	● LSS BN4 51 black
○ LSS BW1 51 white	○ LSS BW2 51 white	○ LSS BW3 51 white	○ LSS BW4 51 white




CONNECTIONS


T UP VERTICAL
- ● LSS TN2 51 black
- ○ LSS TW2 51 white




T DOWN VERTICAL
- ● LSS TN1 51 black
- ○ LSS TW1 51 white




T HORIZONTAL
- ● LSS TN3 51 black
- ○ LSS TW3 51 white




UP VERTICAL ANGLE
- ● LSS AN1 51 black
- ○ LSS AW1 51 white




DOWN VERTICAL ANGLE
- ● LSS AN2 51 black
- ○ LSS AW2 51 white




HORIZONTAL ANGLE
- ● LSS AN3 51 black
- ○ LSS AW3 51 white




VERTICAL ANGLE SUPPLY
- ● LSS AN4 51 black
- ○ LSS AW4 51 white




HORIZONTAL ANGLE SUPPLY
- ● LSS AN5 51 black
- ○ LSS AW5 51 white




CENTRAL
- ● LSS CN5 51 black
- ○ LSS CW5 51 white




CENTRAL ONE WAY
- ● LSS CN7 51 black
- ○ LSS CW7 51 white




CENTRAL SUPPLY
- ● LSS CN4 51 black
- ○ LSS CW4 51 white




HORIZONTAL START
- ● LSS CN2 51 black
- ○ LSS CW2 51 white




VERTICAL START
- ● LSS CN1 51 black
- ○ LSS CW1 51 white




WALL CEILING START
- ● LSS FN3 41 black
- ○ LSS FW3 41 white




HORIZONTAL END
- ● LSS CN3 51 black
- ○ LSS CW3 51 white




VERTICAL END
- ● LSS CN6 51 black
- ○ LSS CW6 51 white



WALL CEILING END
- ● LSS FN1 41 black
- ○ LSS FW1 41 white




WALL CEILING END + XYZ
- ● LSS FN2 41 black
- ○ LSS FW2 41 white




ACCESSORIES


POWER SUPPLY 60W 1-10V
- ● LSS PN6 51 black
- ○ LSS PW6 51 white




POWER SUPPLY 90W 1-10V
- ● LSS PN9 51 black
- ○ LSS PW9 51 white



CEILING PLATE
- ● LSS PNR 51 black
- ○ LSS PWR 51 white




CANOPY
- ● ROS KNN 51 black
- ○ ROS KWW 51 white




REMOTE DRIVERS


1-10V




25W / LIN ALI 32




60W / LIN ALI 31




90W / LIN ALI 34




150W / LIN ALI 35



185W / LIN ALI 36




240W / LIN ALI 37




320W / LIN ALI 38


DALI




100W / LIN ALI 51




150W / LIN ALI 52



200W / LIN ALI 53




240W / LIN ALI 54



96W / ALI 096 T1


ceiling plate




min Ø7,5 / max Ø9
x Hmin4cm





Section for ceiling plate mounting on plasterboard
Sezione per installazione ceiling plate su cartongesso





ELECTRICAL CONNECTIONS
CONNESSIONI ELETTRICHE















MAIS PLUS QUE CE LA JE NE PEUX PAS

Floor mounting with vandal proof fixing plate / Montaggio a terra con accessorio antivandalo




For more information please refer to the assembly instructions supplied with the lamp / Per maggiori informazioni si prega di leggere il libretto di montaggio in dotazione con la lampada


POTENCE PIVOTANTE MINI


Standard mounting with cable and switch / mounting with wall electrical connection kit
Montaggio standard / montaggio con kit installazione elettrica a parete

Mounting with cable and switch
Montaggio a parete con cavo e interruttore



Mounting with wall electrical connection kit, dimmable
Montaggio con kit installazione elettrica a parete, dimmerabile con comando a parete





CODES LIST

pag	product	variation	codes						
35	**AM1N**	E27	ALB ENW 14	ALB EHW 14					
05	**AM2C**	E27	ALB EHW 22						
	AM2Z	E27	ALB EHH 22						
13	**AM4C**	E27	ALB EHW 53	ALB ENW 53					
	AM4Z	E27	ALB EHH 53						
44	**APPLIQUE À VOLET PIVOTANT**	R7S HALO	AVP HWN 31	AVP HWD 31	AVP HWH 31				
	APPLIQUE À VOLET PIVOTANT	E14	AVP EWN 31	AVP EWD 31	AVP EWW 31	AVP EWR 31	AVP EWG 31	AVP EWB 31	AVP EWH 31
45	**APPLIQUE À VOLET PIVOTANT LED**	LED IP54	AVP LWN 34	AVP LWD 34	AVP LWW 34	AVP LWR 34	AVP LWG 34	AVP LWB 34	AVP LWH 34
	APPLIQUE À VOLET PIVOTANT DOUBLE	R7S HALO	AVP HWN 33	AVP HWD 33	AVP HWH 33				
	APPLIQUE À VOLET PIVOTANT DOUBLE	E14	AVP EWN 33	AVP EWD 33	AVP EWW 33	AVP EWR 33	AVP EWG 33	AVP EWB 33	AVP EWH 33
46	**APPLIQUE À VOLET PIVOTANT DOUBLE LED**	LED IP54	AVP LWN 36	AVP LWD 36	AVP LWW 36	AVP LWR 36	AVP LWG 36	AVP LWB 36	AVP LWH 36
	APPLIQUE À VOLET PIVOTANT PLIÉ	R7S HALO	AVP HWN 32	AVP HWD 32					
		E14	AVP EWN 32	AVP EWD 32	AVP EWW 32	AVP EWR 32	AVP EWG 32	AVP EWB 32	
47	**APPLIQUE À VOLET PIVOTANT PLIÉ LED**	LED IP54	AVP LWN 35	AVP LWD 35	AVP LWW 35	AVP LWR 35	AVP LWG 35	AVP LWB 35	
	APPLIQUE CYLINDRIQUE LONGUE	E14	CYL EBN 32	CYL ENN 32	CYL EWW 32				
	APPLIQUE CYLINDRIQUE PETITE	E14	CYL EBN 31	CYL ENN 31	CYL EWW 31				
48	**APPLIQUE DE MARSEILLE**	E27	ADM EWW 31	ADM EDD 31	ADM ENN 31				
	APPLIQUE DE MARSEILLE MINI	E14	AMM EWW 31	AMM EDD 31	AMM ENN 31				
44	**APPLIQUE RADIEUSE**	E27	ARS EWW 31	ARS ERW 31	ARS EAW 31	ARS EBW 31	ARS EVW 31		
05	**ARA LED**	LED	ARA LWW 24	ARA LXX 24	ARA LDL 24	ARA LXL 24	ARA LML 24		
49	**ARA WALL 29**	LED 2700K	ARA LWW 36	ARA LXX 36	ARA LWL 36	ARA LXL 36	ARA LDL 36		
		LED 3000K	ARA LWW 37	ARA LXX 37	ARA LWL 37	ARA LXL 37	ARA LDL 37		
	ARA WALL 69	LED	ARA LWW 32	ARA LWL 32	ARA LXL 32	ARA LDL 32			
35	**AS1C**	E27	ALB ENW 15	ALB EHW 15					
14	**AS41C**	E27	ALB ENW 54	ALB EHW 54					
	AS41Z	E27	ALB EHH 54						
49	**AS3C**	E27	ALB ENW 31	ALB EHW 31					
14	**AS43C**	E27	ALB ENW 55	ALB EHW 55					
15	**ASTEROIDE Ø 30**	E27	AST EWC 52	AST EHC 52					
	ASTEROIDE Ø 40	E27	AST EWC 53	AST EHC 53					
	ASTEROIDE Ø 50	E27	AST EWC 54	AST EHC 54					
62	**ASTEROIDE CEILING**	E14	AST EHW 43						
35	**BIRD**	LED	BIR LNO 11						
06	**BORNE BÉTON GRANDE OUTDOOR**	LED	BBG LDW 23						
36	**BORNE BÉTON PETITE INDOOR**	LED	BBP LDW 21						
	BORNE BÉTON PETITE OUTDOOR	LED	BBP LDW 23						
15	**CANNA NUDA PENDANT 50**	G9	CAN HSW 51						
	CANNA NUDA PENDANT 75	G9	CAN HSW 52						

pag	product	variation	codes
62	**CANNA NUDA WALL-CEILING 50**	G9	CAN HSW 41
	CANNA NUDA WALL-CEILING 75	G9	CAN HSW 42
67	**CANNA NUDA METALLO CEILING**	LED	CAM LWW 71 CAM LHH 71
15	**CANNA NUDA METALLO PENDANT**	LED	CAM LWW 52 CAM LHH 52
06	**CLARITAS**	E27	CLA ENN 21
16	**CHLORIS**	LED	CHL LGD 51
50	**CROWN 2**	G9	CRO HWW 31 CRO HNW 31 CRO HGW 31 CRO HLW 31 CRO HOW 31 CRO HPW 31
	CROWN 4	G9	CRO HWW 32 CRO HNW 32 CRO HGW 32 CRO HLW 32 CRO HOW 32 CRO HPW 32
	CROWN APPLIQUE	G9	CRO HWW 33 CRO HPW 33 CRO HOW 33 CRO HLW 33 CRO HNW 33 CRO HGW 33
17	**CROWN MAGNUM**	G9	CRO HWW 5A CRO HNW 5A CRO HGW 5A CRO HLW 5A CRO HOW 5A CRO HPW 5A
16	**CROWN MAJOR**	G9	CRO HWT 52 CRO HNT 52 CRO HGW 52 CRO HLT 52 CRO HOW 52 CRO HPW 52
	CROWN MINOR	G9	CRO HWT 51 CRO HNT 51 CRO HGW 51 CRO HLT 51 CRO HOW 51 CRO HPW 51
17	**CROWN MULTI**	G9	CRO HWW 58 CRO HNW 58 CRO HGW 58 CRO HLW 58 CRO HOW 58 CRO HPW 58
18	**CROWN PLANA**	G9	CRO HWW 56 CRO HNW 56 CRO HGW 56 CRO HLW 56 CRO HOW 56 CRO HPW 56
	CROWN PLANA LINEA	G9	CRO HWW 54 CRO HNW 54 CRO HGW 54 CRO HLW 54 CRO HOW 54 CRO HPW 54
19	**CROWN PLANA MAJOR**	G9	CRO HWW 53 CRO HNW 53 CRO HGW 53 CRO HLW 53 CRO HOW 53 CRO HPW 53
	CROWN PLANA MEGA	G9	CRO HWW 57 CRO HNW 57 CRO HGW 57 CRO HLW 57 CRO HOW 57 CRO HPW 57
	CROWN PLANA MINOR	G9	CRO HWW 55 CRO HNW 55 CRO HGW 55 CRO HLW 55 CRO HOW 55 CRO HPW 55
17	**CROWN SUMMA**	G9	CRO HWW 59 CRO HNW 59 CRO HGW 59 CRO HLW 59 CRO HOW 59 CRO HPW 59
18	**CROWN ROYAL**	G9	CRO HWW 5B CRO HNW 5B CRO HGW 5B CRO HLW 5B CRO HOW 5B CRO HPW 5B
36	**CUPIDO**	LED	CUP LLG 11 CUP LLL 11
20	**DABLIU SPOT/CONE/ GLOBE**	LED 2700K	DAB LNN 51 DAB LNN 55 DAB LNN 53
	DABLIU SPOT/CONE/ GLOBE	LED 3000K	DAB LNN 52 DAB LNN 56 DAB LNN 54
	DROP 5	LED	DRP LNN 51 DRP LGG 51 DRP LDD 51
	DROP 7	LED	DRP LNN 52 DRP LGG 52 DRP LDD 52
21	**DROP 9**	LED	DRP LNN 53 DRP LGG 53 DRP LDD 53
06/51	**ELLISSE FLOOR/WALL**	LED	ELP LNN 21 ELP LGN 21
23	**ELLISSE PENDANT DOUBLE**	LED 2700K	ELP LW2 56 ELP LN2 56 ELP LO2 56 ELP LL2 56 ELP LGW 56
	ELLISSE PENDANT DOUBLE	LED 3000K	ELP LWW 56 ELP LNW 56 ELP LOW 56 ELP LLW 56
24	**ELLISSE PENDANT DOUBLE MEGA**	LED 2700K	ELP LW2 5A ELP LN2 5A ELP LO2 5A
	ELLISSE PENDANT DOUBLE MEGA	LED 3000K	ELP LWW 5A ELP LNW 5A ELP LOW 5A
22	**ELLISSE PENDANT MAJOR UP**	LED 3000K	ELP LWW 53 ELP LNW 53 ELP LOW 53 ELP LLW 53
	ELLISSE PENDANT MAJOR UP	LED 2700K	ELP LW2 53 ELP LN2 53 ELP LO2 53 ELP LL2 53 ELP LGW 53
	ELLISSE PENDANT MAJOR DOWN	LED 3000K	ELP LWW 54 ELP LNW 54 ELP LOW 54 ELP LLW 54
	ELLISSE PENDANT MAJOR DOWN	LED 2700K	ELP LW2 54 ELP LN2 54 ELP LO2 54 ELP LL2 54 ELP LGW 54
23	**ELLISSE PENDANT MEGA UP**	LED 2700K	ELP LW2 58 ELP LN2 58 ELP LO2 58
	ELLISSE PENDANT MEGA UP	LED 3000K	ELP LWW 58 ELP LNW 58 ELP LOW 58
	ELLISSE PENDANT MEGA DOWN	LED 2700K	ELP LW2 59 ELP LN2 59 ELP LO2 59
	ELLISSE PENDANT MEGA DOWN	LED 3000K	ELP LWW 59 ELP LNW 59 ELP LOW 59
21	**ELLISSE PENDANT MINOR UP**	LED 2700K	ELP LW2 51 ELP LN2 51 ELP LO2 51 ELP LL2 51 ELP LGW 51
	ELLISSE PENDANT MINOR UP	LED 3000K	ELP LWW 51 ELP LNW 51 ELP LOW 51 ELP LLW 51

pag	product	variation	codes					
	ELLISSE PENDANT MINOR DOWN	LED 2700K	ELP LW2 52	ELP LN2 52	ELP LO2 52	ELP LL2 52	ELP LGW 52	
	ELLISSE PENDANT MINOR DOWN	LED 3000K	ELP LWW 52	ELP LNW 52	ELP LOW 52	ELP LLW 52		
24	**ELLISSE PENDANT TRIPLE**	LED 2700K	ELP LW2 57	ELP LN2 57	ELP LO2 57	ELP LL2 57	ELP LGW 57	
	ELLISSE PENDANT TRIPLE	LED 3000K	ELP LWW 57	ELP LNW 57	ELP LOW 57	ELP LLW 57		
06	**ESCARGOT**	E27	ESC EGG 11					
07	**FLAMINGO**	LED	FLM LRR 21	FLM LNN 21	FLM LLH 21	FLM LRR 22	FLM LNN 22	FLM LNH 22
51	**FIX DOUBLE EMISSION**	LED	FIM LWW 3D	FIM LNW 3D	FIM LGT 3D	FIM LGW 3D		
	FIX DOUBLE EMISSION 100°	LED	FIM LWW 3C	FIM LNW 3C	FIM LGT 3C	FIM LGW 3C		
	FLACA	LED 1-10V	FLA LWW 32	FLA LXW 32	FLA LBW 32	FLA LDW 32		
	FLACA	LED TRIAC	FLA LWW 33	FLA LXW 33	FLA LBW 33	FLA LDW 33		
07	**FOX**	LED	FOX LN2 21	FOX LW2 21	FOX LD2 21	FOX LG2 21		
52	**FOX WALL**	LED	FOX LN2 31	FOX LW2 31	FOX LD2 31	FOX LG2 31		
25	**ILIUM PENDANT 75**	LED	ILI LHC 51					
	ILIUM PENDANT 77	E27	ILI HHC 51					
07	**IN THE WIND FLOOR**	LED 2700K	ITW LWW 22	ITW LNW 22	ITW LDW 22	ITW LGW 22		
	IN THE WIND FLOOR	LED 3000K	ITW LWW 21	ITW LNW 21	ITW LDW 21	ITW LGW 21		
25	**IN THE WIND PENDANT HORIZONTAL**	LED 2700K	ITW LWW 56	ITW LNW 56	ITW LDW 56	ITW LGW 56		
	IN THE WIND PENDANT HORIZONTAL	LED 3000K	ITW LWW 57	ITW LNW 57	ITW LDW 57	ITW LGW 57		
26	**IN THE WIND PENDANT VERTICAL**	LED 2700K	ITW LWW 55	ITW LNW 55	ITW LDW 55	ITW LGW 55		
	IN THE WIND PENDANT VERTICAL	LED 3000K	ITW LWW 58	ITW LNW 58	ITW LDW 58	ITW LGW 58		
	KEPLER PETITE	LED 2700K	KES LWW 54	KES LNN 54	KES LOW 54			
	KEPLER PETITE	LED 3000K	KES LWW 52	KES LNN 52	KES LOW 52			
27	**KEPLER UPLIGHT**	LED 2700K	KEP LWW 53	KEP LNN 53	KEP LOW 53			
	KEPLER UPLIGHT	LED 3000K	KEP LWW 51	KEP LNN 51	KEP LOW 51			
	KEPLER DOWNLIGHT	LED 2700K	KEP LWW 54	KEP LNN 54	KEP LOW 54			
	KEPLER DOWNLIGHT	LED 3000K	KEP LWW 52	KEP LNN 52	KEP LOW 52			
	KEPLER MINOR UPLIGHT	LED 2700K	KEM LWW 53	KEM LNN 53	KEM LOW 53			
	KEPLER MINOR UPLIGHT	LED 3000K	KEM LWW 51	KEM LNN 51	KEM LOW 51			
	KEPLER MINOR DOWNLIGHT	LED 2700K	KEM LWW 54	KEM LNN 54	KEM LOW 54			
	KEPLER MINOR DOWNLIGHT	LED 3000K	KEM LWW 52	KEM LNN 52	KEM LOW 52			
36	**KUTA TABLE**	E27	KUT EWN 11					
52	**KUTA WALL**	E27	KUT EWN 31					
53	**LA ROCHE**	LED 2700K	ROC LDW 31	ROC LNW 31	ROC LDW 33	ROC LNW 33		
	LA ROCHE	LED 3000K	ROC LD3 31	ROC LN3 31	ROC LD3 33	ROC LN3 33		
36	**LAMPE CABANON**	E27	CAB ENW 11					
37	**LAMPE DE BUREAU**	E14	LDB EDV 11	LDB EDG 11	LDB EDR 11	LDB EDB 11	LDB EDC 11	LDB EDW 11
53	**LAMPE DE BUREAU APPLIQUE**	E14	LDB EDV 31	LDB EDG 31	LDB EDR 31	LDB EDB 31	LDB EDC 31	LDB EDW 31
08	**LAMPE DE BUREAU READING**	E14	LDB EDV 21	LDB EDG 21	LDB EDR 21	LDB EDB 21	LDB EDC 21	LDB EDW 21
53	**LAMPE DE MARSEILLE**	E27	LDM EWW 31	LDM EDD 31	LDM ENN 31			
	LAMPE DE MARSEILLE MINI	E14	LMM EWW 31	LMM EDD 31	LMM ENN 31			
67	**LBB01**	E27	LBB LNN 51					

pag	product	variation	codes		
08	**LINESCAPES FLOOR**	LED 2700K	LIN LW2 22	LIN LN2 22	LIN LG2 22
	LINESCAPES FLOOR	LED 3000K	LIN LWD 22	LIN LND 22	LIN LGD 22
28	**LINESCAPES PENDANT HORIZ. L130**	LED 2700K	LIN LW2 5D	LIN LN2 5D	
	LINESCAPES PENDANT HORIZ. L130	LED 3000K	LIN LWW 5D	LIN LNN 5D	
	LINESCAPES PENDANT HORIZ. L200	LED 2700K	LIN LW2 5E	LIN LN2 5E	
	LINESCAPES PENDANT HORIZ. L200	LED 3000K	LIN LWW 5E	LIN LNN 5E	
	LINESCAPES PENDANT VERTICAL	LED 2700K	LIN LW2 59	LIN LW2 5A	
	LINESCAPES PENDANT VERTICAL	LED 3000K	LIN LWW 59	LIN LWW 5A	
62	**LINESCAPES WALL 102CM**	LED 2700K	LIN LW2 35	LIN LN2 35	
	LINESCAPES WALL 102CM	LED 3000K	LIN LWD 35	LIN LND 35	
	LINESCAPES WALL 182CM	LED 2700K	LIN LW2 36	LIN LN2 36	
	LINESCAPES WALL 182CM	LED 3000K	LIN LWD 36	LIN LND 36	
69	**LINESCAPES SYSTEM**	LED SEGMENT 36CM 2700K	LSS LW8 51	LSS LN8 51	
	LINESCAPES SYSTEM	LED SEGMENT 36CM 3000K	LSS LW4 51	LSS LN4 51	
	LINESCAPES SYSTEM	LED SEGMENT 56CM 2700K	LSS LW7 51	LSS LN7 51	
	LINESCAPES SYSTEM	LED SEGMENT 56CM 3000K	LSS LW3 51	LSS LN3 51	
	LINESCAPES SYSTEM	LED SEGMENT 106CM 2700K	LSS LW6 51	LSS LN6 51	
	LINESCAPES SYSTEM	LED SEGMENT 106CM 3000K	LSS LW2 51	LSS LN2 51	
	LINESCAPES SYSTEM	LED SEGMENT 171CM 2700K	LSS LW5 51	LSS LN5 51	
	LINESCAPES SYSTEM	LED SEGMENT 171CM 3000K	LSS LW1 51	LSS LN1 51	
	LINESCAPES SYSTEM	WING 36CM 2700K	LSS UW8 51	LSS UN8 51	
	LINESCAPES SYSTEM	WING 36CM 3000K	LSS UW4 51	LSS UN4 51	
	LINESCAPES SYSTEM	WING 56CM 2700K	LSS UW7 51	LSS UN7 51	
	LINESCAPES SYSTEM	WING 56CM 3000K	LSS UW3 51	LSS UN3 51	
	LINESCAPES SYSTEM	WING 106CM 2700K	LSS UW6 51	LSS UN6 51	
	LINESCAPES SYSTEM	WING 106CM 3000K	LSS UW2 51	LSS UN2 51	
	LINESCAPES SYSTEM	WING 170CM 2700K	LSS UW5 51	LSS UN5 51	
	LINESCAPES SYSTEM	WING 170CM 3000K	LSS UW1 51	LSS UN1 51	
70	**LINESCAPES SYSTEM**	LINK 36CM	LSS BW4 51	LSS BN4 51	
	LINESCAPES SYSTEM	LINK 56CM	LSS BW3 51	LSS BN3 51	
	LINESCAPES SYSTEM	LINK 106CM	LSS BW2 51	LSS BN2 51	
	LINESCAPES SYSTEM	LINK 171CM	LSS BW1 51	LSS BN1 51	
71	**LINESCAPES SYSTEM**	VERTICAL START	LSS CW1 51	LSS CN1 51	
	LINESCAPES SYSTEM	VERTICAL END	LSS CW6 51	LSS CN6 51	
	LINESCAPES SYSTEM	HORIZONTAL START	LSS CW2 51	LSS CN2 51	
	LINESCAPES SYSTEM	HORIZONTAL END	LSS CW3 51	LSS CN3 51	
	LINESCAPES SYSTEM	CENTRAL SUPPLY	LSS CN4 51	LSS CW4 51	
	LINESCAPES SYSTEM	CENTRAL	LSS CW5 51	LSS CN5 51	
	LINESCAPES SYSTEM	CENTRAL ONE WAY	LSS CW7 51	LSS CN7 51	
	LINESCAPES SYSTEM	UP VERTICAL ANGLE	LSS AW1 51	LSS AN1 51	
	LINESCAPES SYSTEM	DOWN VERTICAL ANGLE	LSS AW2 51	LSS AN2 51	

pag	product	variation	codes				
	LINESCAPES SYSTEM	HORIZONTAL ANGLE	LSS AW3 51	LSS AN3 51			
	LINESCAPES SYSTEM	VERTICAL ANGLE SUPPLY	LSS AW4 51	LSS AN4 51			
	LINESCAPES SYSTEM	HORIZONTAL ANGLE SUPPLY	LSS AW5 51	LSS AN5 51			
72	**LINESCAPES SYSTEM**	T UP VERTICAL	LSS TW2 51	LSS TN2 51			
	LINESCAPES SYSTEM	T DOWN VERTICAL	LSS TW1 51	LSS TN1 51			
	LINESCAPES SYSTEM	T HORIZONTAL	LSS TW3 51	LSS TN3 51			
	LINESCAPES SYSTEM	WALL/CEILING START	LSS FW3 41	LSS FN3 41			
	LINESCAPES SYSTEM	WALL/CEILING END	LSS FW1 41	LSS FN1 41			
	LINESCAPES SYSTEM	WALL/CEILING END + XYZ CONNECTOR	LSS FW2 41	LSS FN2 41			
90	**LINESCAPES SYSTEM**	POWER SUPPLY 60W	LSS PW6 51	LSS PN6 51			
	LINESCAPES SYSTEM	POWER SUPPLY 90W	LSS PW9 51	LSS PN9 51			
73	**LINESCAPES SYSTEM**	DESK MATRIX 44X44	LSV LW3 51	LSV LW2 51	LSV LN3 51	LSV LN2 51	
	LINESCAPES SYSTEM	DESK MATRIX 44X44	LSH LW3 51	LSH LW2 51	LSH LN3 51	LSH LN2 51	
	LINESCAPES SYSTEM	DESK MATRIX 64X44	LSV LW3 55	LSV LW2 55	LSV LN3 55	LSV LN2 55	
	LINESCAPES SYSTEM	DESK MATRIX 64X44	LSH LW3 55	LSH LW2 55	LSH LN3 55	LSH LN2 55	
	LINESCAPES SYSTEM	DESK MATRIX 114X44	LSV LW3 58	LSV LW2 58	LSV LN3 58	LSV LN2 58	
	LINESCAPES SYSTEM	DESK MATRIX 114X44	LSH LW3 58	LSH LW2 58	LSH LN3 58	LSH LN2 58	
74	**LINESCAPES SYSTEM**	DESK MATRIX 178X44	LSV LW3 5A	LSV LW2 5A	LSV LN3 5A	LSV LN2 5A	
	LINESCAPES SYSTEM	DESK MATRIX 178X44	LSH LW3 5A	LSH LW2 5A	LSH LN3 5A	LSH LN2 5A	
	LINESCAPES SYSTEM	DESK MATRIX 64X64	LSV LW3 52	LSV LW2 52	LSV LN3 52	LSV LN2 52	
	LINESCAPES SYSTEM	DESK MATRIX 64X64	LSH LW3 52	LSH LW2 52	LSH LN3 52	LSH LN2 52	
	LINESCAPES SYSTEM	DESK MATRIX 114X64	LSV LW3 56	LSV LW2 56	LSV LN3 56	LSV LN2 56	
	LINESCAPES SYSTEM	DESK MATRIX 114X64	LSH LW3 56	LSHLW2 56	LSH LN3 56	LSH LN2 56	
75	**LINESCAPES SYSTEM**	DESK MATRIX 178X64	LSV LW3 59	LSV LW2 59	LSV LN3 59	LSV LN2 59	
	LINESCAPES SYSTEM	DESK MATRIX 178X64	LSH LW3 59	LSH LW2 59	LSH LN3 59	LSH LN2 59	
	LINESCAPES SYSTEM	DESK MATRIX 114X114	LSV LW3 53	LSV LW2 53	LSV LN3 53	LSV LN2 53	
	LINESCAPES SYSTEM	DESK MATRIX 114X114	LSH LW3 53	LSH LW2 53	LSH LN3 53	LSH LN2 53	
76	**LINESCAPES SYSTEM**	DESK MATRIX 178X114	LSV LW3 57	LSV LW2 57	LSV LN3 57	LSV LN2 57	
	LINESCAPES SYSTEM	DESK MATRIX 178X114	LSH LW3 57	LSH LW2 57	LSH LN3 57	LSH LN2 57	
	LINESCAPES SYSTEM	DESK MATRIX 178X178	LSV LW3 54	LSV LW2 54	LSV LN3 54	LSV LN2 54	
	LINESCAPES SYSTEM	DESK MATRIX 178X178	LSH LW3 54	LSH LW2 54	LSH LN3 54	LSH LN2 54	
29	**LOROSAE Ø20 PENDANT**	E27	LOR EWW 51	LOR EWB 51	LOR EWG 51	LOR EWA 51	LOR EWV 51
	LOROSAE Ø30 PENDANT	E27	LOR EWW 52	LOR EWB 52	LOR EWG 52	LOR EWA 52	LOR EWV 52
	LOROSAE Ø40 PENDANT	E27	LOR EWW 53	LOR EWB 53	LOR EWG 53	LOR EWA 53	LOR EWV 53
37	**LOROSAE TABLE**	LED	LOR LWW 11	LOR LWB 11	LOR LWG 11	LOR LWA 11	LOR LWV 11
30	**MAGA PENDANT**	E14	MGA EWW 52				
37	**MAGA TABLE**	E14	MGA EWW 12				
63	**MAGA WALL**	E14	MGA EWW 32				
08	**MAIS PLUS QUE CELA. INDOOR**	LED	RIC LMM 21				
	MAIS PLUS QUE CELA. OUTDOOR	LED	RIC LME 21				
38	**MINI MAIS PLUS QUE CELA. INDOOR**	LED	RCM LMM 12	RCM LGG 11			

pag	product	variation	codes						
	MR. LIGHT	E27	MRL ENN 11						
09	**NEO**	LED	NEO LNN 21	NEO LGN 21					
	NEWTON	LED	NEW LNW 21	NEW LHW 21					
54	**NORMA 25**	LED	NOR LLW 35						
	NORMA 65	LED	NOR LLW 32						
	NORMA 95	LED	NOR LLW 33						
30	**NUVOLA PENDANT**	LED	NUV LWW 51						
	NUVOLA PENDANT MINOR	LED	NUM LWW 51						
63	**NUVOLA WALL/CEILING**	LED H20	NUV LWW 33						
	NUVOLA WALL/CEILING	LED H37	NUV LWW 34						
	NUVOLA MINOR WALL/CEILING	LED H14	NUM LWW 32						
	NUVOLA MINOR WALL/CEILING	LED H25	NUM LWW 31						
38	**ON LINES**	LED	OLN LWW 11	ONL LNW 12					
39	**PANAMA**	LED	PAN LWW 13	PAN LXX 13					
	PANAMA MINI	LED	PNM LWW 14	PNM LXX 14					
	PANAMA MINI BATTERY	LED	PNM LWW 15	PNM LXX 15					
09	**PARLIAMENT**	E27	PAR EDW 22	PAR EGV 22	PAR ENG 22	PAR ENR 22			
39	**PIVOTANTE À POSER**	E27	PAP EDW 12	PAP EDG 12	PAP EDB 12	PAP EDC 12	PAP EDR 12	PAP EDV 12	PAP EDD 12
40	**PORTOFINO**	LED	POR LWW 11	POR LNN 11	POR LBB 11	POR LVV 11	POR LGG 11		
	PORTOFINO MARBLE	LED	POR LWW 12	POR LNN 12	POR LBB 12	POR LVV 12	POR LGG 12		
55	**POTENCE PIVOTANTE**	E27	POT ENW 31						
	POTENCE PIVOTANTE MINI	G9	POM HNW 31	POM HRW 31	POM HDW 31				
30	**PROJECTEUR 165 PENDANT**	E27 LED/FLUO	PRP FDW 51	PRP FWS 51	PRP FMW 51				
	PROJECTEUR 165 PENDANT OUTDOOR	E27 LED/FLUO IP44	PRP FDW 52	PRP FWS 52	PRP FMW 52				
40	**PROJECTEUR 165 PINCER CLIP**	E27 LED/FLUO	PRP FDW 11	PRP FWS 11	PRP FMW 11				
64	**PROJECTEUR 165 WALL/CEILING**	E27 LED/FLUO IP20	PRP FDW 31	PRP FWS 31	PRP FMW 31				
	PROJECTEUR 165 WALL/CEILING	E27 LED/FLUO IP44	PRP FDW 32	PRP FWS 32	PRP FMW 32				
10	**PROJECTEUR 365 FLOOR**	E27	PRJ EDW 2A	PRJ EWS 2A	PRJ EMS 2A				
31	**PROJECTEUR 365 PENDANT**	E27	PRJ EDW 51	PRJ EWS 51	PRJ EMS 51				
	PROJECTEUR 365 PENDANT OUTDOOR	E27 IP54	PRJ EDW 52	PRJ EWS 52	PRJ EMS 52				
64	**PROJECTEUR 365 WALL/CEILING**	E27	PRJ EDW 3A	PRJ EWS 3A	PRJ EMS 3A				
	PROJECTEUR 365 WALL/CEIL. OUTDOOR	E27 IP54	PRJ EDW 32	PRJ EWS 32	PRJ EMS 32				
64	**SAORI**	E27	SAO EWW 41	SAO EWW 42					
32	**SIRIUS PENDANT**	E27	SIR HLW 51						
40	**SORRENTO 1X**	LED	SRT LDN 11	SRT LDW 11					
41	**SORRENTO 3X**	LED	SRT LDN 13	SRT LDW 13					
31	**SPIGOLO PENDANT VERTICAL**	LED 2700K	SPI LW2 51	SPI LN2 51					
	SPIGOLO PENDANT VERTICAL	LED 3000K	SPI LWW 51	SPI LNN 51					
32	**SPIGOLO PENDANT HORIZONTAL**	LED 2700K	SPI LW2 52	SPI LN2 52					
	SPIGOLO PENDANT HORIZONTAL	LED 3000K	SPI LWW 52	SPI LNN 52					
65	**SPIGOLO WALL**	LED 2700K	SPI LW2 31	SPI LN2 31					

pag	product	variation	codes
	SPIGOLO WALL	LED 3000K	SPI LWW 31 SPI LNN 31
55	**SWAN**	LED	SWA LN2 31
	SWAN PLUS	LED	SWA LN2 32
32	**TITIA**	LED	TIT LWW 51 TIT LNN 51
	TITIA MINOR	LED	TIT LNN 52
10	**TRU FLOOR**	LED 2700K	TRU LWW 25 TRU LNN 25 TRU LDD 25 TRU LGG 25
	TRU FLOOR	LED 3000K	TRU LWW 24 TRU LNN 24 TRU LDD 24 TRU LGG 24
33	**TRU PENDANT HORIZONTAL**	LED DOWN+DOWN 2700K	TRU LWW 57 TRU LNN 57 TRU LDD 57
	TRU PENDANT HORIZONTAL	LED DOWN+DOWN 3000K	TRU LWW 5C TRU LNN 5C TRU LDD 5C
	TRU PENDANT HORIZONTAL	LED UP+DOWN 2700K	TRU LWW 55 TRU LNN 55 TRU LDD 55
	TRU PENDANT HORIZONTAL	LED UP+DOWN 3000K	TRU LWW 5A TRU LNN 5A TRU LDD 5A
56	**TUBES 2 WALL**	LED	TTB LWW 35 TTB LNW 35
33	**TUBES 3 PENDANT**	LED	TTB LWC 53 TTB LWW 53 TTB LNW 53
67	**TUBES CEILING**	LED	TTB LWW 42 TTB LNW 42
	TUBES LARGE CEILING	LED	TTU LWW 41 TTU LWG 41
56	**TUBES LARGE WALL**	LED	TTU LWW 31 TTU LWG 31
33	**TYPE PENDANT**	LED 2700K	TYP LNN 51 TYP LSN 51
	TYPE PENDANT	LED 3000K	TYP LNN 52 TYP LSN 52
10	**TYPE READING**	LED 2700K	TYP LSN 21 TYP LNN 21
		LED 3000K	TYP LSN 22 TYP LNN 22
41/56	**UNTITLED MINI TABLE / WALL**	LED 2700K	UNT LN2 15 UNT LW2 15 UNT LD2 15 UNT LG2 15
			UNT LN2 16 UNT LW2 16 UNT LD2 16 UNT LG2 16
56/57	**UNTITLED MINI TABLE/ WALL**	LED 3000K	UNT LNN 15 UNT LWW 15 UNT LDD 15 UNT LGG 15
			UNT LNN 16 UNT LWW 16 UNT LDD 16 UNT LGG 16
11	**UNTITLED READING LINEAR**	LED 2700K	UNT LN2 2A UNT LW2 2A UNT LD2 2A UNT LG2 2A
	UNTITLED READING LINEAR	LED 3000K	UNT LNN 2A UNT LWW 2A UNT LDD 2A UNT LGG 2A
	UNTITLED READING SPOT	LED 2700K	UNT LN2 2B UNT LW2 2B UNT LD2 2B UNT LG2 2B
	UNTITLED READING SPOT	LED 3000K	UNT LNN 2B UNT LWW 2B UNT LDD 2B UNT LGG 2B
42/57	**UNTITLED TABLE / WALL**	LED 2700K	UNT LNN 11 UNT LWW 11 UNT LDD 11 UNT LGG 11
			UNT LNN 12 UNT LWW 12 UNT LDD 12 UNT LGG 12
	UNTITLED TABLE / WALL	LED 3000K	UNT LNN 13 UNT LWW 13 UNT LDD 13 UNT LGG 13
			UNT LNN 14 UNT LWW 14 UNT LDD 14 UNT LGG 14
58	**WALL SHADOWS GRANDE**	LED	WSH LWW 31
	WALL SHADOWS LONG	LED	WSH LWW 34
	WALL SHADOWS MOYEN	LED	WSH LWW 33
	WALL SHADOWS PETIT	LED	WSH LWW 32
59	**ZENA**	LED 2700K	ZEN LW2 31 ZEN LN2 31 ZEN LM2 31 ZEN LW2 33 ZEN LN2 33 ZEN LM2 33
	ZENA	LED 3000K	ZEN LWW 31 ZEN LNW 31 ZEN LMM 31 ZEN LWW 33 ZEN LNW 33 ZEN LMM 33
	ZENA 60	LED 2700K	ZEN LW2 34 ZEN LN2 34 ZEN LM2 34 ZEN LW2 35 ZEN LN2 35 ZEN LM2 35
	ZENA 60	LED 3000K	ZEN LWW 34 ZEN LNW 34 ZEN LMM 34 ZEN LWW 35 ZEN LNW 35 ZEN LMM 35

NEMO products are designed and manufactured in compliance with EN 60598-1 norms. Dimensions are indicated in centimetres. Luminaires are normally supplied without light sources, except when otherwise indicated. Products with anodized finishes could show different colour shades due to the industrial galvanic process. Shades have to be considered as aesthetic elements of the product. Polishing process is hand-made. Shades are therefore due to this manual process. Dimensions of products made with deformations of extrusions could be subject to changes of ±1cm. As blown glass is produced by traditional craft techniques, its thickness, colour and finish are subject to variations, a feature that makes each piece unique. NEMO reserves the right to make any technical or formal alterations to its products without giving prior notice, especially for LED sources. Information concerning luminous flux/ power consumption are expressed in nominal values. Effective data are indicated in the technical sheets available on the website. WARRANTY Conditions are indicated in a tag attached to each luminaire. When a certain lamp is supplied with the bulb, the same shall be seen as a pure service to the customer. The cost of the bulb is not included in the price of the product and therefore NEMO shall not be held responsible for any replacement in case of malfunctioning of the bulb. In case of discrepancy between the information contained in the printed materials and the website, this latter shall prevail.

I prodotti NEMO sono costruiti secondo le norme EN 60598-1, Tutte le dimensioni sono espresse in centimetri. Le lampade sono generalmente fornite senza lampadina, salvo diverse indicazioni. Le istruzioni di montaggio e di manutenzione sono incluse negli imballi. Le indicazioni dei materiali, delle finiture e dei colori riguardano solo le principali parti visibili dei prodotti. I prodotti con finiture anodizzate possono mostrare differenti sfumature di colore che sono proprie del processo galvanico di finitura e sono da considerarsi come elementi estetici del prodotto. Il processo di spazzolatura per la lucidatura è realizzato a mano. Le sfumature sono pertanto proprie del processo manuale di lucidatura. Nei prodotti realizzati attraverso lavorazioni di deformazioni di estrusi, gli ingombri di massima possono subire variazioni in un range di ± 1cm. I vetri soffiati, poiché sono prodotti artigianali, possono avere spessori, colori e finiture variabili che ne costituiscono l'unicità. NEMO si riserva di apportare qualsiasi modifica tecnica o formale senza preavviso, soprattutto per quanto concerne le sorgenti LED. I dati relativi ai flussi luminosi, ai consumi ed alle potenze si riferiscono a valori nominali. I dati effettivi sono indicati nelle curve fotometriche e nelle schede disponibili sul sito. GARANZIA Le condizioni di garanzia sono precisate in un cartellino allegato ad ogni lampada. Alcune lampade vengono fornite con la sorgente che Nemo suggerisce per la miglior resa. Tale dotazione è da ritenersi esclusivamente come un servizio gratuito accessorio offerto al cliente. Il costo della sorgente non fa pertanto parte del prezzo della lampada. NEMO non sarà dunque responsabile di alcuna sostituzione o servizio post-vendita in caso di malfunzionamento. In caso di discrepanza delle informazioni tra documenti cartacei e sito web, prevalgono le informazioni del sito.

Les appareils d'éclairage NEMO sont construits selon les normes EN 60598-1, Toutes les dimensions sont en centimètres. Les appareils sont généralement sans ampoules, sauf indication contraire dans le tarif. Vous trouverez les instructions de montage et d'entretien dans les emballages. Les indications des matériaux, des finitions et des couleurs concernent seulement les principales parties visibles des appareils Les produits avec des finitions anodisées peuvent montrer différentes nuances de couleur qui sont typiques du processus de finition galvanique et qui doivent être considérées comme des éléments typiquement esthétiques du produit. Le processus de brossage pour le polissage est fait main. Les différentes nuances de couleur sont donc typique du processus manuel de polissage. Dans les produits extrudés, les dimensions globales peuvent varier dans une plage de ± 1cm. Les verres soufflés sont des produits artisanaux et en tant que tels ils sont caractérisés par des épaisseurs, des couleurs et des finitions variables. NEMO se réserve le droit de modifier ses produits sans préavis, en particulier en ce qui concerne les sources de LED. Les valeurs relatives aux flux lumineux, consommations et puissances correspondent aux valeurs nominales des sources. Les valeurs effectives sont indiquées dans les courbes photométriques et fiches techniques disponibles sur le site web. GARANTIE Les conditions de garantie sont indiquées dans une notice jointe à chaque lampe. Certaines lampes sont fournies avec la source que NEMO recommande afin d'obtenir le meilleur rendu. Cette fourniture est à prendre en compte exclusivement comme un service gratuit d'accessoire offert au client. Le coût de la source ne fait pas partie du prix de la lampe. NEMO ne sera donc pas tenu responsable d'éventuelle substitution ou après-vente en cas de mauvais fonctionnement. En cas d'informations différentes entre les catalogues et le site web, font foi celles du site web.

Alle Leuchten von NEMO sind nach den Normen EN 60598-1 konstruiert. Alle Maßangaben sind in Zentimetern. Die Leuchten werden generell ohne Leuchtmittel geliefert falls nicht anders angegeber. Zu jeder Leuchte sind die empfohlenen Anwendungsmöglichkeiten aufgeführt, Montage- und Wartungsanleitungen sind jeder Leuchte beigepackt. In diesem Katalog angegebene Materialien, Ausführungen und Farben beziehen sich ausschließlich auf die deutlich sichtbaren Teile der Leuchten. Produkte mit eloxierten Oberflächen können unterschiedliche Schattierungen der Farbe aufweisen, die typisch für den galvanischen Prozess sind. Sie sind daher als ästhetisches Element des Produkts zu berücksichtigen. Die polierten Versionen werden von Hand Hochglanz poliert. Durch diesen manuellen Verarbeitungsprozess können Nuancen entstehen. Die angegebenen Masse können leicht variieren, besonders bei Produkten, die Verformungsprozessen unterliegen. Bei den geblasenen Gläsern können durch die handwerkliche Fertigung Wandstärken, Farben und Oberflächen leicht variieren. NEMO behält sich das Recht vor, technische oder formale Änderungen, insbesondere bei der LED-Bestückung, ohne Vorankündigung durchzuführen. GARANTIE Die Garantiebedingungen sind auf dem Kärtchen, das an jeder Leuchte angebracht ist, aufgeführt. Wenn eine Leuchte mit Glühbirne geliefert wird, gilt dies als reiner Service für den Kunden. Die Kosten der Glühbirne sind nicht im Preis des Produktes enthalten und daher ist Nemo im Falle einer Fehlfunktion der Glühlampe nicht für deren Ersatz verantwortlich. Die Angaben, die Lichtstromwerte, den Verbrauch und die Leistung betreffend, gelten als nominale Werte. Die tatsächliche Werte sind in den fotometrischen Abbildungen und in den Anleitungen auf der Webseite einsehbar.

Notes

Notes

Notes

Notes

Ideas

Valid from May 2026

NEMO HEAD OFFICE

Viale Monza, 16
Sovico (MB), 20845
Italy
Tel +39 0362 166 050 0
info@nemolighting.com

NEMO SHOWROOM

Via Santa Cecilia, 4/A
Milan, 20122
Italy
Tel +39 02 970 703 40
santacecilia@nemolighting.com

NEMO BORGONUOVO19

Via Borgonuovo, 19
Milan, 20122
Italy

NEMO GALERIE PARIS

44, Rue du Bac
Paris, 75007
France
Tel +33 (0) 1 486 318 42
ruedubac@nemolighting.fr

NEMO COPENHAGEN

St. Kongensgade 118
1264 København
Denmark

NEMO USA

1 Cape May Street Suite #270
Harrison (New Jersey) – 07029
Phone +1 800 734 5858
usa@nemolighting.com
nemolighting.com/usa/

NEMO DUBAI

Dubai Design District, Building 3
Dubai
United Arab Emirates
Tel +971 569969117
gagan.chhibber@reggiani.net

Part of
NEMO Group

Scan the code for Terms&Conditions

For more info visit our website

NEMOLIGHTING.COM

NEMO