

LD Seating

Price list 3/2026

Fabric Collection Category		1	2	3	4	5
	Arcus 240 • swivel task chair • height adjustable • upholstered seat, mesh backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • black nylon backrest frame and seat cover • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests					
	240-SYAC • SYAC synchronous mechanics with automatic preset backrest resistance with the possibility of adjusting the force using a rotary dial on the front of the mechanics, locking in the initial position and 3x adjustment of the range of movement • seat slide	5 116 SEK	5 204 SEK	5 349 SEK	5 552 SEK	6 366 SEK
	240-SYACN • SYACN synchronous mechanics with automatic preset backrest resistance with the possibility of adjusting the force using a rotary dial on the front of the mechanics, locking in the initial position and 3x adjustment of the range of movement • depth-adjustable seat with an independent seat angle function	5 000 SEK	5 087 SEK	5 233 SEK	5 407 SEK	6 250 SEK
	240-ATS • ATS synchronous mechanism with automatic preset backrest resistance according to user weight, locking in the initial position • seat slide	4 419 SEK	4 535 SEK	4 680 SEK	4 855 SEK	5 698 SEK
	Arcus 241 • swivel task chair • height adjustable • upholstered seat, mesh backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • gray nylon backrest frame and seat cover • gray rubber castors for hard floors, Ø 60 mm • basic version without armrests					
	241-SYAC • SYAC synchronous mechanics with automatic preset backrest resistance with the possibility of adjusting the force using a rotary dial on the front of the mechanics, locking in the initial position and 3x adjustment of the range of movement • seat slide • gray 5-star nylon base	5 611 SEK	5 698 SEK	5 843 SEK	6 017 SEK	6 861 SEK
	241-SYACN • SYACN synchronous mechanics with automatic preset backrest resistance with the possibility of adjusting the force using a rotary dial on the front of the mechanics, locking in the initial position and 3x adjustment of the range of movement • depth-adjustable seat with an independent seat angle function • gray 5-star nylon base	5 407 SEK	5 523 SEK	5 669 SEK	5 843 SEK	6 686 SEK
	241-ATS • ATS synchronous mechanism with automatic preset backrest resistance according to user weight, locking in the initial position • seat slide	5 000 SEK	5 087 SEK	5 233 SEK	5 407 SEK	6 250 SEK
	Arcus 250-N1,F12-BL • upholstered seat, mesh backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • black nylon backrest frame and seat cover • armrests with black nylon cover • black 5-star nylon base • black castors for carpets, Ø 60 mm • swivel conference chair • height adjustable • rocking mechanism with a locking option in the starting position	5 523 SEK	5 669 SEK	5 814 SEK	5 988 SEK	6 424 SEK

Fabric Collection Category		1	2	3	4	5
	Arcus 250-N1					
	• conference chair • upholstered seat, mesh backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • black nylon backrest frame and seat cover • stackable • armrests with black nylon cover • black steel powder coated 4 leg base • easily replaceable plastic gliders for carpets	4 128 SEK	4 273 SEK	4 419 SEK	4 622 SEK	5 058 SEK
	Arcus 250-N1,RU60					
	• conference chair • upholstered seat, mesh backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • black nylon backrest frame and seat cover • stackable • armrests with black nylon cover • black steel powder coated 4 leg base • black castors for carpets, Ø 60 mm	4 564 SEK	4 709 SEK	4 826 SEK	5 029 SEK	5 436 SEK
	Arcus 250-Z-N1					
	• conference chair • upholstered seat, mesh backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • black nylon backrest frame and seat cover • stackable • armrests with black nylon cover • black powder coated steel cantilever base • easily replaceable plastic gliders for carpets	4 448 SEK	4 622 SEK	4 767 SEK	4 942 SEK	5 378 SEK
	Arcus 251-N8,F12-GR					
	• upholstered seat, mesh backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • armrests with gray nylon cover • gray 5-star nylon base • gray rubber castors for hard floors, Ø 60 mm • gray nylon backrest frame and seat cover • swivel conference chair • height adjustable • rocking mechanism with a locking option in the starting position	5 930 SEK	6 047 SEK	6 192 SEK	6 395 SEK	6 831 SEK
	Arcus 251-N8					
	• conference chair • upholstered seat, mesh backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • stackable • armrests with gray nylon cover • grey (RAL 7047) steel powder coated 4 leg base • easily replaceable plastic gliders for carpets • gray nylon backrest frame and seat cover	4 244 SEK	4 390 SEK	4 564 SEK	4 738 SEK	5 174 SEK
	Arcus 251-N8,RM60-GR					
	• conference chair • upholstered seat, mesh backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • stackable • armrests with gray nylon cover • grey (RAL 7047) steel powder coated 4 leg base • gray rubber castors for hard floors, Ø 60 mm • gray nylon backrest frame and seat cover	4 680 SEK	4 797 SEK	4 942 SEK	5 145 SEK	5 581 SEK
	Arcus 251-Z-N8					
	• conference chair • upholstered seat, mesh backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • stackable • armrests with gray nylon cover • grey powder coated (RAL 7047) steel cantilever base • easily replaceable plastic gliders for carpets • gray nylon backrest frame and seat cover	4 593 SEK	4 738 SEK	4 855 SEK	5 058 SEK	5 523 SEK

Armrests

**BR-209**

- black height-adjustable armrests
- black PUR elbow pad

669 SEK

**BR-230**

- black height and width adjustable armrests
- armrest width adjustment using quick-release clips under the seat
- dark gray PUR elbow pad

988 SEK

**BR-230-GR**

- gray height and width adjustable armrests
- armrest width adjustment using quick-release clips under the seat
- dark gray PUR elbow pad

1 047 SEK

**BR-235**

- black height, width and depth adjustable armrests
- armrest width adjustment using quick-release clips under the seat
- dark gray PUR elbow pad

1 163 SEK

**BR-235-GR**

- gray height, width and depth adjustable armrests
- armrest width adjustment using quick-release clips under the seat
- dark gray PUR elbow pad

1 221 SEK

Base

**F40-N1**

- black 5 star aluminium base

436 SEK

**F40-N6**

- 5-star aluminium base, polished

436 SEK

**F40-N8**

- RAL 7047 grey 5-star aluminium base

436 SEK

Gliders

**GM**

- felt anti-scratch glider pads for hard floors

87 SEK

Castors

**RM60**

- black rubber castors for hard floors, Ø 60 mm

0 SEK

**RM60-N4**

- universal castors, Ø 60 mm
- chrome twin-wheel castor

640 SEK

Headrest

**HO**

- upholstered headrest with height adjustment
- for rotating task chairs
- plastic colour according to the chair model

610 SEK

Others

**BO**

- height adjustable lumbar support

87 SEK

Product information

Arcus

**Warranty****5 years**

The grey design of the body and the connection to the seat of armrest BR-230-GR and BR-235-GR corresponds in colour to the grey frame and five-star base of the model 241 (RAL 7047).

The dark grey PUR arm pads of BR-230, BR-235 and BR-230-GR, BR-235-GR are colour matched to the optional lumbar support BO (RAL 7012).

Fabric Collection Category		1	2	3	4	5	6	7
	Alva 330-BL • swivel task chair • height adjustable • upholstered seat and backrest • high backrest • height-adjustable backrest • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests							
	330-BL-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	4 971 SEK	5 262 SEK	5 785 SEK	6 134 SEK	7 529 SEK	7 820 SEK	7 907 SEK
	330-BL-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	5 262 SEK	5 581 SEK	6 076 SEK	6 424 SEK	7 820 SEK	8 111 SEK	8 198 SEK
	Alva 330-WH • swivel task chair • height adjustable • upholstered seat and backrest • high backrest • height-adjustable backrest • white 5-star nylon base • white rubber castors for hard floors, Ø 60 mm • basic version without armrests							
	330-WH-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	5 204 SEK	5 552 SEK	6 017 SEK	6 395 SEK	7 762 SEK	8 052 SEK	8 140 SEK
	330-WH-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	5 523 SEK	5 843 SEK	6 308 SEK	6 715 SEK	8 052 SEK	8 343 SEK	8 430 SEK
	Alva 332-BL • swivel task chair • height adjustable • upholstered seat and backrest • medium backrest • height-adjustable backrest • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests							
	332-BL-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	4 913 SEK	5 174 SEK	5 640 SEK	5 901 SEK	7 064 SEK	7 326 SEK	7 442 SEK
	332-BL-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	5 204 SEK	5 465 SEK	5 930 SEK	6 192 SEK	7 355 SEK	7 645 SEK	7 762 SEK

Fabric Collection Category		1	2	3	4	5	6	7
	Alva 332-WH							
	• swivel task chair • height adjustable • upholstered seat and backrest • medium backrest • height-adjustable backrest • white 5-star nylon base • basic version without armrests • white rubber castors for hard floors, Ø 60 mm							
	332-WH-SYB							
	• SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	5 145 SEK	5 436 SEK	5 872 SEK	6 134 SEK	7 297 SEK	7 616 SEK	7 704 SEK
	332-WH-SYS							
	• SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	5 436 SEK	5 756 SEK	6 163 SEK	6 424 SEK	7 616 SEK	7 907 SEK	7 994 SEK

Optional features and modifications	Alva
-------------------------------------	------

Armrests



BR-207

- black height-adjustable armrests
- black plastic elbow pads

581 SEK



BR-207-WH

- black and white height adjustable armrests
- black plastic elbow pads

610 SEK



BR-209

- black height-adjustable armrests
- black PUR elbow pad

669 SEK



BR-209-N6

- black height-adjustable armrests
- black PUR elbow pad
- polished aluminium seat connector

1 047 SEK



BR-209-WH

- black and white height adjustable armrests
- black PUR elbow pad

698 SEK



BR-210

- black height, width and depth adjustable armrests
- black PUR elbow pad

930 SEK



BR-211

- black height, width and depth adjustable armrests
- black PUR 10° rotatable armrests

930 SEK



BR-211-WH

- black and white height, width and depth adjustable armrests
- black PUR 10° rotatable armrests

988 SEK

**BR-211-N6**

- black height, width and depth adjustable armrests
- black PUR 10° rotatable armrests
- polished aluminium seat connector

1 337 SEK

**BR-785-N1**

- black aluminium armrests

1 599 SEK

**BR-785-N0**

- white aluminium armrests

1 599 SEK

**BR-785-N6**

- polished aluminium armrests

1 337 SEK

**BR-795-N1**

- black aluminium armrests
- black PUR elbow pad for armrests

1 890 SEK

**BR-795-N0**

- white aluminium armrests
- black PUR elbow pad for armrests

1 890 SEK

**BR-795-N6**

- polished aluminium armrests
- black PUR elbow pad for armrests

1 686 SEK

**BR-796-N1**

- black aluminium armrests
- Leather armrest with PUR pad
- leather colour according to the sampler Panama Leather

2 209 SEK

**BR-796-N0**

- white aluminium armrests
- Leather armrest with PUR pad
- leather colour according to the sampler Panama Leather

2 209 SEK

**BR-796-N6**

- polished aluminium armrests
- Leather armrest with PUR pad
- leather colour according to the sampler Panama Leather

2 006 SEK

Base**F40-N1**

- black 5 star aluminium base

436 SEK

**F80-N0**

- white 5-star aluminium base

640 SEK

Optional features and modifications		Alva
	F40-N2 • RAL 9006 grey 5-star aluminium base	436 SEK
	F40-N6 • 5-star aluminium base, polished	436 SEK
Castors		
	RM60 • black rubber castors for hard floors, Ø 60 mm	0 SEK
	RM60-N4 • universal castors, Ø 60 mm • chrome twin-wheel castor	640 SEK
Headrest		
	HO • upholstered headrest with angle and height adjustment • for model 330 only • plastic colour according to the chair model	785 SEK
Others		
	BO-AIR • inflatable depth adjustable lumbar support • for swivel task chairs with upholstered backrest	640 SEK
	P • depth-adjustable seat	203 SEK
	PN • depth-adjustable seat with an independent seat angle function • for models with SYS synchronous mechanism	349 SEK
Product information		Alva
	Warranty	5 years

Fabric Collection Category

2

Element 430



- swivel task chair
- height adjustable
- upholstered seat and backrest
- backrest upholstered in regularly striped STYLE-STRIP or CURA-STRIP fabric
- seat slide
- black 5-star nylon base
- black castors for carpets, Ø 60 mm
- basic version without armrests

430-SYQ

- SYQ synchronous mechanism with a lateral quick backrest tension adjustment, 5 locking positions

6 308 SEK

430-SYS

- SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions

6 192 SEK

Element 440-RA,F34



- swivel conference chair
- height adjustable
- upholstered seat and backrest
- medium backrest
- backrest upholstered in regularly striped STYLE-STRIP or CURA-STRIP fabric
- rocking mechanism RA - no lock
- plastic gliders
- basic version without armrests

440-RA,F34-N6

- 4-star aluminium base, polished

6 337 SEK

440-RA,F34-N1

- black 4-star aluminium base

6 221 SEK

Element 440-RA,F40-N6



- swivel conference chair
- height adjustable
- upholstered seat and backrest
- medium backrest
- backrest upholstered in regularly striped STYLE-STRIP or CURA-STRIP fabric
- rocking mechanism RA - no lock
- 5-star aluminium base, polished
- black castors for carpets, Ø 60 mm
- basic version without armrests

6 308 SEK

Element 440-Z



- conference chair
- upholstered seat and backrest
- medium backrest
- backrest upholstered in regularly striped STYLE-STRIP or CURA-STRIP fabric
- armrests with black PUR cover
- teflon gliders for carpets

440-Z-N1

- black powder coated steel cantilever base

6 163 SEK

440-Z-N2

- grey powder coated (RAL 9006) steel cantilever base

6 250 SEK

440-Z-N4

- chrome plated steel cantilever base

6 541 SEK

Element 441-Z-N4



- conference chair
- upholstered seat and backrest
- medium backrest
- backrest upholstered in regularly striped STYLE-STRIP or CURA-STRIP fabric
- without armrests
- chrome plated steel cantilever base
- teflon gliders for carpets

5 581 SEK

Element 444-Z

- conference chair
- upholstered seat and backrest
- backrest upholstered in regularly striped STYLE-STRIP or CURA-STRIP fabric
- low backrest
- stackable
- armrests with black PUR cover
- teflon gliders for carpets

**444-Z-N1**

- black powder coated steel cantilever base

5 436 SEK

444-Z-N2

- grey powder coated (RAL 9006) steel cantilever base

5 436 SEK

444-Z-N4

- chrome plated steel cantilever base

5 436 SEK

Optional features and modifications**Element****Others****BR-P**

- leather armrest cover
- for cantilever models
- leather colour according to the sampler Panama Leather

174 SEK

Armrests**BR-207**

- black height-adjustable armrests
- black plastic elbow pads

581 SEK

**BR-207-AW**

- black height and width adjustable armrests
- armrest width adjustment using quick-release clips under the seat
- black plastic elbow pads

785 SEK

**BR-209**

- black height-adjustable armrests
- black PUR elbow pad

669 SEK

**BR-209-AW**

- black height and width adjustable armrests
- armrest width adjustment using quick-release clips under the seat
- black PUR elbow pad

872 SEK

**BR-209-N6**

- black height-adjustable armrests
- black PUR elbow pad
- polished aluminium seat connector

1 047 SEK

**BR-210**

- black height, width and depth adjustable armrests
- black PUR elbow pad

930 SEK

**BR-211**

- black height, width and depth adjustable armrests
- black PUR 10° rotatable armrests

930 SEK

Optional features and modifications		Element
	BR-211-N6 • black height, width and depth adjustable armrests • black PUR 10° rotatable armrests • polished aluminium seat connector	1 337 SEK
	BR-520 • black height, width and depth adjustable armrests • armrest width adjustment using quick-release clips under the seat • black PUR 30° rotatable elbow rests	901 SEK
	BR-550-N6 • black height, width and depth adjustable armrests • armrest width adjustment using quick-release clips under the seat • black PUR 30° rotatable elbow rests • polished aluminium seat connector	2 064 SEK
	BR-590-N6 • black height, width and depth adjustable armrests • armrest width adjustment using quick-release clips under the seat • black PUR 360° rotatable elbow rests • polished aluminium seat connector	2 878 SEK
	BR-790-N6 • polished aluminium armrests • black PUR elbow pad for armrests • for model 430	1 802 SEK
	BR-785-N1 • black aluminium armrests • for models 440 and 445	1 599 SEK
	BR-785-N6 • polished aluminium armrests • for models 440 and 445	1 337 SEK
	BR-795-N1 • black aluminium armrests • black PUR elbow pad for armrests • for models 440 and 445	1 890 SEK
	BR-795-N6 • polished aluminium armrests • black PUR elbow pad for armrests • for models 440 and 445	1 686 SEK
	BR-796-N1 • black aluminium armrests • Leather armrest with PUR pad • leather colour according to the sampler Panama Leather • for models 440 and 445	2 209 SEK
	BR-796-N6 • aluminium armrests in colour to match chair model • Leather armrest with PUR pad • leather colour according to the sampler Panama Leather • for models 440 and 445	2 006 SEK
Base		
	F40-N1 • black 5 star aluminium base	436 SEK

Optional features and modifications		Element
	F40-N2 • RAL 9006 grey 5-star aluminium base	436 SEK
	F40-N6 • 5-star aluminium base, polished	436 SEK
Gliders		
	GM • felt anti-scratch glider pads for hard floors	87 SEK
Castors		
	RM37 • black universal castors, Ø 37 mm • replacement for gliders for bases F34-N6 / F37-N6	0 SEK
	RM60 • black rubber castors for hard floors, Ø 60 mm	0 SEK
	RM60-N4 • universal castors, Ø 60 mm • chrome twin-wheel castor	640 SEK
Headrest		
	HO • upholstered headrest with angle and height adjustment • for model 430 only	988 SEK
Others		
	HN • coat hanger	145 SEK
	UP-DOWN • height-adjustable backrest • for model 430	581 SEK
	BO • height adjustable lumbar support • for model 430 • only for chairs without the UP-DOWN option	378 SEK
	BO-AIR • inflatable depth adjustable lumbar support • for model 430 • only works with UP-DOWN option	640 SEK

Optional features and modifications

Element



PN

- depth-adjustable seat with an independent seat angle function
- for models with SYS synchronous mechanism

349 SEK



G30

- gas lift with position memory
- for models with 4-star aluminium base F34-N6
- If unladen, the piston slides into the highest position and turns into its initial location

698 SEK

Product information

Element



Warranty

7 years

The following combinations only of seat / back and headrest materials are available for ELEMENT chairs: STYLE (2) / STYLE-STRIP (C) or CURA (2) / CURA-STRIP (C).
The seat is always plain, the backrest and headrest with regular stripes.

Fabric Collection Category		1	2	3	4	5
	Look 270					
	• swivel task chair • height adjustable • upholstered seat, mesh backrest • back upholstered in NET or RIB mesh, for an additional fee in RAY, THEO NETS, OMEGA, or RHYTHM • height adjustable lumbar support • black nylon backrest frame • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests					
	270-SYS					
	• SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	4 331 SEK	4 448 SEK	4 651 SEK	4 797 SEK	5 640 SEK
	270-AT					
	• synchronous AT mechanism with an automatic backrest tension adjustment according to user weight, 5 locking positions	3 983 SEK	4 070 SEK	4 244 SEK	4 390 SEK	5 233 SEK
	Look 271					
	• swivel task chair • height adjustable • upholstered seat, mesh backrest • back upholstered in NET or RIB mesh, for an additional fee in RAY, THEO NETS, OMEGA, or RHYTHM • height adjustable lumbar support • white nylon backrest frame and seat cover • white piston cover • white 5-star nylon base • white rubber castors for hard floors, Ø 60 mm • basic version without armrests					
	271-SYS					
	• SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	4 738 SEK	4 913 SEK	5 058 SEK	5 204 SEK	6 017 SEK
	271-AT					
	• synchronous AT mechanism with an automatic backrest tension adjustment according to user weight, 5 locking positions	4 331 SEK	4 506 SEK	4 680 SEK	4 826 SEK	5 640 SEK
	Look 274,F34-N6					
	• swivel conference chair • height adjustable • upholstered seat, mesh backrest • back upholstered in NET mesh, for an additional fee in RAY • black nylon frame • armrest to match shell colour • 4-star aluminium base, polished • plastic gliders	4 506 SEK	4 680 SEK	4 884 SEK	5 029 SEK	5 901 SEK
	Look 274,F41-BL					
	• swivel conference chair • height adjustable • upholstered seat, mesh backrest • back upholstered in NET mesh, for an additional fee in RAY • black nylon frame • armrest to match shell colour • black 5-star nylon base • black castors for carpets, Ø 60 mm	3 081 SEK	3 227 SEK	3 401 SEK	3 634 SEK	4 448 SEK
	Look 272-Z-N4					
	• conference chair • upholstered seat, mesh backrest • back upholstered in NET mesh, for an additional fee in RAY • black nylon frame • armrest to match shell colour • stackable • chrome plated steel cantilever base • easily replaceable plastic gliders for carpets	3 983 SEK	4 099 SEK	4 302 SEK	4 419 SEK	5 320 SEK

Fabric Collection Category		1	2	3	4	5
	Look 273-Z-N4 • conference chair • upholstered seat, mesh backrest • back upholstered in NET mesh, for an additional fee in RAY • white nylon frame • armrest to match shell colour • stackable • chrome plated steel cantilever base • easily replaceable plastic gliders for carpets	4 099 SEK	4 273 SEK	4 448 SEK	4 593 SEK	5 523 SEK
	Optional features and modifications Look					
Armrests						
	BR-207 • black height-adjustable armrests • black plastic elbow pads	581 SEK				
	BR-207-WH • black and white height adjustable armrests • black plastic elbow pads	610 SEK				
	BR-209 • black height-adjustable armrests • black PUR elbow pad	669 SEK				
	BR-209-N6 • black height-adjustable armrests • black PUR elbow pad • polished aluminium seat connector	1 047 SEK				
	BR-209-WH • black and white height adjustable armrests • black PUR elbow pad	698 SEK				
	BR-210 • black height, width and depth adjustable armrests • black PUR elbow pad	930 SEK				
	BR-211 • black height, width and depth adjustable armrests • black PUR 10° rotatable armrests	930 SEK				
	BR-211-WH • black and white height, width and depth adjustable armrests • black PUR 10° rotatable armrests	988 SEK				
	BR-211-N6 • black height, width and depth adjustable armrests • black PUR 10° rotatable armrests • polished aluminium seat connector	1 337 SEK				
Base						
	F40-N1 • black 5 star aluminium base	436 SEK				

**F80-N0**

- white 5-star aluminium base

640 SEK

**F40-N6**

- 5-star aluminium base, polished

436 SEK

Gliders**GM**

- felt anti-scratch glider pads for hard floors

87 SEK

Castors**RM60**

- black rubber castors for hard floors, Ø 60 mm

0 SEK

Headrest**HO**

- upholstered headrest with angle and height adjustment
- for rotating task chairs
- plastic colour according to the chair model

785 SEK

Others**OR-A**

- surcharge for RAY mesh
- for mesh backrest models

116 SEK

OR-B

- surcharge for upholstery in NET mesh and secondary mesh THEO NETS, OMEGA, or RHYTHM
- for models 270 and 271

174 SEK

**P**

- depth-adjustable seat
- for models with the AT automatic synchronized mechanism

203 SEK

**PN**

- depth-adjustable seat with an independent seat angle function
- for models with SYS synchronous mechanism

349 SEK

**G30**

- gas lift with position memory
- for models with 4-star aluminium base F34-N6
- If unladen, the piston slides into the highest position and turns into its initial location

698 SEK

**Warranty****5 years**

The following mesh is available for models 270 and 271 with mesh back: NET (A) or RIB (A), for a surcharge (OR-A) RAY (B), or (OR-B) THEO NETS (B), OMEGA (B), or RHYTHM (B).

The following mesh is available for models 272, 273 and 274 with mesh back: NET (A), for a surcharge (OR-A) RAY (B).

Models 370 and 371 cannot be upholstered in SALO (1) and TOUCH (3) fabrics.

Fabric Collection Category		1	2	3	4	5	6	7
	Stream 280 • swivel task chair • height adjustable • upholstered seat and backrest • height-adjustable backrest • black nylon backrest cover • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests							
	280-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	4 709 SEK	4 942 SEK	5 145 SEK	5 291 SEK	6 134 SEK	6 570 SEK	6 715 SEK
	280-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	4 361 SEK	4 651 SEK	4 855 SEK	5 000 SEK	5 843 SEK	6 250 SEK	6 366 SEK
	280-SY • SY synchronous mechanism with an adjustable backrest tension control under the seat, 5 locking positions	4 244 SEK	4 448 SEK	4 709 SEK	4 884 SEK	5 727 SEK	6 105 SEK	6 221 SEK
	Stream 282-Z • conference chair • stackable • armrests with black nylon cover • plastic gliders							
	282-Z-N1 • fully upholstered shell • black powder coated steel cantilever base	2 878 SEK	3 256 SEK	3 721 SEK	4 099 SEK	5 756 SEK	6 308 SEK	6 424 SEK
	282-Z-N2 • fully upholstered shell, stitched detail • grey powder coated (RAL 9006) steel cantilever base	2 878 SEK	3 256 SEK	3 721 SEK	4 099 SEK	5 756 SEK	6 308 SEK	6 424 SEK
	282-Z-N4 • fully upholstered shell • chrome plated steel cantilever base	2 878 SEK	3 256 SEK	3 721 SEK	4 099 SEK	5 756 SEK	6 308 SEK	6 424 SEK
	Stream 283-Z-N4 • conference chair • fully upholstered shell • stackable • without armrests • chrome plated steel cantilever base • teflon gliders for carpets	3 459 SEK	3 924 SEK	4 331 SEK	4 826 SEK	6 512 SEK	7 122 SEK	7 238 SEK
Optional features and modifications								Stream

Armrests



BR-207

- black height-adjustable armrests
- black plastic elbow pads

581 SEK

Optional features and modifications		Stream
	BR-209 • black height-adjustable armrests • black PUR elbow pad	669 SEK
	BR-209-N6 • black height-adjustable armrests • black PUR elbow pad • polished aluminium seat connector	1 047 SEK
	BR-210 • black height, width and depth adjustable armrests • black PUR elbow pad	930 SEK
	BR-211 • black height, width and depth adjustable armrests • black PUR 10° rotatable armrests	930 SEK
	BR-211-N6 • black height, width and depth adjustable armrests • black PUR 10° rotatable armrests • polished aluminium seat connector	1 337 SEK
	BR-520 • black height, width and depth adjustable armrests • under seat width adjustment • black PUR 30° rotatable elbow rests • for models with SYS synchronous mechanism	901 SEK
	BR-550-N6 • black height, width and depth adjustable armrests • under seat width adjustment • black PUR 30° rotatable elbow rests • polished aluminium seat connector • for models with SYS synchronous mechanism	2 064 SEK
Base		
	F40-N1 • black 5 star aluminium base	436 SEK
	F40-N2 • RAL 9006 grey 5-star aluminium base	436 SEK
	F40-N6 • 5-star aluminium base, polished	436 SEK
Gliders		
	GM • felt anti-scratch glider pads for hard floors	87 SEK

Castors

**RM60**

- black rubber castors for hard floors, Ø 60 mm

0 SEK

Headrest

**HO**

- upholstered headrest with angle and height adjustment
- for swivel task chairs with upholstered backrest

785 SEK

Others

BO-AIR

- inflatable depth adjustable lumbar support
- for swivel task chairs with upholstered backrest

640 SEK

**P**

- depth-adjustable seat
- for models with SYB synchronous mechanism

203 SEK

**PN**

- depth-adjustable seat with an independent seat angle function
- for models with SYS synchronous mechanism

349 SEK

Product information

Stream

**Warranty**

5 years

Models 282 and 283 cannot be upholstered in CORK (5) fabric.

Fabric Collection Category		1	2	3	4	5	6	7
	Web Omega 290 • swivel task chair • height adjustable • upholstered seat, mesh backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • seat slide • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests							
	290-SYQ • SYQ synchronous mechanism with a lateral quick backrest tension adjustment, 5 locking positions	5 814 SEK	6 017 SEK	6 192 SEK	6 424 SEK	7 093 SEK	7 384 SEK	7 413 SEK
	290-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	5 727 SEK	5 901 SEK	6 076 SEK	6 308 SEK	7 006 SEK	7 297 SEK	7 326 SEK
	Web Omega 291-RA,F34 • swivel conference chair • height adjustable • upholstered seat, mesh backrest • medium backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • rocking mechanism RA - no lock • plastic gliders • basic version without armrests							
	291-RA,F34-N1 • black 4-star aluminium base	5 785 SEK	5 959 SEK	6 163 SEK	6 366 SEK	7 064 SEK	7 297 SEK	7 326 SEK
	291-RA,F34-N6 • 4-star aluminium base, polished	5 901 SEK	6 076 SEK	6 279 SEK	6 512 SEK	7 180 SEK	7 413 SEK	7 442 SEK
	Web Omega 291-RA,F80-N6 • swivel conference chair • height adjustable • upholstered seat, mesh backrest • medium backrest • back upholstered in THEO NETS, OMEGA, or RHYTHM mesh • rocking mechanism RA - no lock • 5-star aluminium base, polished • black castors for carpets, Ø 60 mm • basic version without armrests	5 814 SEK	6 017 SEK	6 192 SEK	6 424 SEK	7 122 SEK	7 355 SEK	7 384 SEK
	Web Omega 410 • swivel task chair • height adjustable • upholstered seat and backrest • seat slide • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests							
	410-SYQ • SYQ synchronous mechanism with a lateral quick backrest tension adjustment, 5 locking positions	5 959 SEK	6 512 SEK	7 180 SEK	7 936 SEK	9 942 SEK	10 145 SEK	10 291 SEK
	410-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	5 814 SEK	6 395 SEK	7 093 SEK	7 849 SEK	9 855 SEK	10 029 SEK	10 175 SEK

Fabric Collection Category		1	2	3	4	5	6	7
	Web Omega 411-RA, F34 • swivel conference chair • height adjustable • upholstered seat and backrest • medium backrest • rocking mechanism RA - no lock • plastic gliders • basic version without armrests							
	411-RA, F34-N1 • black 4-star aluminium base	5 901 SEK	6 395 SEK	7 180 SEK	7 878 SEK	9 913 SEK	10 087 SEK	10 175 SEK
	411-RA, F34-N6 • 4-star aluminium base, polished	6 017 SEK	6 541 SEK	7 297 SEK	7 994 SEK	10 029 SEK	10 204 SEK	10 291 SEK
	Web Omega 411-RA, F80-N6 • swivel conference chair • height adjustable • upholstered seat and backrest • medium backrest • rocking mechanism RA - no lock • 5-star aluminium base, polished • black castors for carpets, Ø 60 mm • basic version without armrests	5 959 SEK	6 454 SEK	7 180 SEK	7 907 SEK	9 942 SEK	10 145 SEK	10 233 SEK
	Web Omega 410-Z • conference chair • upholstered seat and backrest • medium backrest • armrests with black nylon cover • teflon gliders for carpets							
	410-Z-N1 • black powder coated steel cantilever base	5 320 SEK	6 017 SEK	6 715 SEK	7 442 SEK	9 709 SEK	9 884 SEK	10 029 SEK
	410-Z-N2 • grey powder coated (RAL 9006) steel cantilever base	5 552 SEK	6 221 SEK	6 977 SEK	7 733 SEK	9 942 SEK	10 145 SEK	10 291 SEK
	410-Z-N4 • chrome plated steel cantilever base	5 901 SEK	6 570 SEK	7 238 SEK	8 052 SEK	10 233 SEK	10 436 SEK	10 611 SEK
	Web Omega 405 • swivel task chair • height adjustable • upholstered seat, mesh backrest • back upholstered in RIB mesh, for an additional fee in SWING • seat slide • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests							
	405-SYQ • SYQ synchronous mechanism with a lateral quick backrest tension adjustment, 5 locking positions	5 320 SEK	5 436 SEK	5 727 SEK	5 901 SEK	6 541 SEK	6 802 SEK	6 831 SEK
	405-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	5 174 SEK	5 349 SEK	5 611 SEK	5 785 SEK	6 424 SEK	6 657 SEK	6 715 SEK

Fabric Collection Category		1	2	3	4	5	6	7
	Web Omega 405-Z							
	• conference chair • upholstered seat, mesh backrest • medium backrest • back upholstered in RIB mesh, for an additional fee in SWING • armrests with black nylon cover • teflon gliders for carpets							
	405-Z-N1							
	• black powder coated steel cantilever base	5 174 SEK	5 320 SEK	5 552 SEK	5 814 SEK	6 424 SEK	6 715 SEK	6 744 SEK
	405-Z-N2							
	• grey powder coated (RAL 9006) steel cantilever base	5 436 SEK	5 552 SEK	5 814 SEK	6 047 SEK	6 715 SEK	6 977 SEK	7 006 SEK
	405-Z-N4							
	• chrome plated steel cantilever base	5 785 SEK	5 901 SEK	6 134 SEK	6 366 SEK	7 035 SEK	7 238 SEK	7 268 SEK

Optional features and modifications	Web Omega
-------------------------------------	-----------

Armrests



BR-207

- black height-adjustable armrests
- black plastic elbow pads

581 SEK



BR-207-AW

- black height and width adjustable armrests
- armrest width adjustment using quick-release clips under the seat
- black plastic elbow pads

785 SEK



BR-209

- black height-adjustable armrests
- black PUR elbow pad

669 SEK



BR-209-AW

- black height and width adjustable armrests
- armrest width adjustment using quick-release clips under the seat
- black PUR elbow pad

872 SEK



BR-209-N6

- black height-adjustable armrests
- black PUR elbow pad
- polished aluminium seat connector

1 047 SEK



BR-210

- black height, width and depth adjustable armrests
- black PUR elbow pad

930 SEK



BR-211

- black height, width and depth adjustable armrests
- black PUR 10° rotatable armrests

930 SEK



BR-211-N6

- black height, width and depth adjustable armrests
- black PUR 10° rotatable armrests
- polished aluminium seat connector

1 337 SEK

**BR-520**

- black height, width and depth adjustable armrests
- armrest width adjustment using quick-release clips under the seat
- black PUR 30° rotatable elbow rests

901 SEK

**BR-550-N6**

- black height, width and depth adjustable armrests
- armrest width adjustment using quick-release clips under the seat
- black PUR 30° rotatable elbow rests
- polished aluminium seat connector

2 064 SEK

**BR-590-N6**

- black height, width and depth adjustable armrests
- armrest width adjustment using quick-release clips under the seat
- black PUR 360° rotatable elbow rests
- polished aluminium seat connector

2 878 SEK

**BR-790-N6**

- polished aluminium armrests
- black PUR elbow pad for armrests
- for models 290, 405 and 410

1 802 SEK

**BR-785-N1**

- black aluminium armrests
- for models 411 and 291

1 599 SEK

**BR-785-N6**

- polished aluminium armrests
- for models 411 and 291

1 337 SEK

**BR-795-N1**

- black aluminium armrests
- black PUR elbow pad for armrests
- for models 411 and 291

1 890 SEK

**BR-795-N6**

- polished aluminium armrests
- black PUR elbow pad for armrests
- for models 411 and 291

1 686 SEK

**BR-796-N1**

- black aluminium armrests
- Leather armrest with PUR pad
- leather colour according to the sampler Panama Leather
- for models 411 and 291

2 209 SEK

**BR-796-N6**

- polished aluminium armrests
- Leather armrest with PUR pad
- leather colour according to the sampler Panama Leather
- for models 411 and 291

2 006 SEK

Base**F80-N1**

- black 5 star aluminium base

436 SEK

**F80-N2**

- RAL 9006 grey 5-star aluminium base

436 SEK

**F80-N6**

- 5-star aluminium base, polished

436 SEK

Gliders**GM**

- felt anti-scratch glider pads for hard floors

87 SEK

Castors**RM37**

- black universal castors, Ø 37 mm
- replacement for gliders for bases F34-N6 / F37-N6

0 SEK

**RM60**

- black rubber castors for hard floors, Ø 60 mm

0 SEK

**RM60-N4**

- universal castors, Ø 60 mm
- chrome twin-wheel castor

640 SEK

Headrest**HO**

- upholstered headrest with angle and height adjustment
- 290 & 410 only

988 SEK

Others**HN**

- coat hanger
- 290 & 410 only

145 SEK

OR-A

- surcharge for SWING mesh
- for models 405

203 SEK

OR-B

- surcharge for upholstery in mesh THEO NETS, OMEGA, or RHYTHM
- for models 405-Z

174 SEK

**UP-DOWN**

- height-adjustable backrest
- for models 290 and 410

581 SEK

BO

- height adjustable lumbar support
- for models 290 and 405
- only for chairs without the UP-DOWN option

378 SEK

BO-AIR

- inflatable depth adjustable lumbar support
- for model 290
- only works with UP-DOWN option

640 SEK**PN**

- depth-adjustable seat with an independent seat angle function
- for models with SYS synchronous mechanism

349 SEK**G30**

- gas lift with position memory
- for models with 4-star aluminium base F34-N6
- If unladen, the piston slides into the highest position and turns into its initial location

698 SEK**Product information****Web Omega****Warranty****7 years**

The back of models 290, 291 is upholstered in: THEO NETS (B), OMEGA (B), or RHYTHM (B) (290 with an optional headrest also on the headrest).

The seat and back of models 410, 411 are upholstered in fabric (410 with optional headrest also on the headrest).

The back of models 405 is upholstered in RIB (A) mesh, for a surcharge OR-A in SWING (B), or 3D-meshes THEO NETS (B), RHYTHM (B) or OMEGA (B) for surcharge OR-B.

The height-adjustable backrest (UP-DOWN) and the air lumbar support (BO-AIR) cannot be used in model 405.

The lumbar supports (BO, BO-AIR) cannot be used in model 410.

Fabric Collection Category		1	2	3	4
	Leaf 503 • swivel task chair • height adjustable • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • height-adjustable backrest • black nylon backrest frame • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests				
	503-SYQ • SYQ synchronous mechanism with a lateral quick backrest tension adjustment, 5 locking positions	4 709 SEK	4 884 SEK	5 058 SEK	5 145 SEK
	503-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	4 593 SEK	4 738 SEK	4 942 SEK	5 058 SEK
	503-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	4 273 SEK	4 390 SEK	4 651 SEK	4 767 SEK
	503-SY • SY synchronous mechanism with an adjustable backrest tension control under the seat, 5 locking positions	4 070 SEK	4 244 SEK	4 419 SEK	4 535 SEK
	Leaf 504 • swivel task chair • height adjustable • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • height-adjustable backrest • white nylon backrest frame and seat cover • white 5-star nylon base • white rubber castors for hard floors, Ø 60 mm • basic version without armrests				
	504-SYQ • SYQ synchronous mechanism with a lateral quick backrest tension adjustment, 5 locking positions	5 145 SEK	5 291 SEK	5 523 SEK	5 640 SEK
	504-SYS • white piston cover • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	5 058 SEK	5 204 SEK	5 378 SEK	5 523 SEK
	504-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	4 767 SEK	4 913 SEK	5 087 SEK	5 204 SEK
	504-SY • white piston cover • SY synchronous mechanism with an adjustable backrest tension control under the seat, 5 locking positions	4 535 SEK	4 709 SEK	4 913 SEK	5 029 SEK

Fabric Collection Category		1	2	3	4
	Leaf 500 • swivel task chair • height adjustable • upholstered seat and backrest • height-adjustable backrest • black nylon backrest cover • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests				
	500-SYQ • SYQ synchronous mechanism with a lateral quick backrest tension adjustment, 5 locking positions	4 390 SEK	4 535 SEK	4 826 SEK	4 971 SEK
	500-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	4 273 SEK	4 419 SEK	4 709 SEK	4 884 SEK
	500-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	3 983 SEK	4 128 SEK	4 361 SEK	4 564 SEK
	500-SY • SY synchronous mechanism with an adjustable backrest tension control under the seat, 5 locking positions	3 808 SEK	3 924 SEK	4 215 SEK	4 331 SEK
	Leaf 501 • swivel task chair • height adjustable • upholstered seat and backrest • height-adjustable backrest • white nylon backrest cover • white 5-star nylon base • white rubber castors for hard floors, Ø 60 mm • basic version without armrests				
	501-SYQ • SYQ synchronous mechanism with a lateral quick backrest tension adjustment, 5 locking positions	4 651 SEK	4 797 SEK	5 058 SEK	5 233 SEK
	501-SYS • white piston cover • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	4 506 SEK	4 680 SEK	4 942 SEK	5 116 SEK
	501-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	4 186 SEK	4 331 SEK	4 651 SEK	4 826 SEK
	501-SY • white piston cover • SY synchronous mechanism with an adjustable backrest tension control under the seat, 5 locking positions	4 012 SEK	4 128 SEK	4 419 SEK	4 651 SEK
	Leaf 505-Z • conference chair • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • black nylon frame • black nylon armrests • stackable • easily replaceable plastic gliders for carpets				
	505-Z-N4 • chrome plated steel cantilever base	4 680 SEK	4 884 SEK	5 087 SEK	5 262 SEK
	505-Z-N1 • black powder coated steel cantilever base	4 680 SEK	4 884 SEK	5 087 SEK	5 262 SEK
	Leaf 505,F90-BL • swivel conference chair • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • black nylon frame • black nylon armrests • 4-star nylon base, black • easily replaceable plastic gliders for carpets	4 593 SEK	4 767 SEK	5 029 SEK	5 204 SEK

Fabric Collection Category		1	2	3	4
	Leaf 505,F95-BL • swivel conference chair • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • black nylon frame • black nylon armrests • 4-star nylon base, black • black carpet castors, Ø 55 mm	4 680 SEK	4 884 SEK	5 087 SEK	5 262 SEK
	Leaf 505,F37-N6 • swivel conference chair • height adjustable • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • black nylon frame • black nylon armrests • under seat rocking mechanism with tension adjust and single locking option • 5-star aluminium base, polished • black castors for carpets, Ø 60 mm	5 233 SEK	5 378 SEK	5 727 SEK	5 843 SEK
	Leaf 505,F70-N6 • swivel conference chair • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • black nylon frame • black nylon armrests • 4-star aluminium base, polished • easily replaceable plastic gliders for carpets	5 581 SEK	5 756 SEK	5 988 SEK	6 163 SEK
	Leaf 505,F75-N6 • conference chair • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • black nylon frame • black nylon armrests • 4-star aluminium base, polished • black castors for carpets, Ø 60 mm	5 756 SEK	5 930 SEK	6 163 SEK	6 337 SEK
	Leaf 506-Z • conference chair • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • white nylon frame • white nylon armrests • stackable • easily replaceable plastic gliders for carpets				
	506-Z-N4 • chrome plated steel cantilever base	4 738 SEK	4 942 SEK	5 174 SEK	5 320 SEK
	506-Z-N0 • white powder coated steel cantilever base	4 738 SEK	4 942 SEK	5 174 SEK	5 320 SEK
	Leaf 506,F90-WH • swivel conference chair • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • white nylon frame • white nylon armrests • 4-star nylon base, white • easily replaceable plastic gliders for carpets	4 767 SEK	4 971 SEK	5 204 SEK	5 349 SEK
	Leaf 506,F95-WH • swivel conference chair • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • white nylon frame • white nylon armrests • 4-star nylon base, white • white rubber castors for hard floors, Ø 55 mm	5 000 SEK	5 174 SEK	5 378 SEK	5 640 SEK

Fabric Collection Category		1	2	3	4
	Leaf 506,F37-N6				
	• swivel conference chair • height adjustable • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • white nylon frame • white nylon armrests • under seat rocking mechanism with tension adjust and single locking option • 5-star aluminium base, polished • black castors for carpets, Ø 60 mm	5 291 SEK	5 552 SEK	5 785 SEK	5 930 SEK
	Leaf 506,F70-N6				
	• swivel conference chair • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • white nylon frame • white nylon armrests • 4-star aluminium base, polished • easily replaceable plastic gliders for carpets	5 640 SEK	5 814 SEK	6 047 SEK	6 250 SEK
	Leaf 506,F75-N6				
	• conference chair • upholstered seat, mesh backrest • back upholstered in NET, MEGA, or RIB mesh, for an additional fee in SWING or RAY • white nylon frame • white nylon armrests • 4-star aluminium base, polished • black castors for carpets, Ø 60 mm	5 814 SEK	5 988 SEK	6 250 SEK	6 395 SEK
Optional features and modifications					Leaf
Armrests					
	BR-207				
	• black height-adjustable armrests • black plastic elbow pads				581 SEK
	BR-207-WH				
	• black and white height adjustable armrests • black plastic elbow pads				610 SEK
	BR-209				
	• black height-adjustable armrests • black PUR elbow pad				669 SEK
	BR-209-N6				
	• black height-adjustable armrests • black PUR elbow pad • polished aluminium seat connector				1 047 SEK
	BR-209-WH				
	• black and white height adjustable armrests • black PUR elbow pad				698 SEK
	BR-210				
	• black height, width and depth adjustable armrests • black PUR elbow pad				930 SEK

**BR-211**

- black height, width and depth adjustable armrests
- black PUR 10° rotatable armrests

930 SEK

**BR-211-WH**

- black and white height, width and depth adjustable armrests
- black PUR 10° rotatable armrests

988 SEK

**BR-211-N6**

- black height, width and depth adjustable armrests
- black PUR 10° rotatable armrests
- polished aluminium seat connector

1 337 SEK

Base**F40-N1**

- black 5 star aluminium base

436 SEK

**F80-N0**

- white 5-star aluminium base

640 SEK

**F40-N6**

- 5-star aluminium base, polished

436 SEK

Gliders**GM**

- felt anti-scratch glider pads for hard floors

87 SEK

Castors**RM55**

- black rubber castors for hard floors, Ø 55 mm
- for models with castors Ø 55 mm

0 SEK

**RM60**

- black rubber castors for hard floors, Ø 60 mm
- for models with castors Ø 60 mm

0 SEK

Headrest**HO**

- upholstered headrest with angle and height adjustment
- plastic colour according to the chair model

785 SEK

Others**HN**

- coat hanger
- plastic colour according to the chair model

145 SEK

Optional features and modifications		Leaf
OR-A • surcharge for SWING and RAY mesh • for mesh backrest models		87 SEK
	BO • continuous depth adjustable lumbar support • for models 503 and 504 with mesh backrests	610 SEK
	P • depth-adjustable seat	203 SEK
	PN • depth-adjustable seat with an independent seat angle function • for models with SYS synchronous mechanism	349 SEK
	FRI • high gas lift with a footring • black rubber castors for hard floors with brake, Ø 50 mm • blocking of movement after loading the chair • for SYB, SYS and SYQ mechanisms • seat height SYS 480-600 mm, SYQ 470-590 mm, SYB 460-580 mm • cannot be combined with depth adjustable P and PN seat	581 SEK
Product information		Leaf
	Warranty	5 years
The following mesh is available for models with a mesh back: NET (A), MEGA (A) or RIB (A), for a surcharge (OR-A) SWING (B) or RAY (B).		

Fabric Collection Category		1	2	3	ESD
	Lyra 235 • swivel task chair • height adjustable • upholstered seat and backrest • height-adjustable backrest • black nylon backrest cover • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests				
	235-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	3 954 SEK	4 099 SEK	4 419 SEK	---
	235-AT • synchronous AT mechanism with an automatic backrest tension adjustment according to user weight, 5 locking positions	3 779 SEK	3 924 SEK	4 244 SEK	---
	Lyra 207-SY • swivel task chair • height adjustable • upholstered seat and backrest • height-adjustable backrest • black nylon backrest cover • SY synchronous mechanism with an adjustable backrest tension control under the seat, 5 locking positions • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests	3 081 SEK	3 227 SEK	3 605 SEK	---
	Lyra 206-SY • swivel task chair • height adjustable • upholstered seat and backrest • height-adjustable backrest • low backrest • black nylon backrest cover • SY synchronous mechanism with an adjustable backrest tension control under the seat, 5 locking positions • high gas lift with a footring • black 5-star nylon base • plastic gliders • basic version without armrests	3 750 SEK	3 895 SEK	4 215 SEK	---
	Lyra 238 • swivel task chair • height adjustable • upholstered seat and backrest • height-adjustable backrest • black nylon backrest cover • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions • 5-star aluminium base, polished • black antistatic universal castors, Ø 50 mm • basic version without armrests • antistatic properties • to maintain anti static no additional accessories can be fitted	---	---	---	6 570 SEK

Optional features and modifications

Lyra

Armrests



BR-205

- black nylon triangle-shaped armrests

174 SEK

Optional features and modifications		Lyra
	BR-207 • black height-adjustable armrests • black plastic elbow pads	581 SEK
	BR-209 • black height-adjustable armrests • black PUR elbow pad	669 SEK
	BR-209-N6 • black height-adjustable armrests • black PUR elbow pad • polished aluminium seat connector	1 047 SEK
	BR-210 • black height, width and depth adjustable armrests • black PUR elbow pad	930 SEK
	BR-211 • black height, width and depth adjustable armrests • black PUR 10° rotatable armrests	930 SEK
	BR-211-N6 • black height, width and depth adjustable armrests • black PUR 10° rotatable armrests • polished aluminium seat connector	1 337 SEK
	BR-520 • black height, width and depth adjustable armrests • under seat width adjustment • black PUR 30° rotatable elbow rests • for models with SYS synchronous mechanism	901 SEK
	BR-550-N6 • black height, width and depth adjustable armrests • under seat width adjustment • black PUR 30° rotatable elbow rests • polished aluminium seat connector • for models with SYS synchronous mechanism	2 064 SEK
Base		
	F40-N1 • black 5 star aluminium base	436 SEK
	F40-N2 • RAL 9006 grey 5-star aluminium base	436 SEK
	F40-N6 • 5-star aluminium base, polished	436 SEK
Castors and gliders		
	GM • felt anti-scratch glider pads for hard floors • only for chair 206-SY	87 SEK

Castors

**RM60**

- black rubber castors for hard floors, Ø 60 mm

0 SEK

Castors and gliders

RM50-BRK

- black rubber castors for hard floors with brake, Ø 50 mm
- blocking of movement after loading the chair
- replacement for gliders for high piston models

0 SEK

Headrest

**HO**

- upholstered headrest with angle and height adjustment
- for swivel task chairs 207, 235

785 SEK

Others

BO-AIR

- inflatable depth adjustable lumbar support
- for swivel task chairs with upholstered backrest

640 SEK

**P**

- depth-adjustable seat
- for model 207-SY

116 SEK

**P**

- depth-adjustable seat
- for models 235-SYS and 235-AT

203 SEK

**PN**

- depth-adjustable seat with an independent seat angle function
- for models with SYS synchronous mechanism

349 SEK

Product information

Lyra

**Warranty**

5 years

The BR-540, BR-550 and BR-550-N6 armrests cannot be used with models with the AT mechanism.

Fabric Collection Category		1	2	3
	Lyra Air 215-BL • swivel task chair • height adjustable • upholstered seat, mesh backrest • back upholstered in MEGA mesh • height adjustable lumbar support • black nylon backrest frame • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests			
	215-BL-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	4 012 SEK	4 157 SEK	4 361 SEK
	215-BL-AT • synchronous AT mechanism with an automatic backrest tension adjustment according to user weight, 5 locking positions	3 808 SEK	3 954 SEK	4 157 SEK
	215-BL-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	3 721 SEK	3 866 SEK	4 070 SEK
	215-BL-SY • SY synchronous mechanism with an adjustable backrest tension control under the seat, 5 locking positions	3 517 SEK	3 692 SEK	3 837 SEK
	Lyra Air 215-GREEN • swivel task chair • height adjustable • upholstered seat, mesh backrest • back upholstered in MEGA mesh • height adjustable lumbar support • sage green nylon backrest frame (PANTONE 17-6212 TCX) • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests			
	215-GREEN-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	4 215 SEK	4 361 SEK	4 593 SEK
	215-GREEN-AT • synchronous AT mechanism with an automatic backrest tension adjustment according to user weight, 5 locking positions	4 012 SEK	4 157 SEK	4 361 SEK
	215-GREEN-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	3 924 SEK	4 070 SEK	4 273 SEK
	215-GREEN-SY • SY synchronous mechanism with an adjustable backrest tension control under the seat, 5 locking positions	3 721 SEK	3 895 SEK	4 041 SEK

Fabric Collection Category		1	2	3
	Lyra Air 215-BRICK • swivel task chair • height adjustable • upholstered seat, mesh backrest • back upholstered in MEGA mesh • height adjustable lumbar support • brick nylon backrest frame (PANTONE 17-1532 TCX) • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests			
	215-BRICK-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	4 215 SEK	4 361 SEK	4 593 SEK
	215-BRICK-AT • synchronous AT mechanism with an automatic backrest tension adjustment according to user weight, 5 locking positions	4 012 SEK	4 157 SEK	4 361 SEK
	215-BRICK-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	3 924 SEK	4 070 SEK	4 273 SEK
	215-BRICK-SY • SY synchronous mechanism with an adjustable backrest tension control under the seat, 5 locking positions	3 721 SEK	3 895 SEK	4 041 SEK
	Lyra Air 215-WH • swivel task chair • height adjustable • upholstered seat, mesh backrest • back upholstered in MEGA mesh • height adjustable lumbar support • white nylon backrest frame, black seat cover • white 5-star nylon base • white rubber castors for hard floors, Ø 60 mm • basic version without armrests			
	215-WH-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	4 680 SEK	4 767 SEK	5 029 SEK
	215-WH-AT • synchronous AT mechanism with an automatic backrest tension adjustment according to user weight, 5 locking positions	4 419 SEK	4 564 SEK	4 826 SEK
	215-WH-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	4 331 SEK	4 419 SEK	4 738 SEK
	215-WH-SY • SY synchronous mechanism with an adjustable backrest tension control under the seat, 5 locking positions	4 128 SEK	4 244 SEK	4 448 SEK
Optional features and modifications				Lyra Air
Armrests				
	BR-207 • black height-adjustable armrests • black plastic elbow pads			581 SEK
		BR-207-WH • black and white height adjustable armrests • black plastic elbow pads		610 SEK
	BR-209 • black height-adjustable armrests • black PUR elbow pad			669 SEK

**BR-209-N6**

- black height-adjustable armrests
- black PUR elbow pad
- polished aluminium seat connector

1 047 SEK

**BR-209-WH**

- black and white height adjustable armrests
- black PUR elbow pad

698 SEK

**BR-210**

- black height, width and depth adjustable armrests
- black PUR elbow pad

930 SEK

**BR-211**

- black height, width and depth adjustable armrests
- black PUR 10° rotatable armrests

930 SEK

**BR-211-WH**

- black and white height, width and depth adjustable armrests
- black PUR 10° rotatable armrests

988 SEK

**BR-211-N6**

- black height, width and depth adjustable armrests
- black PUR 10° rotatable armrests
- polished aluminium seat connector

1 337 SEK

Base**F40-N1**

- black 5 star aluminium base

436 SEK

**F80-N0**

- white 5-star aluminium base

640 SEK

**F40-N2**

- RAL 9006 grey 5-star aluminium base

436 SEK

**F40-N6**

- 5-star aluminium base, polished

436 SEK

**F40-N12**

- PANTONE 17-6212 TCX sage green 5-star aluminium base

610 SEK

**F40-N13**

- PANTONE 17-1532 TCX brick 5-star aluminium base

610 SEK

Optional features and modifications

Lyra Air

Castors



RM60

- black rubber castors for hard floors, Ø 60 mm

0 SEK

Headrest



HO

- upholstered headrest with angle and height adjustment
- Plastic headrest cover black (215-BL, 215-GREEN and 215-BRICK) or white (215-WH)

785 SEK

Others



P

- depth-adjustable seat
- only for 215-SY models

116 SEK



P

- depth-adjustable seat
- only for 215-SYS, 215-SYB and 215-AT

203 SEK

Product information

Lyra Air



Warranty

5 years

Fabric Collection Category		1	2	3	4	5	6	7
	Melody Office 791-SYS							
	• swivel task chair • height adjustable • upholstered seat and backrest • high backrest • upholstered armrests included in the backrest • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions • black 5-star nylon base • black castors for carpets, Ø 60 mm	9 942 SEK	10 727 SEK	11 744 SEK	12 675 SEK	15 640 SEK	18 023 SEK	18 169 SEK
	Melody Office 790-SYS							
	• swivel task chair • height adjustable • upholstered seat and backrest • high backrest • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests	8 983 SEK	9 564 SEK	10 320 SEK	11 047 SEK	13 372 SEK	15 582 SEK	15 727 SEK
	Melody Office 781-SYS							
	• swivel task chair • height adjustable • upholstered seat and backrest • medium backrest • upholstered armrests included in the backrest • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions • black 5-star nylon base • black castors for carpets, Ø 60 mm	9 215 SEK	10 000 SEK	10 988 SEK	11 773 SEK	14 506 SEK	16 657 SEK	16 802 SEK
	Melody Office 780-SYS							
	• swivel task chair • height adjustable • upholstered seat and backrest • medium backrest • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests	8 256 SEK	8 866 SEK	9 564 SEK	10 175 SEK	12 238 SEK	14 215 SEK	14 332 SEK
	Melody Office 770							
	• swivel task chair • height adjustable • upholstered seat and backrest • low backrest • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests							
	770-RA							
	• rocking mechanism RA - no lock	6 599 SEK	7 006 SEK	7 587 SEK	8 052 SEK	9 826 SEK	11 686 SEK	11 802 SEK

770-PRA
• fixed, no tilt

6 424 SEK

6 890 SEK

7 384 SEK

7 907 SEK

9 680 SEK

11 541 SEK

11 657 SEK

Fabric Collection Category		1	2	3	4	5	6	7
	Melody Office 770, F60 • swivel task chair • height adjustable • upholstered seat and backrest • low backrest • plastic gliders • basic version without armrests							
	770-RA, F60-N1 • rocking mechanism RA - no lock • black 4-star aluminium base	7 878 SEK	8 285 SEK	8 866 SEK	9 331 SEK	11 105 SEK	12 994 SEK	13 111 SEK
	770-RA, F60-N6 • rocking mechanism RA - no lock • 4-star aluminium base, polished	7 936 SEK	8 343 SEK	8 924 SEK	9 390 SEK	11 163 SEK	13 052 SEK	13 169 SEK
	770-PRA, F60-N1 • fixed, no tilt • black 4-star aluminium base	7 762 SEK	8 140 SEK	8 750 SEK	9 186 SEK	10 959 SEK	12 849 SEK	12 965 SEK
	770-PRA, F60-N6 • fixed, no tilt • 4-star aluminium base, polished	7 820 SEK	8 198 SEK	8 808 SEK	9 244 SEK	11 018 SEK	12 907 SEK	13 023 SEK
	Melody Office 777-PRA • swivel task chair • height adjustable • upholstered seat and backrest • low backrest • fixed, no tilt • high gas lift with a footring • 5-star aluminium base, polished • plastic gliders • basic version without armrests	7 064 SEK	7 442 SEK	8 023 SEK	8 518 SEK	10 262 SEK	12 151 SEK	12 268 SEK
Optional features and modifications								Melody Office
Others								
	BR-P • armrest pads upholstered in leather (Panama Leather), or faux leather Valencia • for models 781 and 791							610 SEK
Armrests								
	BR-209 • black height-adjustable armrests • black PUR elbow pad							669 SEK
	BR-209-N6 • black height-adjustable armrests • black PUR elbow pad • polished aluminium seat connector							1 047 SEK
	BR-210 • black height, width and depth adjustable armrests • black PUR elbow pad							930 SEK
	BR-211 • black height, width and depth adjustable armrests • black PUR 10° rotatable armrests							930 SEK

**BR-211-WH**

- black and white height, width and depth adjustable armrests
- black PUR 10° rotatable armrests

988 SEK

**BR-211-N6**

- black height, width and depth adjustable armrests
- black PUR 10° rotatable armrests
- polished aluminium seat connector

1 337 SEK

**BR-790-N6**

- polished aluminium armrests
- black PUR elbow pad for armrests

1 802 SEK

**BR-785-N1**

- black aluminium armrests

1 599 SEK

**BR-785-N0**

- white aluminium armrests

1 599 SEK

**BR-785-N6**

- polished aluminium armrests

1 337 SEK

**BR-795-N1**

- black aluminium armrests
- black PUR elbow pad for armrests

1 890 SEK

**BR-795-N0**

- white aluminium armrests
- black PUR elbow pad for armrests

1 890 SEK

**BR-795-N6**

- polished aluminium armrests
- black PUR elbow pad for armrests

1 686 SEK

**BR-796-N1**

- black aluminium armrests
- Leather armrest with PUR pad
- leather colour according to the sampler Panama Leather

2 209 SEK

**BR-796-N0**

- white aluminium armrests
- Leather armrest with PUR pad
- leather colour according to the sampler Panama Leather

2 209 SEK

**BR-796-N6**

- polished aluminium armrests
- Leather armrest with PUR pad
- leather colour according to the sampler Panama Leather

2 006 SEK

Base

**F37-N6**

- 5-star aluminium base, polished

610 SEK

**F40-N1**

- black 5 star aluminium base

436 SEK

**F80-N0**

- white 5-star aluminium base

640 SEK

**F40-N6**

- 5-star aluminium base, polished

436 SEK

Gliders

**GM**

- felt anti-scratch glider pads for hard floors

87 SEK

Castors

**RM60**

- black rubber castors for hard floors, Ø 60 mm

0 SEK

**RM60-WH**

- white rubber castors for hard floors, Ø 60 mm

0 SEK

**RM60-N4**

- universal castors, Ø 60 mm
- chrome twin-wheel castor

640 SEK

Castors and gliders

RM50-BRK

- black rubber castors for hard floors with brake, Ø 50 mm
- blocking of movement after loading the chair
- replacement for gliders for high piston models

0 SEK

Others

BO

- height adjustable lumbar support
- control element in the color of the cross
- for models 780 and 790

1 221 SEK

**P**

- depth-adjustable seat
- for models with SYS synchronous mechanism

203 SEK

**Warranty**

5 years

Cannot be upholstered in TOUCH (3) fabric.

Fabric Collection Category		1	2	3
	Theo@ 265 • swivel task chair • height adjustable • upholstered seat and backrest • height-adjustable backrest • black nylon backrest cover • black 5-star nylon base • black castors for carpets, Ø 60 mm • basic version without armrests			
	265-SYS • SYS synchronous mechanism with a lateral backrest tension adjustment, 5 locking positions	4 128 SEK	4 361 SEK	4 651 SEK
	265-SYB • SYB synchronous mechanism with a lateral quick backrest tension adjustment in 4 levels, 4 locking positions	3 808 SEK	4 041 SEK	4 302 SEK
	265-SY • SY synchronous mechanism with an adjustable backrest tension control under the seat, 5 locking positions	3 372 SEK	3 634 SEK	3 895 SEK

Optional features and modifications Theo@

Armrests



BR-207

- black height-adjustable armrests
- black plastic elbow pads

581 SEK



BR-209

- black height-adjustable armrests
- black PUR elbow pad

669 SEK



BR-209-N6

- black height-adjustable armrests
- black PUR elbow pad
- polished aluminium seat connector

1 047 SEK



BR-210

- black height, width and depth adjustable armrests
- black PUR elbow pad

930 SEK



BR-211

- black height, width and depth adjustable armrests
- black PUR 10° rotatable armrests

930 SEK



BR-211-N6

- black height, width and depth adjustable armrests
- black PUR 10° rotatable armrests
- polished aluminium seat connector

1 337 SEK

Base

**F40-N1**

- black 5 star aluminium base

436 SEK

**F40-N2**

- RAL 9006 grey 5-star aluminium base

436 SEK

**F40-N6**

- 5-star aluminium base, polished

436 SEK

Castors

**RM60**

- black rubber castors for hard floors, Ø 60 mm

0 SEK

Headrest

**HO**

- upholstered headrest with angle and height adjustment
- for 265 models only

785 SEK

Others

BO-AIR

- inflatable depth adjustable lumbar support
- for swivel task chairs with upholstered backrest

640 SEK

**P**

- depth-adjustable seat

203 SEK

**PN**

- depth-adjustable seat with an independent seat angle function
- for models with SYS synchronous mechanism

349 SEK

Product information


Theo@

**Warranty**


5 years

LD Seating


Fabrics



CSE14



CSE13



CSE11




CSE02




CSE15




CSE12



CSE08




CSE39




CSE10




CSE06




CSE05




CSE25




CSE09



CSE24



CSE16




CSE34


Composition / Složení / Zusammensetzung	100% Polyester	
Weight / Váha / Gewicht	320 g/m²	
Width / Šířka / Breite	140cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 100 000 cycles	EN ISO 12947
Light fastness / Stálobarevnost na světle / Lichtechtheit	5	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4	EN ISO 105-X12
Pilling / Žmolkování / Pilling	4-5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CAL TB 117, BS 7176 Low Hazard	

Certification / Certifikace / Zertifikat	OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 	
--	--	--


- For standard care regularly use vacuum cleaner. Clean with damp cloth.
 - Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
 - Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
 - Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.




ON8033




ON8017




ON8532



ON2519




ON1506




ON4566




ON6512




ON6024




ON4528



ON6591



ON7504



ON7521

Composition / Složení / Zusammensetzung	100% Recycled Polyester	
Weight / Váha / Gewicht	350 g/m²	
Width / Šířka / Breite	150 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 100 000 cycles	ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	6	ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	ISO 105-X12
Pilling / Žmolkování / Pilling	5	ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, BS 5852 Crib 5, BS 7176 Medium Hazard	

Certification / Certifikace / Zertifikat



♻️ Recycled fabric / Recyklovaná látka / Recycelter Stoff

♻️ Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff


- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.




SLW5014



SLW300




SLW50




SLW1005



SLW53



SLW3001



SLW200


Composition / Složení / Zusammensetzung	100% Recycled Polyester	
Weight / Váha / Gewicht	380 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 150 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	5	EN ISO 105- X12
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CAL TB 117, DIN 4102-1 B1, BS 5852 Crib 5	

Certification / Certifikace / Zertifikat



🔄 Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff

- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.



B2301




B3101




B1101




B1301



B2901



B2501



B3301




B2701



B2101



B1701



B1501

Composition / Složení / Zusammensetzung	100% Post-consumer recycled polyester	
Weight / Váha / Gewicht	296 g/m ²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 100 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	7-8	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	4-5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CA TB 117-2013	


Certification / Certifikace / Zertifikat



Recycled fabric / Recyklovaná látka / Recycelter Stoff

Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff


- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of the fabric may vary slightly between different delivery batches.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny látky se mohou mírně lišit mezi jednotlivými dodávkami.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Die Farbtöne des Stoffes können zwischen verschiedenen Lieferchargen leicht variieren.




CR60111




CR60019




CR60110




CR64013



CR64197




CR60112




CR65105



CR67084




CR66167



CR68183



CR68180



CR62084

Composition / Složení / Zusammensetzung	98% Recycled Polyester, 2% Polyester	
Weight / Váha / Gewicht	300 g/m ²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 100 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-8	EN ISO 105-B02
Fastness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	4-5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CAL TB 117, BS 5852 Part 1 0,1 Cigarette & Match	

Certification / Certifikace / Zertifikat

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100




Recycled fabric / Recyklovaná látka / Recycelter Stoff

Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff


- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.




MOD800




MOD802




MOD803




MOD500




MOD902



MOD901

Certification / Certifikace / Zertifikat




SARI421



SARI405




SARI402




SARI415




SARI408




SARI406



SARI417



SARI413




SARI411

Composition / Složení / Zusammensetzung	100% Polyester	
Weight / Váha / Gewicht	400 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 100 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1	
Features / Vlastnosti / Eigenschaften	Soft and cuddly feel Pet friendly	

Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff


- The specially developed Sari microfiber fabric combines properties that are gentle on maintenance and friendly to pets. It is soft and pleasant to the touch, with a fine surface texture that prevents unpleasant fiber tearing.
- The fabric is not only highly durable and long-lasting, but also easy to clean and wash. For standard care, use a vacuum cleaner regularly. In case of heavy soiling, the fabric can be gently dry-cleaned with perchloroethylene.
- Sari fabric has passed the scratch resistance test according to BS 8479:2008, achieving the highest possible rating.
- Shades of the fabric may vary slightly between different delivery batches.
- Speciálně vyvinutá mikrovláknová látka Sari spojuje vlastnosti šetrné k údržbě i domácím mazlíčkům. Je měkká a příjemná na dotek, přičemž její jemná povrchová struktura zabraňuje nepříjemnému trhání vláken.
- Látka je nejen velmi odolná a trvanlivá, ale také se snadno čistí a pere. Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě silného znečištění lze látku šetrně chemicky čistit perchlorethylenem.
- Látka Sari prošla testem odolnosti proti poškrábání podle normy BS 8479:2008 a získala nejlepší možné hodnocení.
- Odstíny látky se mohou mírně lišit mezi jednotlivými dodávkami.
- Der speziell entwickelte Mikrofaserstoff Sari vereint Eigenschaften, die pflegeleicht und haustierfreundlich sind. Er ist weich und angenehm im Griff, und seine feine Oberflächenstruktur verhindert unangenehmes Ausreißen der Fasern.
- Der Stoff ist nicht nur sehr widerstandsfähig und langlebig, sondern lässt sich auch leicht reinigen und waschen. Zur standardmäßigen Pflege bitte regelmäßig absaugen. Bei starker Verschmutzung kann der Stoff schonend mit Perchlorethylen chemisch gereinigt werden.
- Der Stoff Sari hat den Kratzbeständigkeitstest nach BS 8479:2008 bestanden und die höchstmögliche Bewertung erhalten.
- Die Farbtöne des Stoffes können zwischen verschiedenen Lieferchargen leicht variieren.



60999



60025




60011



66057




66140




67030




61128




68054



68110



64092



63034


Composition / Složení / Zusammensetzung	100% Polyester	
Weight / Váha / Gewicht	353 g/m²	
Width / Šířka / Breite	150 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 110 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-7	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	4-5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CAL TB 117, Önorm B 3825 B1 3800-Q1 UK	

Certification / Certifikace / Zertifikat



Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff


- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of the fabric may vary slightly between different delivery batches.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny látky se mohou mírně lišit mezi jednotlivými dodávkami.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Die Farbtöne des Stoffes können zwischen verschiedenen Lieferchargen leicht variieren.



V9035



V4003



V4043



V3068



V3067



V3001




V4041



V2074



V9245



V5451

Composition / Složení / Zusammensetzung	Topcoat: 100% Vinyl / Backing: 100% Polyester Hi-Loft	
Weight / Váha / Gewicht	650 g/m²	
Width / Šířka / Breite	137 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 300 000 cycles	EN ISO 12947
Light fastness / Stálobarevnost na světle / Lichtechtheit	5	EN ISO 105-B02
Flammability / Ohnivzdornost / Feuerisierung	EN 1021-1&2, BS 5852 Part 2 Crib 5, NF P 92-503/M2, CAL TB 117, DIN 4102 B2	
Features / Vlastnosti / Eigenschaften	PERMABLOK ^{3®} — advanced vinyl protection Antifungal, antibacterial and antimycotic protection Mildew resistant Sulfide stain resistant Anti-static finish	

✦

Hygienic fabric / Hygienická látka / Hygienischer Stoff


- **PERMABLOK^{3®}** is a proven vinyl protective coating that’s engineered to create a tough, effective barrier against the three biggest problems encountered in healthcare and hospitality environments — germs, abrasion and stains.
- The vinyl should be cleaned periodically in order to maintain its appearance and prevent build-up of dirt and contaminants. Any stain, spills or soiling should be cleaned up promptly to prevent the possibility of permanent staining. Use soft soapy solutions or special cleaning products for vinyl fabrics to remove stains on the surface of the material. Remove only with a damp white cloth. Lacquers, strong cleaners, detergents, xylene-based solutions, acetone or MEK cause immediate damage and contribute to the deterioration of the material. The use of such cleaners is at owner’s risk.
- Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenom increased by humidity and temperature and is irreversible. LD Seating will not assume responsibility for dye transfer caused by external contaminants and possible permanent staining caused by this phenomenon.
- Látka má protiplísňovou, antibakteriální a antimykotickou ochranu, a také je odolná vůči krvi, moči a sulfidovým skvrnám. Povrch látky je opatřen antistatickou úpravou.
- **PERMABLOK^{3®}** je osvědčená ochranná vrstva pro vinyl, která je navržena tak, aby vytvořila tvrdou, účinnou bariéru proti třem největším problémům, které se vyskytují v zdravotnickém a hotelovém prostředí — bakteriím, oděru a skvrnám.
- Vinyl by měl být pravidelně čištěn, aby si udržel svůj vzhled a zabránilo se hromadění nečistot a kontaminujících látek. Jakékoliv skvrny, rozlité tekutiny nebo jiné znečištění, by měly být rychle odstraněny, aby se předešlo možnosti trvalého zbarvení. Použijte jemné mýdlové roztoky nebo speciální čisticí prostředky pro vinylové tkaniny. Odstraňujte pouze vlhkým bílým hadříkem. Laky, silné čisticí prostředky, detergenty, prostředky na bázi xylenu, acetonu nebo butatonu způsobují okamžité poškození a přispívají ke znehodnocení materiálu. Použití takových čisticích prostředků je na riziko majitele.
- U některých látek a přídavných barev (např. ty používané v džínovině) může dojít k zbarvení světlejších odstínů. Tento jev je nevratný a zesiluje ho vlhkost a teplota. LD Seating nepřebírá jakoukoli odpovědnost za změnu zbarvení zapříčiněnou vnějšími znečišťujícími látkami a možným trvalým znečištěním zapříčiněným tímto jevem.
- Der Stoff hat einen antimykotischen, antibakteriellen und antifungalen Schutz und ist außerdem resistent gegen Blut-, Urin- und Sulfidflecken. Die Oberfläche des Stoffes ist antistatisch behandelt.
- **PERMABLOK^{3®}** ist eine bewährte Vinyl-Schutzbeschichtung, die so konzipiert ist, dass sie eine robuste, effektive Barriere gegen die drei größten Probleme in Gesundheits- und Hotellerie bildet — Keime, Abrieb und Flecken.
- Das Vinyl sollte regelmäßig gereinigt werden, um sein Aussehen zu erhalten und die Ansammlung von Schmutz und Verunreinigungen zu verhindern. Jeder Fleck, Verschüttungen oder Verschmutzungen sollten umgehend gereinigt werden, um die Möglichkeit von dauerhaften Verfärbungen zu verhindern. Verwenden Sie sanfte Seifenlösungen oder spezielle Reinigungsprodukte für Vinylstoffe, um Flecken auf der Oberfläche des Materials zu entfernen. Entfernen Sie nur mit einem feuchten weißen Tuch. Lacke, starke Reinigungsmittel, Waschmittel, Xylol-basierte Lösungen, Aceton oder MEK verursachen sofortige Schäden und tragen zur Verschlechterung des Materials bei. Die Verwendung solcher Reinigungsmittel erfolgt auf eigenes Risiko des Besitzers.
- Die Farbstoffe bestimmter Textilien und Accessoires (z.B. Jeans) können auf hellere Oberflächen abfärben. Dieser Effekt nimmt mit steigender Feuchtigkeit und Temperatur zu und ist irreversibel. LD Seating haften weder für das Abfärben durch externe Stoffe oder verunreinigende Substanzen, noch für eine eventuell dadurch entstehende permanente Verschmutzung / Verfärbung.



ACT22



ACT16



ACT07



ACT29



ACT26



ACT13



ACT05



ACT15



ACT23



ACT02



ACT04



ACT30




ACT24



ACT18



ACT06



ACT31

Aspect

Category

3

Composition / Složení / Zusammensetzung	75% Polyester – Trevira CS, 25% Polyester	
Weight / Váha / Gewicht	325 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 50 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4	EN ISO 105-X12
Pilling / Žmolkování / Pilling	5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, BS 7176 Medium Hazard, Önorm B 3825 & A 3800-1, DIN 4102 B1	

Certification / Certifikace / Zertifikat




- For standard care regularly use vacuum cleaner. Clean with damp cloth.
 - Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
 - Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
 - Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.



AP60900



AP60141



AP60167



AP64246



AP61140



AP61194



AP62119




AP68253



AP68252



AP68169




AP66225

Composition / Složení / Zusammensetzung	56% Polyester, 44% Polyester – Trevira CS	
Weight / Váha / Gewicht	536 g/m ²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 100 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-7	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	BS EN 1021-1&2, CA TB 117-2013	


Certification / Certifikace / Zertifikat




- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.




RI903




RI904




RI971




RI117



RI134



RI129




RI574



RI837



RI271




RI238


Composition / Složení / Zusammensetzung	100% Polyester with Microporous Film and FR Laminate	
Weight / Váha / Gewicht	400 g/m ²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 60 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	6	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4	EN ISO 105-X12
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, BS 5852 IGN Source 5, BS 7176 Medium Hazard, CAL TB 117	
Features / Vlastnosti / Eigenschaften	Waterproof Stain resistant SchieldPlus™ Antimicrobial Halogen and PFAS Free REACH Compliant	

✦ Hygienic fabric / Hygienická látka / Hygienischer Stoff


- The Riva fabric is comfortable yet durable, designed to perform even in the most demanding environments. The fabric is treated with a PFAS-free fluorocarbon technology that combines effectiveness with environmental responsibility.
- Thanks to its waterproof film, the fabric passed the hydrostatic head test, exceeding the British Standard requirement of 1 m.
- Antimicrobial ShieldPlus™ protection permanently inhibits a broad spectrum of microbes (including C. diff spores) and prevents unpleasant odours.
- Vacuum or wipe clean regularly with a microfibre cloth lightly dampened with cold water only. Blot spillages immediately with an absorbent dry cloth to prevent staining. Remove body fluids and heavy soiling promptly (within 15 minutes) using cold water, then apply an approved infection control protocol such as Haz Tabs, Chlor Clean, or ShieldPlus™. As the concentration of bleach can vary greatly between proprietary brands, we recommend avoiding its use. Remove any product residues and dry with a clean, absorbent cloth.
- Do not steam clean – heat seals in stains. Do not tumble dry. Do not dry clean. Do not fully immerse in water. Do not use solvents, alcohol, or any other chemical cleaners.
- Shades of the fabric may vary slightly between different delivery batches.
- Látka Riva je pohodlná, a přitom odolná – je navržena tak, aby obstála i v nejnáročnějších podmínkách. Je ošetřena technologií bez PFAS na bázi fluorokarbonu, která spojuje účinnost s ohledem na životní prostředí.
- Díky voděodolné vrstvě látka úspěšně prošla testem vodního sloupce a překročila požadavek britské normy 1 m.
- Antimikrobiální ochrana ShieldPlus™ trvale brání množení širokého spektra mikrobů (včetně spor C. diff) a zabraňuje vzniku nepříjemných pachů.
- Pravidelně vysávejte nebo otírejte mikrovláknovou utěrkou navlhčenou studenou vodou. Rozlité tekutiny ihned vsajte do suché savé utěrky, aby se zabránilo vzniku skvrn. Tělesné tekutiny a silné znečištění odstraňte okamžitě (do 15 minut) studenou vodou a poté použijte schválený dezinfekční prostředek, jako je Haz Tabs, Chlor Clean nebo ShieldPlus™. Protože se koncentrace bělidel může mezi různými značkami výrazně lišit, doporučujeme se jejich používání vyhnout. Odstraňte zbytky přípravků a povrch osušte čistou savou utěrkou.
- Nečistěte párou – teplo může způsobit zafixování skvrn. Nesušte v sušičce. Nečistěte chemicky. Nemáchejte ve vodě. Nepoužívejte rozpouštědla, alkohol ani jiné chemické čisticí prostředky.
- Odstíny látky se mohou mírně lišit mezi jednotlivými dodávkami.
- Der Riva-Stoff ist komfortabel und zugleich strapazierfähig, entwickelt, um selbst unter anspruchsvollsten Bedingungen zuverlässig zu bestehen. Er ist mit einer PFAS-freien Fluorkohlenstofftechnologie behandelt, die Wirksamkeit mit Umweltverantwortung vereint.
- Dank seiner wasserdichten Beschichtung hat der Stoff den Wassersäulentest bestanden und die britische Normanforderung von 1 m übertroffen.
- Die antimikrobielle ShieldPlus™-Ausrüstung hemmt dauerhaft ein breites Spektrum an Mikroben (einschließlich C. diff-Sporen) und verhindert unangenehme Gerüche.
- Regelmäßig absaugen oder mit einem Mikrofaser Tuch abwischen, das nur leicht mit kaltem Wasser angefeuchtet ist. Verschüttete Flüssigkeiten sofort mit einem saugfähigen Tuch aufnehmen, um Fleckenbildung zu vermeiden. Körperflüssigkeiten und starke Verschmutzungen umgehend (innerhalb von 15 Minuten) mit kaltem Wasser entfernen und anschließend ein zugelassenes Desinfektionsmittel wie Haz Tabs, Chlor Clean oder ShieldPlus™ anwenden. Da die Bleichmittelkonzentration je nach Hersteller stark variieren kann, empfehlen wir, deren Verwendung zu vermeiden. Rückstände gründlich entfernen und mit einem sauberen, saugfähigen Tuch trocknen.
- Nicht dampfreinigen – Hitze versiegelt Flecken. Nicht im Wäschetrockner trocknen. Nicht chemisch reinigen. Nicht vollständig in Wasser tauchen. Keine Lösungsmittel, Alkohol oder andere chemische Reinigungsmittel verwenden.
- Die Farbtöne des Stoffes können zwischen verschiedenen Lieferchargen leicht variieren.



A2624




A2599




A2592



A2596



A2869



A2612




A2605



A2615



A2618




A2867

Composition / Složení / Zusammensetzung	52% Polyurethane, 40% Polyester Flame Retardant, 8% Silicone	
Weight / Váha / Gewicht	571 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 200 000 cycles	EN ISO 12947
Light fastness / Stálobarevnost na světle / Lichtechtheit	4	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	3-5	EN ISO 105-X12
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, BS 5852 Crib 5	
Features / Vlastnosti / Eigenschaften	Resistant to disinfectants, urine, and swimming pool water Liquid-impermeable	EN 20811


+ Fabric suitable for healthcare / Látka vhodná do zdravotnictví / Stoffe geeignet für Krankenhaus & Pflege

✦ Hygienic fabric / Hygienická látka / Hygienischer Stoff


- Touch is the new leatherette generation: It is high-quality, durable, soft, supple, breathable and comes with an excellent stain resistance. This high solid polyurethane leatherette is free of phthalates, PVC, lead and heavy metals. It can even be disposed of eco-friendly.
 - To keep the good appearance of the Touch leatherette, it should be cleaned regularly with mild soap and water.
 - For all types of stains, the sooner you clean them, the better. Various food and oil spills can be removed using a soft cloth and mild detergent without abrasive additives. Other difficult stains can be treated with water-diluted isopropyl alcohol (rubbing alcohol), ratio 1:1, or with a water-diluted household bleach, ratio 1:4. It is necessary to rinse the leatherette with clean water after each cleaning and to wipe it dry.
 - Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenom is increased by humidity and temperature and is irreversible. LD Seating will not assume responsibility for dye transfer caused by external contaminants and possible permanent staining caused by this phenomenon.
-
- Látka je odolná vůči desinfekčním prostředkům, moči a vodě z bazénů. Nepropouští kapaliny.
 - Touch je nová generace koženky: Je vysoce kvalitní, odolná, měkká, poddajná, prodyšná a má vynikající odolnost vůči skvrnám. Tato vysoce pevná polyuretanová koženka neobsahuje ftaláty, PVC, olovo ani těžké kovy. Lze ji dokonce ekologicky zlikvidovat.
 - Aby si koženka Touch zachovala dobrý vzhled, měla by být pravidelně čistěna jemným mýdlem a vodou.
 - U všech typů skvrn platí, že čím dříve je vyčistíte, tím lépe. Různé potravinové a olejové skvrny lze odstranit pomocí měkkého hadříku a jemného detergentu bez abrazivních přísad. Jiné obtížné skvrny lze ošetřit isopropylalkoholem (lihem) zředěným vodou v poměru 1:1 nebo bělidlem určeným pro domácnosti zředěným vodou v poměru 1:4. Po každém čištění je nutné koženku opláchnout čistou vodou a osušit.
 - U některých látek a přídavných barev (např. ty používané v džínovině) může dojít k zbarvení světlejších odstínů. Tento jev je nevratný a zesiluje ho vlhkost a teplota. LD Seating nepřebírá jakoukoli odpovědnost za změnu zbarvení zapříčiněnou vnějšími znečišťujícími látkami a možným trvalým znečištěním zapříčiněným tímto jevem.
-
- Das Material ist beständig gegen Desinfektionsmittel, Urin und Schwimmbadwasser. Es ist flüssigkeitsundurchlässig.
 - Touch ist die neue Generation von Kunstleder: Es ist hochwertig, langlebig, weich, geschmeidig, atmungsaktiv und hat eine hervorragende Fleckenbeständigkeit. Dieses Kunstleder aus hochfestem Polyurethan ist frei von Phthalaten, PVC, Blei und Schwermetallen. Es kann sogar umweltfreundlich entsorgt werden.
 - Um das gute Aussehen des Touch-Kunstleders zu erhalten, sollte es regelmäßig mit mildem Seifenwasser gereinigt werden.
 - Bei allen Arten von Flecken gilt: Je früher Sie sie reinigen, desto besser. Verschiedene Lebensmittel- und Ölverschmutzungen können mit einem weichen Tuch und einem milden Reinigungsmittel ohne abrasive Zusätze entfernt werden. Andere schwierige Flecken können mit wasserverdünntem Isopropylalkohol (Reinigungsalkohol) im Verhältnis 1:1 oder mit wasserverdünntem Haushaltsbleichmittel im Verhältnis 1:4 behandelt werden. Es ist notwendig, das Kunstleder nach jeder Reinigung mit sauberem Wasser abzuspülen und trocken zu wischen.
 - Die Farbstoffe bestimmter Textilien und Accessoires (z.B. Jeans) können auf hellere Oberflächen abfärben. Dieser Effekt nimmt mit steigender Feuchtigkeit und Temperatur zu und ist irreversibel. LD Seating haften weder für das Abfärben durch externe Stoffe oder verunreinigende Substanzen, noch für eine eventuell dadurch entstehende permanente Verschmutzung / Verfärbung.




S9001




S9002



S4003




S4010




S4001




S4004




S1051




S0009




S4012




S2105




S9243



S2011



S5444



S2100



S3007




S5008

Composition / Složení / Zusammensetzung	Topcoat: 100% Vinyl / Backing: 100% Polyester Hi-Loft	
Weight / Váha / Gewicht	685 g/m²	
Width / Šířka / Breite	137 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 300 000 cycles	EN ISO 12947-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, DIN 4102 B2	
Features / Vlastnosti / Eigenschaften	PERMABLOK ^{3®} — advanced vinyl protection Antifungal, antibacterial and antimycotic protection Surface resistance to blood and urine Mildew resistant Sulfide stain resistant Anti-static finish	


✚ Fabric suitable for healthcare / Látka vhodná do zdravotnictví / Stoffe geeignet für Krankenhaus & Pflege

✧ Hygienic fabric / Hygienická látka / Hygienischer Stoff

- **PERMABLOK^{3®}** is a proven vinyl protective coating that’s engineered to create a tough, effective barrier against the three biggest problems encountered in healthcare and hospitality environments — germs, abrasion and stains.
- The vinyl should be cleaned periodically in order to maintain its appearance and prevent build-up of dirt and contaminants. Any stain, spills or soiling should be cleaned up promptly to prevent the possibility of permanent staining. Use soft soapy solutions or special cleaning products for vinyl fabrics to remove stains on the surface of the material. Remove only with a damp white cloth. Lacquers, strong cleaners, detergents, xylene-based solutions, acetone or MEK cause immediate damage and contribute to the deterioration of the material. The use of such cleaners is at owner’s risk.
- Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenom increased by humidity and temperature and is irreversible. LD Seating will not assume responsibility for dye transfer caused by external contaminants and possible permanent staining caused by this phenomenom.
- Látka má protiplísňovou, antibakteriální a antimykotickou ochranu, a také je odolná vůči krvi, moči a sulfidovým skvrnám. Povrch je opatřen antistatickou úpravou.
- **PERMABLOK^{3®}** je osvědčená ochranná vrstva pro vinyl, která je navržena tak, aby vytvořila tvrdou, účinnou bariéru proti třem největším problémům, které se vyskytují v zdravotnickém a hotelovém prostředí — bakteriím, oděru a skvrnám.
- Vinyl by měl být pravidelně čištěn, aby si udržel svůj vzhled a zabránilo se hromadění nečistot a kontaminujících látek. Jakékoliv skvrny, rozlité tekutiny nebo jiné znečištění, by měly být rychle odstraněny, aby se předešlo možnosti trvalého zbarvení. Použijte jemné mýdlové roztoky nebo speciální čisticí prostředky pro vinylové tkaniny. Odstraňujte pouze vlhkým bílým hadříkem. Laky, silné čisticí prostředky, detergenty, prostředky na bázi xylenu, acetonu nebo butatonu způsobují okamžité poškození a přispívají ke znehodnocení materiálu. Použití takových čisticích prostředků je na riziko majitele.
- U některých látek a přídavných barev (např. ty používané v džínovině) může dojít k zbarvení světlejších odstínů. Tento jev je nevratný a zesiluje ho vlhkost a teplota. LD Seating nepřebírá jakoukoli odpovědnost za změnu zbarvení zapříčiněnou vnějšími znečišťujícími látkami a možným trvalým znečištěním zapříčiněným tímto jevem.
- Der Stoff hat einen antimykotischen, antibakteriellen und antifungalen Schutz und ist außerdem resistent gegen Blut-, Urin- und Sulfidflecken. Die Oberfläche des Stoffes ist antistatisch behandelt.
- **PERMABLOK^{3®}** ist eine bewährte Vinyl-Schutzbeschichtung, die so konzipiert ist, dass sie eine robuste, effektive Barriere gegen die drei größten Probleme in Gesundheits- und Hotellerie bildet — Keime, Abrieb und Flecken.
- Das Vinyl sollte regelmäßig gereinigt werden, um sein Aussehen zu erhalten und die Ansammlung von Schmutz und Verunreinigungen zu verhindern. Jeder Fleck, Verschüttungen oder Verschmutzungen sollten umgehend gereinigt werden, um die Möglichkeit von dauerhaften Verfärbungen zu verhindern. Verwenden Sie sanfte Seifenlösungen oder spezielle Reinigungsprodukte für Vinylstoffe, um Flecken auf der Oberfläche des Materials zu entfernen. Entfernen Sie nur mit einem feuchten weißen Tuch. Lacke, starke Reinigungsmittel, Waschmittel, Xylol-basierte Lösungen, Aceton oder MEK verursachen sofortige Schäden und tragen zur Verschlechterung des Materials bei. Die Verwendung solcher Reinigungsmittel erfolgt auf eigenes Risiko des Besitzers.




VE214



VE213




VE156



VE458




VE625



VE349



VE43



VE53

Composition / Složení / Zusammensetzung	71% Polyester, 18% Modacrylic, 8% Recycled Cotton, 3% Polyamide	
Weight / Váha / Gewicht	518 g/m ²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 60 000 cycles	EN ISO 12947
Light fastness / Stálobarevnost na světle / Lichtechtheit	4-5	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN ISO 1021 1-2, BS 5852 0-1	

Certification / Certifikace / Zertifikat



Features / Vlastnosti / Eigenschaften


aquaclean® Technology
Safe Front® Technology
PFC Free

✦ Hygienic fabric / Hygienická látka / Hygienischer Stoff

- For standard care regularly use vacuum cleaner.
- The **aquaclean®** Technology is a treatment that enables one to get rid of small stains such as wine, coffee, food and even most marker pens without having to wash the fabric with soap or detergent. Only water can be used.
- Thanks to **Safe Front®** technology, the fabric is protected against viruses and bacteria. It has been proven to reduce viral activity by over 91% after two hours of continuous contact.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem.
- Technologie **aquaclean®** je speciální úprava, která umožňuje odstranit malé skvrny od vína, kávy, jídla nebo většiny fixů, aniž by bylo třeba použít mýdlo nebo jiný mycí prostředek. Je možné použít pouze vodu.
- Technologie **Safe Front®** je ochrana textilie proti virům a bakteriím. Po dvou hodinách trvalého kontaktu snižuje aktivitu virů o více než 91%.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen.
- Die **aquaclean®**-Technologie ist eine Behandlung, die es ermöglicht, kleine Flecken wie Wein, Kaffee, Essen und sogar die meisten Filzstifte zu entfernen, ohne den Stoff mit Seife oder Waschmittel waschen zu müssen. Es kann nur Wasser verwendet werden.
- Dank der **Safe Front®**-Technologie ist der Stoff gegen Viren und Bakterien geschützt. Es wurde nachgewiesen, dass die virale Aktivität nach zwei Stunden kontinuierlichem Kontakt um über 91% reduziert wird.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.




T5201



T4601



T4101



T5001



T4902



T5101



T4701



T4501



T4801

Composition / Složení / Zusammensetzung	85% Pure New Wool, 15% Polyamid	
Weight / Váha / Gewicht	339 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 200 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-7	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	4-5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuerisierung	EN 1021-1&2, CAL TB 117, BS 5852 Part 1 0,1 Cigarette & Match	

Certification / Certifikace / Zertifikat



Fabric made of natural material / Látka z přírodního materiálu / Stoff aus Naturmaterial

- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.



R4013



R4021



R4115




R4411



R4430



R4711



R4731




R4752



R4203



R4741



R4601


Composition / Složení / Zusammensetzung	93% Wool, 7% Polyamide	
Weight / Váha / Gewicht	328 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 200 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-7	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	4-5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuerisierung	EN 1021-1&2, CAL TB 117, BS 5852 Part 1 0,1 Cigarette & Match	

Certification / Certifikace / Zertifikat




Fabric made of natural material / Látka z přírodního materiálu / Stoff aus Naturmaterial


- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.




MO1101




MO6101




MO10102




MO10103




MO11101



MO11102



MO13101



MO14101

Composition / Složení / Zusammensetzung	85% New Zealand Wool, 15% Polyamide	
Weight / Váha / Gewicht	339 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 200 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-6	EN ISO 105-B02
Fastness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	4	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CA TB 117-2013, BS 5852 Crib 5	

Certification / Certifikace / Zertifikat




Fabric made of natural material / Látka z přírodního materiálu / Stoff aus Naturmaterial

Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff

- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.



SY08



SY56




SY74



SY45



SY35



SY57




SY83



SY47



SY38



SY63



SY85



SY27



SY62

Composition / Složení / Zusammensetzung	95% Pure New Wool, 5% Polyamide	
Weight / Váha / Gewicht	400 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale > 100 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4	EN ISO 105-X12
Pilling / Žmolkování / Pilling	3-4	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, BS 7176 Low Hazard, NF D 60-013, Önorm B 3825 & A 3800-1	

Certification / Certifikace / Zertifikat	
--	---

 Fabric made of natural material / Látka z přírodního materiálu / Stoff aus Naturmaterial


- For standard care regularly use vacuum cleaner. Clean with damp cloth.
 - Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
 - Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
 - Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.



UDA07



UDA13




UDA16




UDA17




UDA25



⌚ UDA01



⌚ UDA02




⌚ UDA03



⌚ UDA05



⌚ UDA20



⌚ UDA22

Composition / Složení / Zusammensetzung	95% Wool, 3% Polyester, 2% Polyamide	
Weight / Váha / Gewicht	700 g/m²	
Width / Šířka / Breite	138 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale > 50 000 cycles	ASTM D4966-12E1
Light fastness / Stálobarevnost na světle / Lichtechtheit	5	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4	EN ISO 105-X12
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CAL TB 117, BS 7176 Low Hazard	

 Fabric made of natural material / Látka z přírodního materiálu / Stoff aus Naturmaterial

 Fabrics with longer delivery time / Látky s delší dodací lhůtou / Stoffe mit längerer Lieferzeit

- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.



CO1001



C61002




C0010



C66005



C0050



C60003

Composition / Složení / Zusammensetzung	88% Polyester, 12% Polyurethane	
Weight / Váha / Gewicht	275 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 150 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-7	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CAL TB 117, BS 5852 Part 1 0,1 Cigarette & Match	

Certification / Certifikace / Zertifikat	OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100	
--	---	--

Hygienic fabric / Hygienická látka / Hygienischer Stoff

- Comfort+ is water and oil-repellent. Most stains can be removed by brushing with a suede brush or use a solution of luke-warm water and a neutral detergent. The fabric can also be disinfected with ethanol.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Comfort+ je odolný vůči vodě a oleji. Většinu skvrn lze odstranit kartáčem na semiš nebo použitím roztoku vlažné vody a neutrálního mycího prostředku. Látku lze také dezinfikovat etanolem.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Comfort+ ist wasser- und ölabweisend. Die meisten Flecken können mit einer Wildlederbürste entfernt oder mit einer Lösung aus lauwarmem Wasser und einem neutralen Reinigungsmittel behandelt werden. Der Stoff kann auch mit Ethanol desinfiziert werden.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.

Composition / Složení / Zusammensetzung	Topcoat: 100% Portuguese cork / Backing: 30% COT + 70% PES	
Weight / Váha / Gewicht	420 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 120 000 cycles	ISO 5470-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	3	ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	No staining / swelling	ISO 17700
Water permeability/ Propustnost vody/ Wasserdurchlässigkeit	0,0%	ISO 17702
Flammability / Ohnivzdornost / Feuersicherung	BS 5852	

Certification / Certifikace / Zertifikat	PETA - APPROVED VEGAN	
--	---	--


Fabric made of natural material / Látka z přírodního materiálu / Stoff aus Naturmaterial

Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff

- For standard care use a wet cloth and mild detergent.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění použijte vlhký hadřík a jemný čisticí prostředek.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte verwenden Sie ein feuchtes Tuch und ein mildes Reinigungsmittel.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.



ST205




ST453



ST883




ST124



ST533



ST983



ST806



ST713

Composition / Složení / Zusammensetzung	90% New Wool, 10% Polyamide	
Weight / Váha / Gewicht	550 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 100 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-7	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	3-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	4	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, US Cal. Bull. 117-2013 BS 5852 Crib 5, ÖNORM B1/Q1	

Certification / Certifikace / Zertifikat



Fabric made of natural material / Látka z přírodního materiálu / Stoff aus Naturmaterial

- Vacuum clean frequently, ideally every week. Remove stains as soon as they occur, with clean warm water or sparkling water. Extraction clean when necessary. Extraction cleaning might dissolve water-based glue. Pay attention to temperature and amount of cleaning fluid.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Vysávejte často, nejlépe každý týden. Skvrny odstraňte hned, jak se objeví, čistou teplou vodou nebo perlivou vodou. V případě potřeby vyčistěte extrakcí. Extrakční čištění může rozpustit lepidlo na vodní bázi. Dbejte na teplotu a množství čisticí kapaliny.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Staubsaugen Sie regelmäßig, am besten jede Woche. Entfernen Sie Flecken, sobald sie auftreten, mit sauberem, warmem Wasser oder Sprudelwasser. Extraktionsreinigung, wenn nötig. Die Extraktionsreinigung kann Klebstoffe auf Wasserbasis auflösen. Achten Sie auf die Temperatur und die Menge der Reinigungsflüssigkeit.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.



Antistatic

Composition / Složení / Zusammensetzung	60% Polypropylene, 29% Wool, 10% Viscose, 1% Carbon Fibre	
Weight / Váha / Gewicht	385 g/m² +/- 5%	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 60 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4	EN ISO 105-X12
Flammability / Ohnivzdornost / Feuersicherung	BS 7176 Low Hazard – Hi-Tech Cigarette & Match, EN 1021-1&2 – Hi-Tech Low Hazard	

- Antistatic Hi-Tech is a high performance upholstery fabric with unique anti-static properties. It has been specifically designed to dissipate any build up of static electricity through furniture to earth so there are no nasty shocks. Hi-Tech is an attractive plain weave, dobby fabric in a selection of commercial colourways.
- Hi-Tech Antistatic je potahový materiál s vysokou výkonností a unikátními antistatickými vlastnostmi. Jeho specifický design umožňuje rozptýlit statickou elektřinu nahromaděnou v nábytku do země, čímž předchází nepříjemným elektrickým výbojům. Hi-Tech je atraktivní látka s rovným tkaním a dobby vzorem, dostupná v široké škále komerčních barev.
- Antistatic Hi-Tech ist ein besonders leistungsstarker Polsterstoff mit einzigartigen antistatischen Eigenschaften. Er wurde speziell entwickelt, um den Aufbau statischer Aufladung vom Möbelstück zur Erde abzuleiten, so dass es keine üblen Schläge gibt. Hi-Tech ist ein attraktiver schlichter Dobby-Webstoff, der in einigen kommerziellen Farben erhältlich ist.



P100




P5310




P5400



P5200



P5110



P5070




P5250



P5320



P1025



P5000

Type of leather / Typ kůže / Lederart	Bovine / Hovězí / Rinderleder	
Thickness / Tloušťka / Stärke	1-1,2 mm	
Origin / Původ / Herkunft	European raw hides	
Light fastness / Stálobarevnost na světle / Lichtechtheit	> 6	EN ISO 105-B02
Fastness to rubbing / Stálobarevnost v oděru / Reibechtheit	> 4	EN ISO 11640
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CAL TB 117	


Certification / Certifikace / Zertifikat	OEKO-TEX® CONFIDENCE IN LEATHER LEATHER STANDARD 	
--	---	--

Natural material / Přírodní materiál / Naturmaterial

- Clean with damp cloth. If it is available use distilled water. Restoratives designated for leather furniture care can be used.
- Čistěte hadříkem navlhčeným vodou. Pokud to bude možné, použijte destilovanou vodu. Dále je možné použití regeneračních prostředků určených pro ošetřování kůže použité na čalouněném nábytku.
- Reinigung mit einem feuchten Tuch. Wenn verfügbar, bitte destilliertes Wasser verwenden. Für Leder geeignete Pflegemittel können verwendet werden.




VER100



VER103




VER106




VER101



VER104




VER102



VER105

Type of leather / Typ kůže / Lederart	Bovine / Hovězí / Rinderleder	
Thickness / Tloušťka / Stärke	1.2 – 1.4 mm	
Origin / Původ / Herkunft	Europe	
Tanning / Vyčínění / Gerbung	Chrome	
Finishing / Povrchová úprava / Lederfinish	Semi-Aniline	
Flexing endurance / Odolnost vůči ohýbání / Biegefestigkeit	50 000 cycles (no crack)	EN ISO 5402
Light fastness / Stálobarevnost na světle / Lichtechtheit	4	EN ISO 105-B02
Colour fastness to water spotting / Stálobarevnost vůči vodním skvrnám / Farbechtheit gegenüber Wasserflecken	3	EN ISO 15700
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	3-4	EN ISO 11640
Flammability / Ohnivzdornost / Feuersicherung	BS 5852	
Natural material / Přírodní materiál / Naturmaterial		


- Semi-aniline leather combines premium raw materials with delicate craftsmanship. Carefully selected high-quality hides with minimal imperfections and subtle pigmentation make the material naturally soft and pleasant to the touch.
 - Lower adhesive content and a thin layer of color preserve its natural look and temperature comfort – the leather does not feel cold and provides a comfortable seating experience without causing sweating.
 - Wipe off the dust regularly with a dry, soft cloth.
 - Always remove possible impurities as quickly as possible. Before using a cleaning agent (which is suitable for this type of leather), always test it on a less visible spot first. Do not use organic solvent. Try to remove stains from liquids with absorbent paper without rubbing the damaged spot. Then lightly wipe the stained spot with a damp white cloth. Allow it to dry in the air and then polish it with a dry, soft cloth. For optimal care, fully clean and re-protect your leather furniture every six months.
 - The leather should not be exposed to direct sunlight or a direct heat source.
 - It is a sustainable product that is made by processing skins from the meat industry.
 - The leather is processed in accordance with the REACH Regulation.
- Semi-anilinová kůže představuje spojení prvotřídní suroviny a jemného zpracování. Díky pečlivému výběru kvalitních usní s minimem nedokonalostí a jemné pigmentaci je materiál přirozeně měkký a příjemný na dotek.
 - Nižší obsah lepidla a tenká vrstva barvy zachovávají její přírodní vzhled a teplotní komfort – kůže nestudí a příjemně se na ní sedí, aniž by způsobovala pocení.
 - Prach utírejte pravidelně suchým měkkým hadříkem.
 - Případné zašpinění vždy odstraňte co nejrychleji. Před použitím čistícího prostředku (vhodného pro tento typ kůže) vždy nejprve proveďte test na málo viditelném místě. Nepoužívejte organická rozpouštědla. Skvrny od tekutin se snažte odstranit savým papírem bez tření poškozeného místa. Následně použijte vlhký bílý hadřík, kterým lehce otřete znečištěné místo. Poté nechte na vzduchu uschnout a následně ještě doleštíte suchým měkkým hadříkem. Pro optimální péči důkladně vyčistěte a znovu ošetřete svůj kožený nábytek každých šest měsíců.
 - Kůže by neměla být vystavena přímému slunci ani přímému zdroji tepla.
 - Jedná se o udržitelný produkt, který se vyrábí zpracováním kůží z masného průmyslu.
 - Kůže je zpracována v souladu s nařízením REACH.
- Semi-Anilin-Leder vereint hochwertige Rohmaterialien mit feinsten Verarbeitung. Sorgfältig ausgewählte Lederhäute mit minimalen Makeln und feiner Pigmentierung machen das Material natürlich weich und angenehm im Griff.
 - Weniger Klebstoff und eine dünne Farbschicht bewahren das natürliche Aussehen und den thermischen Komfort – das Leder fühlt sich nicht kalt an und sorgt für angenehmes Sitzen, ohne zu schwitzen.
 - Wischen Sie den Staub regelmäßig mit einem trockenen, weichen Tuch ab.
 - Entfernen Sie eventuelle Verschmutzungen immer so schnell wie möglich. Testen Sie vor der Verwendung eines Reinigungsmittels (das für diese Art von Leder geeignet ist) immer zuerst an einem wenig sichtbaren Bereich. Verwenden Sie keine organischen Lösungsmittel. Flecken von Flüssigkeiten versuchen Sie mit saugfähigem Papier zu entfernen, ohne die beschädigte Stelle zu reiben. Wischen Sie dann die verschmutzte Stelle mit einem feuchten weißen Tuch leicht ab. Lassen Sie sie an der Luft trocknen und polieren Sie sie dann mit einem trockenen, weichen Tuch. Für eine optimale Pflege reinigen und schützen Sie Ihre Ledermöbel alle sechs Monate gründlich.
 - Das Leder sollte nicht dem direkten Sonnenlicht oder einer direkten Wärmequelle ausgesetzt werden.
 - Es handelt sich um ein nachhaltiges Produkt, das durch die Verarbeitung von Häuten aus der Fleischindustrie erzeugt wird.
 - Das Leder wird in Übereinstimmung mit der REACH-Verordnung verarbeitet.



W1108



W1110



W1121

Type of leather / Typ kůže / Lederart	Bovine / Hovězí / Rinderleder	
Thickness / Tloušťka / Stärke	0,9-1,1 mm	
Origin / Původ / Herkunft	North America	
Tanning / Vyčínění / Gerbung	Chromium salt	
Finishing / Povrchová úprava / Lederfinish	Aniline	
Daylight fastness / Stálost na denním světle / Tageslichtechtheit	D 65	
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	> 3	EN ISO 11640

Natural material / Přírodní materiál / Naturmaterial

- The natural fibre structure is preserved as much as possible. Minor surface imperfections are related to the life of the animal and are an essential part of this type of leather.
 - The leather is polished by hand on the face side, resulting in a characteristic, perfectly smooth and velvety surface. This finish makes the leather more comfortable and breathable, but requires more care and regular maintenance.
 - Wipe off the dust regularly with a dry, soft cloth.
 - Always remove possible impurities as quickly as possible. Before using a cleaning agent (which is suitable for this type of leather), always test it on a less visible spot first. Do not use organic solvent.
 - Try to remove stains from liquids with absorbent paper without rubbing the damaged spot. Then lightly wipe the stained spot with a damp white cloth. Allow it to dry in the air and then polish it with a dry, soft cloth.
 - The leather should not be exposed to direct sunlight or a direct heat source.
 - It is a sustainable product that is made by processing skins from the meat industry.
 - The leather is processed in accordance with the REACH Regulation.
- Přirozená struktura vláken je zachována v nejvyšší možné míře. Drobné nedostatky na povrchu souvisejí se životem zvířete a jsou nedílnou součástí tohoto typu kůže.
 - Na lícové straně je kůže ručně leštěná, což vytváří charakteristický, dokonale hladký a sametový povrch. Díky této úpravě poskytuje kůže větší komfort a lépe dýchá, ale vyžaduje více péče a pravidelnou údržbu.
 - Prach utírejte pravidelně suchým měkkým hadříkem.
 - Případné zašpinění vždy odstraňte co nejrychleji. Před použitím čistícího prostředku (vhodného pro tento typ kůže) vždy nejprve proveďte test na málo viditelném místě. Nepoužívejte organická rozpouštědla.
 - Skvrny od tekutin se snažte odstranit savým papírem bez tření poškozeného místa. Následně použijte vlhký bílý hadřík, kterým lehce otřete znečištěné místo. Poté nechte na vzduchu uschnout a následně ještě doleštěte suchým měkkým hadříkem.
 - Kůže by neměla být vystavena přímému slunci ani přímému zdroji tepla.
 - Jedná se o udržitelný produkt, který se vyrábí zpracováním kůží z masného průmyslu.
 - Kůže je zpracována v souladu s nařízením REACH.
- Die natürliche Faserstruktur bleibt möglichst weitgehend erhalten. Geringfügige Oberflächenmängel hängen mit dem Leben des Tieres zusammen und sind ein wesentlicher Bestandteil dieser Lederart.
 - Das Leder wird auf der Oberseite von Hand poliert, was eine charakteristische, vollkommen glatte und samtige Oberfläche ergibt. Durch dieses Finish wird das Leder komfortabler und atmungsaktiver, erfordert aber mehr Pflege und regelmäßige Wartung.
 - Wischen Sie den Staub regelmäßig mit einem trockenen, weichen Tuch ab.
 - Entfernen Sie eventuelle Verschmutzungen immer so schnell wie möglich. Testen Sie vor der Verwendung eines Reinigungsmittels (das für diese Art von Leder geeignet ist) immer zuerst an einem wenig sichtbaren Bereich. Verwenden Sie keine organischen Lösungsmittel.
 - Flecken von Flüssigkeiten versuchen Sie mit saugfähigem Papier zu entfernen, ohne die beschädigte Stelle zu reiben. Wischen Sie dann die verschmutzte Stelle mit einem feuchten weißen Tuch leicht ab. Lassen Sie sie an der Luft trocknen und polieren Sie sie dann mit einem trockenen, weichen Tuch.
 - Das Leder sollte nicht dem direkten Sonnenlicht oder einer direkten Wärmequelle ausgesetzt werden.
 - Es handelt sich um ein nachhaltiges Produkt, das durch die Verarbeitung von Häuten aus der Fleischindustrie erzeugt wird.
 - Das Leder wird in Übereinstimmung mit der REACH-Verordnung verarbeitet.




RIB 11



RIB 16




RIB 20




RIB 62




RIB 72




RIB 92



NET 202



NET 224




NET 231

Composition / Složení / Zusammensetzung	58% Polyamid, 34% Polyester, 8% Polyacryl	
Weight / Váha / Gewicht	250 g/m²	
Width / Šířka / Breite	160 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 190 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Flammability / Ohnivzdornost / Feuerisierung	EN 1021-1	


- For standard care regularly use vacuum cleaner. Clean with damp cloth.
 - Shades of upholstery fabrics may differ slightly within the various batches of delivery.
-
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
 - Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
-
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
 - Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.

Composition / Složení / Zusammensetzung	77% PVC, 23% Polyester	
Weight / Váha / Gewicht	560 g/m²	
Width / Šířka / Breite	190 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale > 100 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	8	EN ISO 4892-2
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	5	EN ISO 105-X12


- For standard care regularly use vacuum cleaner. Clean with damp cloth.
 - Shades of upholstery fabrics may differ slightly within the various batches of delivery.
-
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
 - Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
-
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
 - Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.




MEGA1




MEGA3



MEGA4



MEGA7



MEGA8


Composition / Složení / Zusammensetzung	100% Polyester	
Weight / Váha / Gewicht	360 g/m²	
Width / Šířka / Breite	122 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 100 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	6	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105- X12
Pilling / Žmolkování / Pilling	5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021 1-2, CAL TB 117:2013, BS 5852 Crib 5 , BS 7176 Medium Hazard	

Certification / Certifikace / Zertifikat




🔄 Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff


- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.




O68093



O60121




O60999



O60122



O65070



O60120



O66113



O61147

Composition / Složení / Zusammensetzung	100% Polyester	
Weight / Váha / Gewicht	313 g/m ²	
Width / Šířka / Breite	160 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 100 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-7	EN ISO 105-B02
Fastness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105- X12
Pilling / Žmolkování / Pilling	5	EN ISO 12945-2


Flammability / Ohnivzdornost / Feuersicherung EN 1021-1&2, CAL TB 117, BS 5852 Part 1 0,1 Cigarette & Match

Certification / Certifikace / Zertifikat




Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff


- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.




U65078




U60011




U64089




U60999



U68056



U63034



U66063

Composition / Složení / Zusammensetzung	80% Polyester, 20% Recycled Polyester	
Weight / Váha / Gewicht	319 g/m ²	
Width / Šířka / Breite	160 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 70 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-7	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105- X12
Pilling / Žmolkování / Pilling	5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CAL TB 117	

Certification / Certifikace / Zertifikat




🔄 Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff


- Theo Nets can be used as a self-supporting mesh for backrests in designated chairs. Theo Nets can also be used as an upholstery fabric for seat and backrest upholstery in designated products; in this case the fabric falls within the category 3.
- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Theo Nets lze používat jako samonosnou síťovinu pro opěradla určených židlí. Theo Nets lze používat také jako potahovou látku pro čalounění sedáku a opěradel vybraných produktů, v tomto případě látka patří do kategorie 3.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Theo Nets kann als freitragendes Netzgewebe für ausgewählte Produktlinien verwendet werden. Weiterhin ist es bei einigen Produkten möglich, diesen Stoff auf Sitz und Rückenlehne aufzupolstern. In diesen Fällen ist der Stoff Theo Nets der Stoffkategorie 3 zugeordnet.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.




RAY 60




RAY 70




RAY 79



RAY 100



RAY 914



SW 1101



SW 3102

Composition / Složení / Zusammensetzung	100% Polyester	
Weight / Váha / Gewicht	214 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 40 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	6	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1	

- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.


Composition / Složení / Zusammensetzung	76% Recycled Polyester, 24% Polyester	
Weight / Váha / Gewicht	429 g/m²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 100 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-8	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	4-5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CAL TB 117, BS 5852 Part 1 0,1 Cigarette & Match	

Certification / Certifikace / Zertifikat



- ⦿ Partly recycled fabric / Částečně recyklovaná látka / Teilweise Recycelter Stoff
- ⦿ Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff


- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.



RY60165



RY60999




RY63067



RY66151



RY66152



RY68121



RY68123

Composition / Složení / Zusammensetzung	100% Polyester – Polyester Flame Retardant	
Weight / Váha / Gewicht	328 g/m²	
Width / Šířka / Breite	160 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 70 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-7	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, BS 5852 Crib 5, DIN 4102 B1, CAL TB 117, NF P 92-503 M3	


Certification / Certifikace / Zertifikat




- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.




CR60019S



CR62084S



CR65105S



CR67084S

- The Cura/Style Strip can be used for designated products only. Specific information is provided in the price list.
- Cura/Style Strip je možné použít výhradně a pouze na určené produkty. Konkrétní informace jsou uvedeny v ceníku.
- Cura/Style Strip kann nur bei ausgewählten Produkten verwendet werden. Nähere Informationen hierzu finden Sie in der Preisliste.



A60011S



A60999S



A64089S



A66063S



A68054S

Composition / Složení / Zusammensetzung	98% Recycled Polyester, 2% Polyester	
Weight / Váha / Gewicht	300 g/m ²	
Width / Šířka / Breite	140 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 100 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-8	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	4-5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CAL TB 117, BS 5852 Part 1 0,1 Cigarette & Match	

Certification / Certifikace / Zertifikat



Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff

- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.


Composition / Složení / Zusammensetzung	100% Polyester	
Weight / Váha / Gewicht	353 g/m ²	
Width / Šířka / Breite	150 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 110 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-7	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Pilling / Žmolkování / Pilling	4-5	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1&2, CAL TB 117, Önorm B 3825 B1 3800-Q1 UK	

Certification / Certifikace / Zertifikat



Recyclable fabric / Recyklovatelná látka / Wiederverwertbarer Stoff

- For standard care regularly use vacuum cleaner. Clean with damp cloth.
- Shades of upholstery fabrics may differ slightly within the various batches of delivery.
- Pro běžné čištění a údržbu pravidelně vysávejte vysavačem. V případě potřeby čistěte hadříkem navlhčeným vodou.
- Odstíny potahových látek mohou mít mírné odchylky v rámci různých dodávek.
- Zur standardmäßigen Pflege bitte regelmäßig absaugen. Reinigen Sie den Stoff mit einem feuchten Tuch.
- Bei Stoffen sind handelsübliche Farbabweichungen je nach Produktionscharge möglich.




4933/10




4933/11

Composition / Složení / Zusammensetzung	81% Polyester, 18% Polyamide, 1% Elastane	
Weight / Váha / Gewicht	400 g/m²	
Width / Šířka / Breite	170 cm	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 30 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105-X12
Flammability / Ohnivzdornost / Feuersicherung	EN 1021-1, CAL TB 117	


- Everyday Net is designed only for certain Everyday models.
- Síťovina Everyday Net se používá jen pro vybrané modely série Everyday.
- Das Netzgewebe Everyday Net ist nur mit der Modellen der Serie Everyday lieferbar.



FM000



FM001



FM002

Composition / Složení / Zusammensetzung	100% Recycled Polyester	
Abrasion resistance / Oděruvzdornost / Scheuerfestigkeit	Martindale 85 000 cycles	EN ISO 12947-2
Light fastness / Stálobarevnost na světle / Lichtechtheit	5-7	EN ISO 105-B02
Fasteness to rubbing / Stálobarevnost v oděru / Reibechtheit	4-5	EN ISO 105- X12
Pilling / Žmolkování / Pilling	4	EN ISO 12945-2
Flammability / Ohnivzdornost / Feuersicherung		EN 1021-1&2, CA TB 117-2013

Certification / Certifikace / Zertifikat



♻️ Recycled fabric / Recyklovaná látka / Recycelter Stoff

- To preserve the fabric's attractive colour and appearance, we recommend regular vacuuming, preferably every week, with a soft fitting.
- Most types of spots can be removed with lukewarm water, possibly with a pH-neutral dishwashing detergent. Always remove the spot as quickly as possible – before it penetrates into the fibres.
- This knitted fabric is used exclusively for the backrest of FollowMe task chairs.
- Pro zachování atraktivní barvy a vzhledu tkaniny doporučujeme pravidelné vysávání, nejlépe každý týden, měkkým nástavcem.
- Většinu typů skvrn lze odstranit vlažnou vodou, případně pH neutrálním prostředkem na mytí nádobí. Skvrnu vždy odstraňte co nejrychleji – dříve, než pronikne do vláken.
- Tato pletenina se používá výhradně na opěrky pracovních židlí FollowMe.
- Um die attraktive Farbe und das Aussehen des Stoffes zu erhalten, empfehlen wir regelmäßiges Staubsaugen, am besten jede Woche, mit einem weichen Fitting.
- Die meisten Arten von Flecken lassen sich mit lauwarmem Wasser, eventuell mit einem pH-neutralen Geschirrspülmittel, entfernen. Entfernen Sie den Fleck immer so schnell wie möglich – bevor er in die Fasern eindringt.
- Dieses Gestrick wird ausschließlich für die Rückenlehne der FollowMe-Arbeitsstühle verwendet.

