

2026 PRICE LIST

Price list Sweden - SEK

arper

KINESIT

Design by
Lievore Altherr Molina
2014



Collection overview

Bases

Mechanism



5 ways aluminum and gas mechanism
Optional armrests

- Built-in self-tensioning weight response mechanism
- Backrest with 3-position recline
- Adjustable lumbar support

Backrest



Low

Medium

Upholsteries



Polypropylene backrest, front face mesh and upholstered seat.

Polypropylene backrest with upholstered front face.

Entirely upholstered seat and backrest.

Options

Armrest types



Armrest fixed

Adjustable in 2D

Kinesit Met

Collection overview

Bases

Mechanism



5 ways aluminum and gas mechanism
Optional armrests

- Built-in self-tensioning weight response mechanism
- Backrest with 3-position recline
- Adjustable lumbar support

Backrest



Low backrest

Medium backrest

Upholsteries



Entirely upholstered seat and backrest.

Options


Armrest types



Armrest fixed aluminium

Kinesit

Design by Lievore Altherr Molina, 2014



Chair with powder coated aluminum 5 way swivel base on castors (available for hard and soft floors, color matching base), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low backrest with visible backshell, front in polyester mesh in matching color. Seat upholstered in fabric, leather, coated fabric or customer's own material. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge.



SEK ART. 4845

	A	B COM	C COL	D	E	F	G	H	L1	L2	L3
POWDERCOATED ALUMINIUM	9840	10046	10252	10458	10664	10870	11076	11488	11282	11694	13110
Armrest 2D	+	1656									
Armrest	+	736									

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.4845 1 pz = 1 - kg 21/ m³ 0,4	Art.4845 COL requirement m² 0.85 H 140 cm. COM Meterage m 0.72	• TUV GS (EN16139) • TUV GS (EN 1335-2) • TUV GS (EN 1335-1)
FIRE RETARDANT TEST Classe 11M Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.		

Frame Base



V12
matt

V39
matt

Polypropylene



PA00001 PA00002

Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with powder coated aluminum 5 way swivel base on castors (available for hard and soft floors, color matching base), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low backrest with visible backshell. Front back and seat upholstered in fabric, leather, coated fabric or customer's own material. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.



SEK ART. 4849

	A	B COM	C COL	D	E	F	G	H	L1	L2	L3
POWDERCOATED ALUMINIUM	10360	10566	10772	10978	11184	11390	11596	12008	11802	12214	13640
	A	B COM	C COL	D	E	F	G	H	L1	L2	
Upholstery: two colors	+ 141	+ 238	+ 335	+ 432	+ 529	+ 626	+ 723	+ 917	+ 820	+ 1014	
Armrest 2D	+ 1656										
Armrest	+ 736										

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.4849 1 pz = 1 - kg 21/ m³ 0,4	Art.4849 COL requirement m² 1.64 H 140 cm. COM Meterage m 0.72 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch	• TUV GS (EN16139) • TUV GS (EN 1335-2) • TUV GS (EN 1335-1)
FIRE RETARDANT TEST Classe 11M Omologazione Italia Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat.		

Frame Base



V12
matt

V39
matt

Polypropylene



PA00001 PA00002

Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with powder coated aluminum 5 way swivel base on castors (available for hard and soft floors, color matching base), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low back and seat completely upholstered in fabric, leather, coated fabric or customer's own material. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.



SEK ART. 4852

	A	B COM	C COL	D	E	F	G	H	L1	L2	L3
POWDERCOATED ALUMINIUM	11248	11649	12050	12451	12852	13253	13654	14456	14055	14857	17581
	A	B COM	C COL	D	E	F	G	H	L1	L2	
Upholstery: two colors	+ 141	+ 238	+ 335	+ 432	+ 529	+ 626	+ 723	+ 917	+ 820	+ 1014	
Armrest 2D	+ 1656										
Armrest	+ 736										

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.4852 1 pz = 1 - kg 21/ m³ 0,4	Art.4852 COL requirement m² 2.44 H 140 cm. COM Meterage m 1.38 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch	• TUV GS (EN16139) • TUV GS (EN 1335-2) • TUV GS (EN 1335-1)
FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.		

Frame Base



Polypropylene



Armrest



Armrest 2D




Armrest



Kinesit Met

Design by Lievore Altherr Molina, 2021




Chair with powder coated aluminum 5 way swivel base on self-braking castors (black, available for hard and soft floors), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Low backrest and seat completely upholstered in fabric, leather, coated fabric or customer's own material. On request and with an additional charge, fixed aluminium armrests are available in the same finishes as the base. The seat and backrest can be made using different shades of the same cover.

SEK ART. 4863

	A	B COM	C COL	D	E	F	G	H	L1	L2	L3
POWDERCOATED ALUMINIUM	13813	14214	14615	15016	15417	15818	16219	17021	16620	17422	20049
	A	B COM	C COL	D	E	F	G	H	L1	L2	
Upholstery: two colors	+ 141	+ 238	+ 335	+ 432	+ 529	+ 626	+ 723	+ 917	+ 820	+ 1014	
Aluminium armrests	+ 2674										

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.4863 1 pz = 1 - kg 21/ m³ 0,401	Art.4863 COL requirement m² 2.44 H 140 cm. COM Meterage m 1.38 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch	• TUV GS (EN16139) • TUV GS (EN 1335-2) • TUV GS (EN 1335-1)
FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat.		

Frame Base



Armrest




Aluminium armrests



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with powder coated aluminum 5 way swivel base on castors (available for hard and soft floors, color matching with base), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Medium backrest with front in polyester mesh in the same color as the backshell. Seat upholstered in fabric, leather, coated fabric or customer's own material. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge.



SEK ART. 4855

	A	B COM	C COL	D	E	F	G	H	L1	L2	L3
POWDERCOATED ALUMINIUM	10003	10209	10415	10621	10827	11033	11239	11651	11445	11857	13261
Armrest 2D	+	1656									
Armrest	+	736									

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.4855 1 pz = 1 - kg 22/ m³ 0,45	Art.4855 COL requirement m² 0.85 H 140 cm. COM Meterage m 0.72	• TUV GS (EN16139) • TUV GS (EN 1335-2) • TUV GS (EN 1335-1)
FIRE RETARDANT TEST Classe 11M Omologazione Italia Canvas 2 Kvadrat. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.		

Frame Base



V12
matt

V39
matt

Polypropylene



PA00001 PA00002

Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with powder coated aluminum 5 way swivel base on castors (available for hard and soft floors, color matching base), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Medium backrest with visible backshell. Front back and seat upholstered in fabric, leather, coated fabric or customer's won material. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.



SEK ART. 4858

	A	B COM	C COL	D	E	F	G	H	L1	L2	L3
POWDERCOATED ALUMINIUM	10631	10858	11085	11312	11539	11766	11993	12447	12220	12674	14344
	A	B COM	C COL	D	E	F	G	H	L1	L2	
Upholstery: two colors	+ 141	+ 238	+ 335	+ 432	+ 529	+ 626	+ 723	+ 917	+ 820	+ 1014	
Armrest 2D	+ 1656										
Armrest	+ 736										

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.4858 1 pz = 1 - kg 22/ m³ 0,45	Art.4858 COL requirement m² 1.74 H 140 cm. COM Meterage m 0.83 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch	• TUV GS (EN16139) • TUV GS (EN 1335-2) • TUV GS (EN 1335-1)
FIRE RETARDANT TEST Classe 11M Omologazione Italia Coated fabric Valencia Spradling. • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat.		

Frame Base



V12
matt

V39
matt

Polypropylene



PA00001 PA00002

Armrest



Armrest 2D




Armrest



Kinesit

Design by Lievore Altherr Molina, 2014



Chair with powder coated aluminum 5 way swivel base on castors (available for hard and soft floors, color matching base), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Medium back and seat completely upholstered in fabric, leather, coated fabric or customer's own material. Fixed or adjustable armrests in nylon fiber, color matching backshell, are available upon request and with a surcharge. Back and seat can be ordered in different colors of the same upholstery, with a surcharge.



SEK ART. 4861

	A	B COM	C COL	D	E	F	G	H	L1	L2	L3
POWDERCOATED ALUMINIUM	11767	12211	12655	13099	13543	13987	14431	15319	14875	15763	18555
	A	B COM	C COL	D	E	F	G	H	L1	L2	
Upholstery: two colors	+ 141	+ 238	+ 335	+ 432	+ 529	+ 626	+ 723	+ 917	+ 820	+ 1014	
Armrest 2D	+ 1656										
Armrest	+ 736										

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.4861 1 pz = 1 - kg 22/ m³ 0,45	Art.4861 COL requirement m² 2.7 H 140 cm. COM Meterage m 1.49 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch	• TUV GS (EN16139) • TUV GS (EN 1335-2) • TUV GS (EN 1335-1)
FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat. Coated fabric Valencia Spradling.		

Frame Base



V12
matt

V39
matt

Polypropylene



PA00001 PA00002

Armrest



Armrest 2D




Armrest



Kinesit Met

Design by Lievore Altherr Molina, 2021




Chair with powder coated aluminum 5 way swivel base on self-braking castors (black, available for hard and soft floors), fitted with gas-lift mechanism for height adjustment. Seat with built-in self-tensioning weight response mechanism, backrest with 3-position recline, adjustable lumbar support breathing up to 60 mm. Mid-backrest and seat entirely upholstered in fabric, leather, coated fabric or customer's own material. On request and with an additional charge, fixed aluminium armrests are available in the same finishes as the base. Seat and backrest can be made using different shades of the same cover.

SEK ART. 4864

	A	B COM	C COL	D	E	F	G	H	L1	L2	L3
POWDERCOATED ALUMINIUM	14311	14755	15199	15643	16087	16531	16975	17863	17419	18307	21153
	A	B COM	C COL	D	E	F	G	H	L1	L2	
Upholstery: two colors	+ 141	+ 238	+ 335	+ 432	+ 529	+ 626	+ 723	+ 917	+ 820	+ 1014	
Aluminium armrests	+ 2674										

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	RESISTANCE TEST
Art.4864 1 pz = 1 - kg 22/ m³ 0,448	Art.4864 COL requirement m² 2.7 H 140 cm. COM Meterage m 1.49 *Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch	- TUV GS (EN16139) - TUV GS (EN 1335-2) - TUV GS (EN 1335-1)
FIRE RETARDANT TEST • FIRE RETARDANT VERSION WITH SURCHARGE * Classe 11M Omologazione Italia Canvas 2 Kvadrat. Elmosoft. Remix 3 Kvadrat. Steelcut Trio 3 Kvadrat.		

Frame Base



Armrest



Aluminium armrests



