

PRISLISTA SVERIGE

2026:5

TEXTIL- & LVT GOLV



VI ÄR MADE FOR MORE

I varje färg, mönster, textur och detalj ligger timmar av produktutveckling, design och banbrytande hållbarhetsarbete. Våra golv är tillverkade med omtanke för både människa och miljö, utan kompromisser — de är “Made for More” helt enkelt.

1973 introducerade Interface grundare, Ray Anderson, ett europeiskt koncept för textilplattor i USA och startade en kommersiell golvrevolution som skulle sprida sig världen över. Idag är Interface en global ledare inom modulära golv som erbjuder textilgolv, LVT och nora® gummigolv.

Interface®

PRISLISTA SVERIGE 2026

Produktnamn	SEK/m ²	m ² /box	Bruks- och komfort-index	100% Återvunnen nylon	Produktgenskaper					Storlek	Baksidor			
											SONE	SONE+	CQuest™ Bio	CQuest™ BioX
A Cut Above	591	no box	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	26dB	100 x 100 cm			Standard	
Barricade One	627	4	Class 32 / LC2	x	≥2,0	x	x	Cfl-s1		50 x 50 cm			Standard	
Barricade Two	627	4	Class 32 / LC2	x	≥2,0	x	x	Cfl-s1		50 x 50 cm			Standard	
City of Angels	644	5	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm			Standard	
Collins Cottage	668	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm			Standard	
Composure	364	4	Class 33 / LC1		≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x	x	Standard	
Composure Edge	382	4	Class 33 / LC2		≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x	x	Standard	
Connected Ethos 100	364	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x	x	Standard	Option
Connected Ethos 200	382	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x	x	Standard	Option
Contemplation	382	4	Class 33 / LC1		≥2,4	x	x	Cfl-s1	23dB	50 x 50 cm	x	x	Standard	
Crafted Connections - Bound To Last	415	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Crafted Connections - Dual Effect	415	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Crafted Connections - Thread Lightly	415	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Darning	514	5	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	25 x 100 cm	x		Standard	Option
Decibel	567	5	Class 33 / LC2	x	≥2,4	x	x	Cfl-s1	26dB	25 x 100 cm	x		Standard	Option
Dressed Lines - Accent Hour	567	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	25 x 100 cm	x	x	Standard	
Dressed Lines - Angular Times	567	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	25 x 100 cm	x	x	Standard	
Dressed Lines - Comes Around	429	5	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	23dB	25 x 100 cm	x		Standard	Option
Dressed Lines - Goes Around	429	5	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	23dB	25 x 100 cm	x		Standard	Option
Dressed Lines - Positive Spin	567	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Dressed Lines - Simple Does It	567	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Elevation III	378	5.5	Class 33 / LC1	x	≥2,4	x	x	Cfl-s1	16dB	50 x 50 cm	x	x	Standard	
Embodied Beauty - Geisha Gather	565	3	Class 33 / LC2		≥2,4	x	x	Bfl-s1	25dB	25 x 100 cm	x	x	Standard	
Embodied Beauty - Sashiko Stitch	533	4	Class 33 / LC2		≥2,4	x	x	Bfl-s1	27dB	25 x 100 cm	x	x	Standard	
Embodied Beauty - Shishu Stitch	499	5	Class 33 / LC1		≥2,4	x	x	Cfl-s1	24dB	25 x 100 cm	x			Standard

PRISLISTA SVERIGE 2026

Produktnamn	SEK/m²	m²/box	Bruks- och komfort-index	100% Återvunnen nylon	Produktegenskaper					Storlek	Baksidor			
											SONE	SONE+	CQuest™ Bio	CQuest™ BioX
Embodied Beauty - Simple Sash	567	4	Class 33 / LC2		≥2,4	x	x	Bfl-s1	26dB	25 x 100 cm	x	x	Standar	
Embodied Beauty - Tokyo Texture	499	5	Class 33 / LC1		≥2,4	x	x	Cfl-s1	24dB	25 x 100 cm	x			Standard
Embodied Beauty - Vintage Kimono	565	4	Class 33 / LC2		≥2,4	x	x	Bfl-s1	25dB	25 x 100 cm	x	x	Standard	
Embodied Beauty - Zen Stitch	499	5	Class 33 / LC1		≥2,4	x	x	Cfl-s1	24dB	25 x 100 cm	x			Standard
Employ Lines	251	5	Class 33 / LC1		≥2,4	x	x	Bfl-s1	24dB	50 x 50 cm	x	x	Standard	
Employ Loop	251	5	Class 33 / LC1		≥2,4	x	x	Bfl-s1	24dB	50 x 50 cm	x	x	Standard	
Equilibrium II	429	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	27dB	50 x 50 cm	x	x	Standard	Option
Etched & Threaded - E610	526	3	Class 33 / LC4	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x		Standard	
Etched & Threaded - E611	526	3	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x		Standard	
Etched & Threaded - E612	567	4	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	27dB	25 x 100 cm	x	x	Standard	
Etched & Threaded - E613	533	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	27dB	25 x 100 cm	x	x	Standard	Option
Etched & Threaded - E614	567	4	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	27dB	25 x 100 cm	x	x	Standard	
Etched & Threaded - E615	567	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	27dB	25 x 100 cm	x	x	Standard	Option
Etched & Threaded - E616	398	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	23dB	25 x 100 cm	x	x	Standard	Option
Haptic	567	5	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	25 x 100 cm	x		Standard	Option
Head Over Heels - M0684	591	no box	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	100 x 100 cm	x		Standard	
Head Over Heels - M0749	591	no box	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	100 x 100 cm	x		Standard	
Head Over Heels - M0827	591	no box	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	100 x 100 cm	x		Standard	
Head Over Heels - M1032	591	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	100 x 100 cm	x		Standard	
Heuga 530 II	361	5	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x	x	Standard	
Heuga 580 II	373	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x		Standard	
Heuga 725	399	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x	x	Standard	Option
Heuga 727	300	5	Class 33 / LC1	x	≥2,4	x	x	Cfl-s1	25dB	50 x 50 cm	x		Standard	Option
Hip Over History	591	no box	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	100 x 100 cm	x		Standard	
Human Connections - Flagstone	458	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x		Standard	Option

PRISLISTA SVERIGE 2026

Produktnamn	SEK/m²	m²/box	Bruks- och komfort-index	100% Återvunnen nylon	Produktegenskaper					Storlek	Baksidor			
											SONE	SONE+	CQuest™ Bio	CQuest™ BioX
Human Connections - Kerbstone	458	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x		Standard	Option
Human Connections - Moss	511	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x	x	Standard	
Human Connections - Moss in Stone	511	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x	x	Standard	
Human Connections - Rue	587	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x	x	Standard	
Human Connections - Sett In Stone	458	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Human Connections - Stone Course	587	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x	x	Standard	
Human Nature - HN810	568	4	Class 33 / LC3	x	≥2,4	x	x	Cfl-s1	28dB	25 x 100 cm	x	x	Standard	
Human Nature - HN820	539	4,5	Class 33 / LC2	x	≥2,4	x	x	Cfl-s1	26dB	25 x 100 cm	x		Standard	Option
Human Nature - HN830	568	2,5	Class 32 / LC5	x	≥2,0	x	x	Cfl-s1	30dB	25 x 100 cm	x	x	Standard	
Human Nature - HN840	568	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	25 x 100 cm	x	x	Standard	
Human Nature - HN850	568	4	Class 33 / LC2	x	≥2,4	x	x	Cfl-s1	29dB	25 x 100 cm	x	x	Standard	
Hydropolis	567	4	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	27dB	50 x 50 cm	x		Standard	Option
Ice Breaker	364	5	Class 33 / LC2		≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x	x	Standard	
Look Both Ways - Step Aside	607	4	Class 33 / LC2		≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Look Both Ways - Step in Time	607	4	Class 33 / LC2		≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x		Standard	
Look Both Ways - Step it Up	526	4	Class 33 / LC1		≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x		Standard	
Look Both Ways - Step this Way	607	4	Class 33 / LC2		≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Luxury Collection - LC02	710	no box	Class 33 / LC4	x	≥2,4	x	x	Bfl-s1	25dB	100 x 100 cm	x		Standard	
Luxury Collection - LC05	710	3	Class 33 / LC4	x	≥2,4	x	x	Bfl-s1	27dB	50 x 50 cm	x		Standard	
Mod Café	644	4	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x		Standard	
Net Effect - B601	555	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Net Effect - B602	555	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Net Effect - B603	555	4	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
NY+LON Streets - Broome Street	553	3	Class 33 / LC2		≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x	x	Standard	
NY+LON Streets - Dover Street	526	4	Class 33 / LC2		≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	

PRISLISTA SVERIGE 2026

Produktnamn	SEK/m²	m²/box	Bruks- och komfort-index	100% Återvunnen nylon	Produktegenskaper					Storlek	Baksidor			
											SONE	SONE+	CQuest™ Bio	CQuest™ BioX
NY+LON Streets - Mercer Street	526	4	Class 33 / LC2		≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
NY+LON Streets - Old Street	437	5	Class 33 / LC1		≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x		Standard	
NY+LON Streets - Reade Street	526	4	Class 33 / LC2		≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
NY+LON Streets - Wheler Street	437	4	Class 33 / LC2		≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x		Standard	
Off Line	415	5	Class 33 / LC2	x	≥2,4	x	x	Cfl-s1	25dB	25 x 100 cm	x	x	Standard	Option
On Line	415	5	Class 33 / LC2	x	≥2,4	x	x	Cfl-s1	25dB	25 x 100 cm	x	x	Standard	Option
Open Air 401	382	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	23dB	25 x 100 cm	x	x	Standard	Option
Open Air 402	382	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	23dB	25 x 100 cm	x	x	Standard	Option
Open Air 403	382	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x	x	Standard	Option
Open Air 403 Accent	382	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x	x	Standard	Option
Open Air 403 Transition	375	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x	x	Standard	Option
Open Air 404	382	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x	x	Standard	Option
Open Air 404 Accent	382	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x	x	Standard	Option
Open Air 404 Transition	375	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x	x	Standard	Option
Open Air 405	382	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x	x	Standard	Option
Overedge	567	2.5	Class 32 / LC5	x	≥2,4	x	x	Cfl-s1	30dB	25 x 100 cm	x		Standard	
Past Forward - Antiquities	582	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	27dB	50 x 50 cm	x		Standard	
Past Forward - Archival	652	3	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	27dB	50 x 50 cm	x		Standard	
Past Forward - Arley	582	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x		Standard	
Past Forward - Cheshire Street	582	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x		Standard	
Past Forward - Circa Then	582	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x		Standard	
Past Forward - Decades	652	3	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	28dB	50 x 50 cm	x		Standard	
Past Forward - Fortnight	652	3	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	28dB	50 x 50 cm	x		Standard	
Past Forward - Newstalgia	582	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x		Standard	
Past Forward - Reeling	582	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x		Standard	

PRISLISTA SVERIGE 2026

Produktnamn	SEK/m ²	m ² /box	Bruks- och komfort-index	100% Återvunnen nylon	Produktegenskaper					Storlek	Baksidor			
											SONE	SONE+	CQuest™ Bio	CQuest™ BioX
Past Forward - Rekindled	582	3	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	28dB	50 x 50 cm	x		Standard	
Past Forward - Retrospec	582	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x		Standard	
Past Forward - Unspooled	582	3	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	28dB	50 x 50 cm	x		Standard	
Past Forward - Unwound	582	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x		Standard	
Past Forward - Yesterdays	582	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x		Standard	
Paver	398	4	Class 33 / LC2	x	≥2,4	x	x	Cfl-s1	25dB	50 x 50 cm	x		Standard	Option
Polichrome Solid	558	4	Class 33 / LC4	x	≥2,4	x	x	Bfl-s1	27dB	50 x 50 cm	x	x	Standard	
Polichrome Stipple	558	4	Class 33 / LC4	x	≥2,4	x	x	Bfl-s1	27dB	50 x 50 cm	x	x	Standard	
Portmanteau - PM19	644	4	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	25dB	50 x 100 cm	x		Standard	
Portmanteau - PM39	644	4	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	25dB	50 x 100 cm	x		Standard	
Portmanteau - PM49	668	4	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	25dB	50 x 100 cm	x		Standard	
Recreation	364	5	Class 33 / LC2	x	≥2,4	x	x	Bfl s1	23dB	50 x 50 cm	x	x	Standard	Option
RMS 607	567	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x		Standard	
Sampa	644	3	Class 33 / LC3	x	≥2,4	x	x	Bfl-s1	27dB	50 x 50 cm	x		Standard	
Superflor II	375	4	Class 33 / LC1		≥2,4	x	x	Bfl-s1	22dB	50 x 50 cm	x		Standard	
The Scandinavian Collection	428	5,5	Class 33 / LC1		≥2,4	x	x	Cfl-s1	16dB	50 x 50 cm	x		Standard	
Touch & Tones II 101	414	5	Class 33 / LC2	x	≥2,4	x	x	Cfl-s1	25dB	50 x 50 cm	x		Standard	
Touch & Tones II 102	564	4	Class 33 / LC3	x	≥2,4	x	x	Cfl-s1	27dB	50 x 50 cm	x		Standard	
Touch & Tones II 103	701	3	Class 33 / LC5	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm			Standard	
Touch of Timber	421	5	Class 33 / LC1	x	≥2,4	x	x	Cfl-s1	16dB	25 x 100 cm			Standard	Option
Transformation	385	4	Class 33 / LC2		≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x		Standard	
Upon Common Ground - Dry Bark	533	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	25 x 100 cm	x		Standard	Option
Upon Common Ground - Escarpment	398	4	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	25dB	50 x 50 cm	x		Standard	Option
Upon Common Ground - Sandbank	568	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	25 x 100 cm	x		Standard	
Upon Common Ground - Shallows	568	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	25 x 100 cm	x		Standard	

PRISLISTA SVERIGE 2026

Produktnamn	SEK/m²	m²/box	Bruks- och komfort-index	100% Återvunnen nylon	Produktegenskaper					Storlek	Baksidor			
											SONE	SONE+	CQuest™ Bio	CQuest™ BioX
Upon Common Ground - Undulating Water	568	3	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	25dB	25 x 100 cm	x		Standard	
Urban Retreat - UR101	558	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Urban Retreat - UR102	558	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Urban Retreat - UR103	558	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	26dB	50 x 50 cm	x	x	Standard	
Works Effect	300	4	Class 33 / LC1		≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x		Standard	
Works Element	300	4	Class 33 / LC1		≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x		Standard	
Works Flow	300	4	Class 33 / LC1		≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x		Standard	
Works Freestyle	315	5	Class 33 / LC1		≥2,4	x	x	Bfl-s1	23dB	25 x 100 cm	x		Standard	
Works Sense	300	4	Class 33 / LC1		≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x		Standard	
World Woven - WW860	399	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	25dB	25 x 100 cm	x	x	Standard	Option
World Woven - WW865	399	5	Class 33 / LC1	x	≥2,4	x	x	Bfl-s1	25dB	25 x 100 cm	x	x	Standard	Option
World Woven - WW870	511	5	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	27dB	25 x 100 cm	x	x	Standard	Option
World Woven - WW880	511	5	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	27dB	25 x 100 cm	x	x	Standard	Option
World Woven - WW890	621	4.5	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	27dB	25 x 100 cm	x	x	Standard	
World Woven - WW895	621	4.5	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	27dB	25 x 100 cm	x	x	Standard	
Woven Gradience - WG100	533	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	27dB	50 x 50 cm	x	x	Standard	Option
Woven Gradience - WG200	533	4	Class 33 / LC2	x	≥2,4	x	x	Bfl-s1	27dB	50 x 50 cm	x	x	Standard	Option
Yuton 104	288	4	Class 33 / LC1		≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x		Standard	
Yuton 105	288	4	Class 33 / LC1		≥2,4	x	x	Bfl-s1	24dB	50 x 50 cm	x		Standard	
Yuton 106	288	4	Class 33 / LC1		≥2,4	x	x	Bfl-s1	23dB	50 x 50 cm	x		Standard	

PRISLISTA SVERIGE 2026

Luxury Vinyl Tile (LVT)

Produktnamn	SEK/m ²	Produkt	m ² /box	Bruks- och komfort-index	Produktegenskaper					Storlek
										
Brushed Lines	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	25 x 100 cm
Earthen Forms - Crossroads	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	25 x 100 cm
Earthen Forms - Hearth	374	High Performance Luxury Vinyl Tile	3	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	50 x 100 cm
Earthen Forms - On Grain	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	25 x 100 cm
In The Mix	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	50 x 50 cm
Lasting Impressions - Heirloom	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	25 x 100 cm
Lasting Impressions - Plaster	374	High Performance Luxury Vinyl Tile	3	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	50 x 100 cm
Level Set - Natural Woodgrains	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	25 x 100 cm
Level Set - Textured Woodgrains	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	25 x 100 cm
Level Set - Natural Stones	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	50 x 50 cm
Level Set - Textured Stones	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	50 x 50 cm
Look Both Ways - Walk About	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	50 x 50 cm
Look Both Ways - Walk of Life	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	50 x 50 cm
Look Both Ways - Walk on By	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	50 x 50 cm
Look Both Ways - Walk the Aisle	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	50 x 50 cm
Northern Grain	374	High Performance Luxury Vinyl Tile	2.5	Class 33 / 42	Pass	x	x	Bfl-s1	19dB	25 x 100 cm

PRISLISTA SVERIGE 2026

TacTiles®

Produktnamn	Pris i SEK	Produkt
TacTiles - CQuestBio & CQuestBioX	766	Rulle med 500 st
TacTiles - CQuestBio & CQuestBioX	15	Ark med 6 st

Interlay

Produktnamn	SEK/m ²	Produkt
Interlay	166	Ljuddämpande underlag till textilgolv 50 x 50 cm

Lim

Produktnamn	Enhet	Nettopris pr. enhet
Graphlokk Kliiblim	10 liter	1145

Baksidor			
SONE	SONE+	CQuest™ Bio	CQuest™ BioX
Our integrated acoustic backings. The integral nature of CQuestBio SONE means that projects can be completed swiftly with as little disruption as possible. Impact sound reduction up to 29dB Sound absorption up to aw 0.30	Our integrated acoustic backings. The integral nature of CQuestBio SONE+ means that projects can be completed swiftly with as little disruption as possible. Impact sound reduction up to 33dB Sound absorption from aw 0.30 – 0.40 depending on product.	CQuest™Bio is now our standard backing on all carpet tiles. It contains recycled and bio-based materials. These materials, measured on a standalone basis, are net carbon negative – greatly reducing our carbon footprint.	It's the same material make-up as CQuest™Bio with a higher concentration of carbon negative materials. The carbon negative materials in CQuest™BioX backing, in combination with specialty yarns and tufting processes, result in a carbon negative carpet tile.

Symboler:

Produktegenskaper	
 Rullhjulstestad	 Brandklass
 Antistatisk	 Stegljudsisolering
 Värmeledningsförmåga	

TACTILES®

Det enkla sättet att installera textilplattor

På Interface söker vi alltid efter nya och smartare lösningar. Med över 40 miljoner kvadratmeter golv installerade sedan 2006 är TacTiles en väl beprövad limfri installationsmetod, och ett hållbart sätt att installera våra textilplattor på.

Kombinationen av flexibilitet och stora miljömässiga egenskaper gör TacTiles till den perfekta lösningen för våra textilplattor. TacTiles fäster samman plattorna horisontellt utan att göra någon inverkan på undergolvet, och ger en flytande golvinstallation.

På detta sätt kan vi eliminera användningen av lim. TacTiles gör även installationen av våra textilplattor enklare, snabbare och renare.



REENTRY®

Våra golv är skapade för att vara cirkulära. De är "Made for More" helt enkelt.

ÅTERBRUKA

Vi utvecklar och designar våra golv för att hålla över lång tid. Därför kan dom användas och återbrukas år efter år.

ÅTERVINNA

Vi tar tillbaka alla textilplattor med CQuestBio och CQuestBioX till vår fabrik för återvinning.

ÅTERGÅ

Om vi inte kan återvinna förbrukade textilplattor gör vi det näst bästa. Vi omvandlar dem till energi och låter dem återgå till kolets naturliga kretslopp.

Interface®

FÖRSÄLJNINGSVILLKOR

Leverans:

Fritt till mottagarens adress i Sverige. Vid leveranser på mindre än 5 000kr debiteras en fraktagift på 500kr / order exkl. moms.

Returnering kan endast ske efter särskild överenskommelse.

Betalningsvillkor:

Fakturadatum + 30 dagar netto.

Från förfallodagen debiteras dröjsmålsränta med + 8% över gällande diskonto, samt ev. påminnelseavgift.

Samtliga priser är angivna i svenska kronor exklusive moms.

Vi reserverar oss för prisändringar och eventuella tryckfel.



Interface Sverige AB

Rosenlundsgatan 40

118 53 Stockholm

+46 (0) 8 241 230

[sverige@interface.com](mailto: sverige@interface.com)

www.interface.com

Interface®