

Luceplan

Price List

2026

Price List

2026

Index

Across	2	E04 Optics	52	Nui Mini	112
Alibel	4	E06	54	Otto Watt	113
Amisol	9	Ecran In&Out	56	Pétale	114
Ascent	10	Farel	57	Silenzio	116
Berenice	11	Fienile Outdoor	58	Soleil Noir	118
Blow	13	Flia	60	Stochastic	119
Bulbullia	14	Fortebraccio	63	Titania	120
Carrara	15	Garbi	65	Titania Queen	121
Cassette	16	Hono	66	Zile	122
Compendium	18	Hope	69	Binari / Track System	124
Compendium Circle	22	Illan	71	Accessori / Accessories	132
Compendium Plate	25	J-us	73	Packaging	135
Costanzina	27	Koinè	76	Conditions Of Sale	135
Costanza	29	Koinè Multiple Ceiling Rose	82		
Lady Costanza	33	Levante	83		
Grande Costanza	35	Liiu	85		
Grande Costanza Open Air	36	Lita	89		
Counterbalance	38	Lola	92		
Counterbalance Spot	39	Luthien	93		
Counterbalance Floor	40	Malamata	94		
Dix Bougies	41	Mesh	97		
Doi	44	Metropoli	104		
E04 Ceiling	48	Metropoli Outdoor	105		
E04 Wall	49	Millimetro	106		
E04 Suspension	50	Nui	109		

Legend


	Light source included
H	Height
L	Length
W	Width
Ø	Diameter
	Fixture fit for direct assembly on normally inflammable surfaces.
IP20	Protected against ingress of solid objects greater than 12 mm.
IP40	Protected against ingress of solid objects greater than 1.0 mm.
IP54	Protected against ingress of dust and against splashes of water from all directions.
IP65	Dust-tight. Protected against water jets.
IK	Degree of protection against external mechanical impacts.
	Device that guarantees the electrical security by an additional protective wire (earth) connected to the metal structure of the lamp.
	Device in which the protection against electric shock is based not only on basic insulation, but also on additional security measures such as double insulation or strengthened insulation.
	Device in which the protection against electric shock is based on supply at a very low voltage and where no higher voltages are produced.
	The product FSC® certified as made in certified wood FSC® (Forest Stewardship Council®), from forests managed in a correct, responsible way. Look for our FSC certified products.
	Discontinued

Important notice

The products in this price list are intended for the countries corresponding to the price list itself.

Any request for export outside the authorized countries must be agreed upon with Luceplan, as reported in the General Conditions of Sale, appendix to this price list.

PRICE LIST



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

2700K versions

	A08SW1 suspension structure dimmable 24Vdc SELV L min 1020 - max 1600 x W 90 x H min 240 - max 620 L cable: 3000	1A080SW10001	black	LED 32W 2700K CRI 90	☐	9.768,00
		1A080SW10002	white			9.768,00
		1A080SW10010	blu			9.768,00
		1A080SW10011	green			9.768,00

	A08SW2 suspension structure dimmable 24Vdc SELV L min 1800 - max 2600 x W 90 x H min 280 - max 750 L cable: 3000	1A080SW20001	black	LED 56W 2700K CRI 90	☐	12.624,00
		1A080SW20002	white			12.624,00
		1A080SW20010	blu			12.624,00
		1A080SW20011	green			12.624,00

3000K versions

	A08S01 suspension structure dimmable 24Vdc SELV L min 1020 - max 1600 x W 90 x H min 240 - max 620 L cable: 3000	1A080S010001	black	LED 32W 3000K CRI 90	☐	9.768,00
		1A080S010002	white			9.768,00
		1A080S010010	blu			9.768,00
		1A080S010011	green			9.768,00

	A08S02 suspension structure dimmable 24Vdc SELV L min 1800 - max 2600 x W 90 x H min 280 - max 750 L cable: 3000	1A080S020001	black	LED 56W 3000K CRI 90	☐	12.624,00
		1A080S020002	white			12.624,00
		1A080S020010	blu			12.624,00
		1A080S020011	green			12.624,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
dimmable ceiling rose push/DALI					
	A08/1D ceiling rose dimmable push/DALI 220-240V ~ 50/60Hz L 66 x W 52 x H 310	1A080/01D001	black		2.580,00
		1A080/01D002	white		2.580,00
  					

dimmable ceiling rose phase cut


	A08/1T ceiling rose dimmable phase cut 220-240V ~ 50/60Hz L 66 x W 52 x H 310	1A080/01T001	black			2.460,00
		1A080/01T002	white			2.460,00
						

remote power supplies

	A08/4 driver phase cut 24V, 75W 220-240V ~ 50/60Hz SELV L 180 x W 60 x H 35	1A080/040000			2.088,00
 					

remote driver

	D81/10 remote driver dimmable push/DALI 24V, 60W 220-240V ~ 50/60Hz SELV L 225 x W 43 x H 30.2	1D810/100000			2.172,00
 					



structure A13WBCU2/ A13BCU2

structure A13WBLU2/A13BLU2

diffuser A13/I

complete lamp

Only for indirect light optics

Calculate the price of the lamp by adding the body to the diffuses

It is specified that the lamps indicated must only be installed using the track system described and illustrated in the final section of the price list.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A13WB0DO track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 120	1A13WB0DO001	matt black	LED 2W 2700K CRI 90	☐ 3.300,00
	A13WB0DL track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 120	1A13WB0DL001	matt black	LED 9W 2700K CRI 90	☐ 3.516,00
	A13WBCDO track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 813	1A13WBCDO001	matt black	LED 2W 2700K CRI 90	☐ 4.536,00

A13 ALIBEL

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A13WBCDL track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 813	1A13WBCDL001	matt black	LED 9W 2700K CRI 90	4.752,00
	A13WBLO track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 1210	1A13WBLO001	matt black	LED 2W 2700K CRI 90	4.584,00
	A13WBLL track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 1210	1A13WBLL001	matt black	LED 9W 2700K CRI 90	4.800,00
	A13WBCU2 track structure indirect light 48Vdc, SELV L 190 x W 23 x H 813	1A13WBCU2001	matt black	LED 6W 2700K CRI 90	4.728,00
	A13WBLU2 track structure indirect light 48Vdc, SELV L 190 x W 23 x H 1210	1A13WBLU2001	matt black	LED 6W 2700K CRI 90	4.776,00
	A13WBCV5 track structure indirect light with vertical diffuser 48Vdc, SELV L 335 x W 103 x H 1235	1A13WBCV5001	matt black	LED 6W 2700K CRI 90	7.068,00

A13 ALIBEL

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A13WBLV5 track structure indirect light with vertical diffuser 48Vdc, SELV L 335 x W 103 x H 1650	1A13WBLV5001	matt black	LED 6W 2700K CRI 90	7.212,00
	A13WAD wall-mounted structure dimmable push/DALI 220-240V ~ 50/60Hz L 335 x W 146 x H 500	1A13WAD00001	matt black	LED 10W 2700K CRI 90	5.100,00
	A13WAT wall-mounted structure dimmable phase cut 220-240V ~ 50/60Hz L 335 x W 146 x H 500	1A13WAT00001	matt black	LED 11W 2700K CRI 90	4.980,00

3000K versions

	A13BODO track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 120	1A13BODO0001	matt black	LED 2W 3000K CRI 90	3.192,00
	A13B0DL track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 120	1A13B0DL001	matt black	LED 2W 3000K CRI 90	3.516,00
	A13BCDO track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 813	1A13BCDO001	matt black	LED 2W 3000K CRI 90	4.416,00

A13 ALIBEL

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A13BCDL track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 813	1A130BCDL001	matt black	LED 9W 3000K CRI 90	4.752,00
	A13BLDO track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 1210	1A130BLDO001	matt black	LED 2W 3000K CRI 90	4.464,00
	A13BLDL track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 1210	1A130BLDL001	matt black	LED 9W 3000K CRI 90	4.800,00
	A13BCU2 track structure indirect light 48Vdc, SELV L 190 x W 23 x H 813	1A130BCU2001	matt black	LED 6W 3000K CRI 90	4.728,00
	A13BLU2 track structure indirect light 48Vdc, SELV L 190 x W 23 x H 1210	1A130BLU2001	matt black	LED 6W 3000K CRI 90	4.776,00
	A13BCV5 track structure indirect light with vertical diffuser 48Vdc, SELV L 335 x W 103 x H 1235 Ø 500	1A130BCV5001	matt black	LED 6W 3000K CRI 90	7.068,00


A13 ALIBEL

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A13BLV5 track structure indirect light with vertical diffuser 48Vdc, SELV L 335 x W 103 x H 1650 Ø 500	1A130BLV5001	matt black	LED 6W 3000K CRI 90	7.212,00
	A13AD wall-mounted structure dimmable push/DALI 220-240V ~ 50/60Hz L 335 x W 146 x H 500	1A130AD00001	matt black, shade: satin opal	LED 10W 3000K CRI 90	5.292,00
	A13AT wall-mounted structure dimmable phase cut 220-240V ~ 50/60Hz L 335 x W 146 x H 500	1A130AT00001	matt black, shade: satin opal	LED 11W 3000K CRI 90	4.980,00

accessories

	A13/I accessory only for A13WBCU2, A13BCU2, A13WBLU2, A13BLU2 L 500 x W 9 x H 335	1A130/010002	opal white		2.016,00
---	---	--------------	------------	--	----------



Calculate the price of the lamp adding the structure to the reflector/diffuser disk.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

structure

	D91S suspension structure dimmable push/DALI 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: Ø 180x40	1D910S000002	white	LED 53W 3000K CRI 90	☐	7.992,00
	CE					

reflector/diffuser disc

	D91/1 reflector diffuser Ø 75cm 220-240V ~ 50/60Hz H min 2250 - max 3950 diffuser ø 750	1D910/100002	opale			7.236,00
		1D910/100020	argent			7.548,00
		1D910/100030	gold			7.548,00
	D91/2 reflector diffuser Ø 110cm 220-240V ~ 50/60Hz H min 3000 - max 4200 diffuser ø 1080	1D910/200002	opale			8.820,00
		1D910/200020	argent			9.420,00
		1D910/200030	gold			9.420,00
	CE					

accessories

	D91/OAAR anti-rotation accessory L cable: 3000	1D91/OAAR000				756,00
	CE					

D78 ASCENT

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D78 table with base dimmer on board driver 24V 220-240V ~ 50/60Hz L 170 x W 170 x H 650 head 84 CE  	1D780=000001	black	LED 10W 2700K CRI 90 ☐	6.828,00
	D78pt table with fixing pin (tickness max 5,7) - dimmer on board driver 24V 220-240V ~ 50/60Hz H 650 head 84 CE  	1D780PT00001	black	LED 10W 2700K CRI 90 ☐	6.888,00



Calculate the price of the lamp adding the the body to the glass diffuser or metal reflector.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D12N table structure with base on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 450 + 450 base Ø 150 CE  	1D120=00N001	black	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm ☐	4.968,00
		1D120=00N020	alu	*CRI 80	4.968,00
	D12NPI table structure with base on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 300 + 300 base Ø 135 CE  	1D120=P0N001	black	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm ☐	4.728,00
		1D120=P0N020	alu	*CRI 80	4.728,00
	D12NT floor structure on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 800 + 300 base Ø 150 CE  	1D120T00N001	black	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm ☐	5.400,00
		1D120T00N020	alu	*CRI 80	5.412,00
	D12NA45 wall structure on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 450 + 450 x W 60x22x45 wall mount CE  	1D120A45N001	black	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm	4.284,00
		1D120A45N020	alu	*CRI 80	4.320,00
	D12NAPI wall structure on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 300 + 300 x W 60x22x45 wall mount CE  	1D120AP0N001	black	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm	4.164,00
		1D120AP0N020	alu	*CRI 80	4.188,00


D12 BERENICE

Alberto Meda, Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

reflectors

	D12/4/1 glass reflector Ø 79 CE	1D120/4/1503	white			852,00
		1D120/4/1524	pink			852,00
		1D120/4/1527	yellow			852,00
		1D120/4/1537	sage green			852,00
	D12/5/1 metal reflector Ø 79 CE	1D120/5/1501	black			564,00
		1D120/5/1520	alu			564,00
		1D120/5/1530	brass			564,00



Calculate the price of the lamp adding the body to the methacrylate blades. Using the remote control is strongly recommended, though it is not essential. It guarantees easy installation and simple use of the fixture.


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D28 ceiling body dimmable push remote controlled 220-240V ~ 50/60Hz H 400 Ø 240 CE  	1D2800000002	opal	LED bulb E27 dimmable max 21 W; fan power 55W max	6.612,00

accessories

	D28/1 blades set tot Ø 1400 CE 	1D280P000000 1D280P000088	trasparent mix (orange, green, blue)		1.200,00 1.200,00
	D28/2 screenprinted blades set tot Ø 1400 CE 	1D280P200000	trasparent		1.320,00
	D28r infrared remote control CE	1D280R000000	white		912,00

D95 BULBULLIA

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D95A3 wall/ceiling structure dimnable phase cut 220-240V ~ 50/60Hz L 310 x W 70 x H 370 CE  	1D950A300002	white	LED 17 W 2700K CRI 90 	5.052,00
	D95A5 wall/ceiling structure dimnable phase cut 220-240V ~ 50/60Hz L 370 x W 70 x H 620 CE  	1D950A500002	white	LED 27 W 2700K CRI 90 	7.512,00

D38 CARRARA

Alfredo Haberli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D38L floor - foot dimmer 220-240V ~ 50/60Hz L 350 x W 225 x H 1850 base Ø 205   	1D380DL00001	black	LED 45W 3000K CRI 80 	20.244,00
		1D380DL00002	white		20.244,00

Power consumption: structure + power supply

	+		=	
A03W44		A03/1		23W
A03W44		A03/2		28W
A03W66		A03/1		41W
A03W66		A03/3		38W
A03H66		A03/1		59W
A03H66		A03/3		56W
A03W99		A03/1		58W
A03W99		A03/3		53W

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

2700K versions

	A03W44 wall/ceiling L 400 x W 400 x H 85 CE  	1A030AW44002	matt white	LED 2700K CRI 90 ☐	5.808,00
	A03W66 wall/ceiling L 600 x W 600 x H 85 CE  	1A030AW66002	matt white	LED 2700K CRI 90 ☐	8.172,00
	A03W99 wall/ceiling L 900 x W 900 x H 85 CE  	1A030AW99002	matt white	LED 2700K CRI 90 ☐	12.600,00


A03 CASSETTE

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
3000K versions					
	A03H66 wall/ceiling high output version with prismatic diffuser L 600 x W 600 x H 85	1A030AH66002	matt white	LED 3000K CRI 90 ☐	10.428,00
CE					

power supplies

	A03/1 power supply kit phase cut compatible with A03W44, A03W66, A03H66, A03W99 220-240V ~ 50/60Hz	1A030/010000			1.140,00
CE					
	A03/2 power supply kit dimmable push dim/DALI compatible with A03W44 220-240V ~ 50/60Hz	1A030/020000			1.740,00
CE					
	A03/3 power supply kit dimmable push dim/DALI compatible with A03W66, A03H66, A03W99 220-240V ~ 50/60Hz	1A030/030000			1.980,00
CE					



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

2700K versions

	D81TW2 floor L 30 x W 46 x H 1610 CE	1D810TW20001	black	LED 37W 2700K CRI 90	☐	7.632,00
		1D810TW20020	alu			7.632,00
		1D810TW20030	brass			7.632,00

3000K versions

	D81T2 floor L 30 x W 46 x H 1610 CE	1D810T020001	black	LED 37W 3000K CRI 90	☐	7.632,00
		1D810T020020	alu			7.632,00
		1D810T020030	brass			7.632,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D81/26D base - foot dimmer 220-240V ~ 50/60Hz H 170 ø 145	1D810/26D001	black		3.768,00
  					

suspension structure 2700K version

	D81BW2 suspension max 1Adc, 47Vdc L 1570 x W 30 x H 46 L cable: min 150 - max 3000	1D810BW20001	black			7.476,00
		1D810BW20020	alu	LED 33W 2700K CRI 90	☐	7.476,00
		1D810BW20030	brass			7.476,00
		CE  				

suspension structure 3000K version



	D81B2 suspension max 1Adc, 47Vdc L 1570 x W 30 x H 46 L cable: min 150 - max 3000	1D810B020001	black			7.476,00
		1D810B020020	alu	LED 33W 3000K CRI 90		7.476,00
		1D810B020030	brass			7.476,00
  						

suspension structure 2700K UGR version


	D81UW2 suspension UGR<19 max 1Adc, 47Vdc, SELV L 1550 x W 30 x H 46 L cable: min 150 - max 3000	1D810UW20001	black	LED 28W 2700K CRI 90		7.476,00
CE  						

suspension structure 3000K UGR version

	D81U2 suspension UGR<19 max 1Adc, 47Vdc, SELV L 1550 x W 30 x H 46 L cable: min 150 - max 3000	1D810U020001	black	LED 28W 3000K CRI 90		7.476,00
CE  						

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
ceiling rose					
	D81/25D ceiling rose - dimmable push/DALI L 180 x W 130 x H 40	1D810/25D000	white		3.216,00
	CE  				
	D81/25T ceiling rose - dimmable phase cut L 180 x W 130 x H 40	1D810/25T000	white		1.968,00
	CE  				
remote driver					
	D81/21 remote driver dimmable push/DALI L 180 x W 80 x H 30	1D810/210000			768,00
	CE 				
	D81/22 remote driver dimmable phase cut L 130 x W 68 x H 31	1D810/220000			540,00
	CE 				
accessories					
	D81/2 accessory kit for mechanical joining 180° L 8	1D810/200001	black		324,00
	CE				
	D81/3 accessory kit for mechanical joining 90° L 4	1D810/300001	black		732,00
	CE				

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D81/27 2 extra cable kit 10 m 2 electric + metal cable CE	1D810/270000			2.460,00



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

2700K versions

	D81C07W suspension 24Vdc, SELV H 45 ø 720 L cable: min 150 - max 5000 CE	1D810C07W001	black	54W 2700K CRI 90	☐	19.212,00
		1D810C07W020	alu			19.212,00
		1D810C07W030	brass			19.212,00
	D81C11W suspension 24Vdc, SELV H 45 ø 1100 L cable: min 150 - max 5000 CE	1D810C11W001	black	72W 2700K CRI 90	☐	22.104,00
		1D810C11W020	alu			22.104,00
		1D810C11W030	brass			22.104,00
	D81C20W suspension 24Vdc, SELV H 45 ø 2000 L cable: min 150 - max 5000 CE	1D810C20W001	black	125W 2700K CRI 90	☐	36.600,00
		1D810C20W020	alu			36.600,00
		1D810C20W030	brass			36.600,00

D81C COMPENDIUM circle

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
3000K versions					
	D81C07 suspension 24Vdc, SELV H 45 ø 720 L cable: min 150 - max 5000	1D810C070001	black	54W 3000K CRI 90	19.116,00
		1D810C070020	alu		19.116,00
		1D810C070030	brass		19.116,00
		  			
	D81C11 suspension 24Vdc, SELV H 45 ø 1100 L cable: min 150 - max 5000	1D810C110001	black	72W 3000K CRI 90	21.336,00
		1D810C110020	alu		21.336,00
		1D810C110030	brass		21.336,00
		  			
	D81C20 suspension 24Vdc, SELV H 45 ø 2000 L cable: min 150 - max 5000	1D810C200001	black	125W 3000K CRI 90	34.548,00
		1D810C200020	alu		34.548,00
		1D810C200030	brass		34.548,00
		  			
ceiling rose					
	D81/4 ceiling rose - dimmable push/DALI 220-240V ~ 50/60Hz H 50 ø 240	1D810/400000			4.872,00
		  			
	D81/5 ceiling rose - dimmable push/DALI 220-240V ~ 50/60Hz H 55 ø 330	1D810/500000			5.496,00
		  			
	D81/6 ceiling rose - dimmable push/DALI 220-240V ~ 50/60Hz H 55 ø 330	1D810/600000			6.444,00
		  			


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

remote driver

	D81/10 remote driver dimmable push/DALI 24V, 60W, SELV 220-240V ~ 50/60Hz L 225 x W 43 x H 30.2	1D810/100000			2.172,00
	D81/11 remote driver dimmable push/DALI 24V, 100W, SELV 220-240V ~ 50/60Hz L 295 x W 43 x H 30.2	1D810/110000			2.544,00
	D81/12 remote driver dimmable push/DALI 24V, 150W, SELV 220-240V ~ 50/60Hz L 325 x W 43 x H 30.2	1D810/120000			3.240,00
	D81/8 optional remote drivers cover for multiple configurations (up to 3) H 60 ø 400	1D810/800002			2.436,00

D81P COMPENDIUM plate

Daniel Rybakken



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

2700K versions

	D81P2W wall/ceiling I: max 1400 mA dc V : 28Vdc H 58, H 88 (with ceiling rose) ø 560	1D810P2W0001	black	39W 2700K CRI 90	☐	9.768,00
	1D810P2W0020	alu	9.768,00			
	1D810P2W0030	brass	9.768,00			
	   IP40					

3000K versions

	D81P2 wall/ceiling I: max 1400 mA dc V : 28Vdc H 58, H 88 (with ceiling rose) ø 560	1D810P200001	black	39W 3000K CRI 90	☐	9.768,00
		1D810P200020	alu			9.768,00
		1D810P200030	brass			9.768,00
   IP40						

ceiling rose

	D81/28D ceiling rose dimmable push/DALI 220-240V ~ 50/60Hz H 30 ø 300	1D810/28D000	white			3.144,00
  						

	D81/28T ceiling rose dimmable phase cut 220-240V ~ 50/60Hz H 30 ø 300	1D810/28T000	white			2.916,00
  						


D81P COMPENDIUM plate

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

remote driver

	D81/29 remote driver dimmable push/DALI 220-240V ~ 50/60Hz SELV CE	1D810/290000			1.140,00
	D81/31 remote driver dimmable phase cut 220-240V ~ 50/60Hz SELV CE	1D810/310000			1.320,00



Calculate the price of the lamp adding the cost of the body to the shade (versions not complete).
LED Bulbs included in the complete version LED.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D13pic.LED complete version table on/off switch 220-240V ~ 50/60Hz W base 140 x 140 x H 510 shade ø 260	1D13=NPLC020	alu body white shade	LED 5W E14 ☐	3.324,00
	D13pi table on/off switch 220-240V ~ 50/60Hz W base 140 x 140 x H 510	1D13=NP00017	black	LED E14	2.520,00
		1D13=NP00020	alu	42W HSGSA E14	2.520,00
		1D13=NP00030	brass		3.660,00
	D13pipt table with fixing pin (thickness max 57) on/off switch 220-240V ~ 50/60Hz H 510	1D13PNP00020	alu	LED E14 42W HSGSA E14	2.268,00
	D13api wall on/off switch 220-240V ~ 50/60Hz L 280 x H 540	1D13ANP00017	black	LED E14 42W HSGSA E14	2.484,00
		1D13ANP00020	alu		2.484,00
	D13spi suspension up and down - on/off switch 220-240V ~ 50/60Hz H min 1000 max 2500 ceiling rose: ø 120 H 30	1D13SNP00002	white counterweight	LED E14 42W HSGSA E14	2.388,00

D13P COSTANZINA

Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

shade

	D13/31 shade packing: 1 item H 170 ø 260	9D1331437702	white		612,00
	CE				

shades for Mezzo Tono collection

	D13/31 shade packing: 1 item H 170 ø 260	9D1331437724	ed.pnk		720,00
		9D1331437734	m.whit		720,00
		9D1331437737	c.gree		720,00
		9D1331437738	sf.skn		720,00
		9D1331437739	sh.stn		720,00
	CE				

shades for Radieuse collection

	D13/31 shade packing: 1 item H 170 ø 260	9D1331437701	black		828,00
		9D1331437705	con.gr		828,00
		9D1331437706	sm.yel		720,00
		9D1331437708	pr.red		720,00
		9D1331437736	pet.bl		720,00
	CE				

accessories

	D13/25 off-center ceiling rose H 30 ø 120	9D1325476800	white		612,00
---	---	--------------	-------	--	--------

	D13/50 wall mount ceiling rose for D13 a.pi	9D1350620701	black		840,00
		9D1350620720	alu		840,00



structure




shade

diffuser accessory
(optional)

complete version

Calculate the price of the lamp adding the cost of the body to the shade (versions not complete).
We recommend the use of accessory for a better diffusion of light with halogen bulbs and white shade.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D13c complete version table telescopic sensor dimmer on board 220-240V ~ 50/60Hz W base 180 x 180 x H min 760 - max 1100 shade ø 400 CE □ V	1D13N=00C020A	alu body white shade and diffuser	LED E27 dimmable HSGA max 105W E27	6.000,00
	D13 table telescopic sensor dimmer on board 220-240V ~ 50/60Hz W base 180 x 180 x H min 760 - max 1100 CE □ V	1D13N=000017	black	LED E27 dimmable HSGA max 105W E27	4.512,00
		1D13N=000020	alu		4.512,00
		1D13N=000030	brass		6.036,00
	D13i table telescopic on/off switch 220-240V ~ 50/60Hz W base 180 x 180 x H 800 CE □ V	1D13N=010020	alu	LED E27 HSGA max 105W E27	3.732,00
	D13if table fixed on/off switch 220-240V ~ 50/60Hz W base 180 x 180 x H 800 CE □ V	1D13N=01F020	alu	LED E27 HSGA max 105W E27	3.492,00
	D13pt table telescopic with fixing pin sensor dimmer on board 220-240V ~ 50/60Hz H min 760 - max 1100 CE □ V	1D13NPT00020	alu	LED E27 dimmable HSGA max 105W E27	3.864,00

D13 COSTANZA

Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D13pti table telescopic with fixing pin on/off switch 220-240V ~ 50/60Hz H min 760 - max 1100	1D13NPT10020	alu	LED E27 HSGA max 105W E27	3.144,00
	D13tc complete version floor telescopic sensor dimmer on board 220-240V ~ 50/60Hz W base 180 x 180 x H min 1200 - max 1600 shade ø 400	1D13NT00C020A	alu body white shade and diffuser	LED E27 dimmable HSGA max 105W E27	6.576,00
	D13t floor telescopic sensor dimmer on board 220-240V ~ 50/60Hz W base 180 x 180 x H min 1200 - max 1600	1D13NT000017	black	LED E27 dimmable HSGA max 105W E27	4.980,00
		1D13NT000020	alu		4.980,00
		1D13NT000030	brass		6.576,00
	D13ti floor telescopic on/off switch 220-240V ~ 50/60Hz W base 180 x 180 x H min 1200 - max 1600	1D13NT010020	alu	LED E27 HSGA max 105W E27	4.284,00
	D13tif floor fixed on/off switch 220-240V ~ 50/60Hz W base 180 x 180 x H 1530	1D13NT01F020	alu	LED E27 HSGA max 105W E27	4.044,00
	D13a wall telescopic sensor dimmer on board 220-240V ~ 50/60Hz W min 440 - max 570 x H min 760 - max 1100	1D13NA000020	alu	LED E27 HSGA max 105W E27	3.924,00

D13 COSTANZA

Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D13aif wall fixed on/off switch 220-240V ~ 50/60Hz W 460 x H 800	1D13NA01F020	alu	LED E27 HSGA max 105W E27	3.048,00
	D13s suspension telescopic 220-240V ~ 50/60Hz H min 1000 - max 1500 ceiling rose: ø 70 H 40	1D13NS000020	alu	LED E27 HSGA max 105W E27	3.264,00
	D13sas suspension up and down 220-240V ~ 50/60Hz H min 1000 - max 1500 ceiling rose: ø 120 H 30	1D13NSA20020	counterweight steel matt chrome	LED E27 HSGA max 105W E27	2.436,00

shade

	D13/1 shade packing 1 item H 280 ø 400	9D1301511702	white		1.008,00
---	---	--------------	-------	--	----------

shades for Mezzo Tono collection

	D13/1 shade packing 1 item H 280 ø 400	9D1301511724	edgy pink		1.524,00
		9D1301511734	mistic white		1.524,00
		9D1301511737	comfort green		1.524,00
		9D1301511738	soft skin		1.524,00
		9D1301511739	shaded stone		1.524,00

shades for Radieuse collection

	D13/1 shade packing 1 item H 280 ø 400	9D1301511701	black		1.824,00
		9D1301511705	concrete grey		1.824,00
		9D1301511706	smart yellow		1.524,00
		9D1301511708	primay red		1.524,00
		9D1301511736	petroleum blue		1.524,00


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

accessories

	D13/25 off-center ceiling rose H 30 ø 120 CE	9D1325476800	white		612,00
	D13/50 wall mount accessory for D13a - D13aif CE	9D1350620701	black		840,00
		9D1350620720	alu		840,00

shades and accessories

	D13/91 diffuser accessory bulb not included packing: 4 items the price refers to the single article H 182 ø 121 CE	1D13N/910000			312,00
--	--	--------------	--	--	--------



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D13E d. floor telescopic dimmer on board 220-240V ~ 50/60Hz L 203 x W base 360x360 x H 217 - 250 CE □ V	1D13GED00017	black	LED E27 dimmable HSGSA 105W E27	15.096,00
		1D13GED00020	alu		15.024,00
	D13Ea d. wall telescopic dimmer on board 220-240V ~ 50/60Hz L 191 x H 215 - 248 CE □ V	1D13GEDA0020	alu	LED E27 dimmable HSGSA 105W E27	12.576,00
	D13E sas suspension up and down 220-240V ~ 50/60Hz H 100 ø 500 L cable: 3000 ceiling rose: Ø120 x 30 CE □ V	1D13GESA0020	alu	LED E27 dimmable HSGSA 105W E27	2.724,00
	D13E/1 shade H 350 ø 500 CE	1D13GE/01001	black		3.804,00
		1D13GE/01002	white		2.328,00
		1D13GE/01013	red		3.504,00
		1D13GE/01039	shaded stone		2.724,00
	D13/25 off-center ceiling rose H 30 ø 120 CE	9D1325476800	white		612,00

D13E LADY COSTANZA


Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D13/91 diffuser accessory bulb not included packing: 4 items the price refers to the single article H 182 ø 121 CE 	1D13N/910000			312,00

D13G GRANDE COSTANZA

Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D13Gt floor telescopic sensor dimmer 220-240V ~ 50/60Hz W base 360x360 x H min 1750 - max 2350 shade ø 700 CE  	1D13GTDH0020	alu structure, white shade	3xLED E27 3x70W HSGSA E27	16.812,00
	D13Gti floor telescopic on/off switch 220-240V ~ 50/60Hz W base 360x360 x H min 1750 - max 2350 shade ø 700 CE  	1D13GTIH0020	alu structure, white shade	3xLED E27 3x70W HSGSA E27	16.656,00
	D13Gs suspension sensor dimmer 220-240V ~ 50/60Hz H min 1000 - max 4750 shade ø 700 ceiling rose: ø 120 H 30 CE  	1D13GSDH0020	alu structure, white shade	3xLED E27 3x70W HSGSA E27	9.192,00
	D13Gsi suspension on/off switch 220-240V ~ 50/60Hz H min 1000 - max 4750 shade ø 700 ceiling rose: ø 120 H 30 CE  	1D13GSIH0020	alu structure, white shade	3xLED E27 3x70W HSGSA E27	8.652,00



Calculate the price of the lamp adding the cost of the body to the shade, and to the accessories, such as base, rod stake or fixed base.
Apparatus IP44 with optical compartment with a degree of protection IP55.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D13G.air floor outdoor on/off switch 220-240V ~ 50/60Hz H 2210 ø 21   	1D13GT/00013	rust	LED E27 205W HSGST E27	11.520,00
		1D13GT/00020	alu		11.520,00
	D13GSO suspension structure on/off switch 220-240V ~ 50/60Hz H max 5000 ø 106 H 237   	1D13GSOUT020	alu	LED E27 max 15W	9.000,00
	D13G/1 shade for floor and suspension version H 350 ø 700 	1D13GP/01002	white		3.684,00
		1D13GP/01011	green		5.016,00
		1D13GP/01013	rust		5.016,00

D130 GRANDE COSTANZA OPEN AIR

Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D13E/2 shade only for suspension structure H 350 ø 500 CE	1D13GE/02002	white		2.256,00
	D13G.air/2 base L 530 x W 125 x H 530 CE	1D13GT/02013 1D13GT/02020	rust alu		5.148,00 5.148,00
	D13G.air/3 stake for inserting into the soil L stem 21 x H 507 base ø 500 CE	1D13GT/03020	alu		1.584,00
	D13G.air/4 fixed base for dowels L 125 x H 13 CE	1D13GT/04013 1D13GT/04020	rust alu		1.584,00 1.584,00

D73 COUNTERBALANCE

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D73N wall step dimmer (0%, 50%, 100%) 100-240V ~ 50/60Hz L 85 x W min 710 - max 1990 x H min 240 - max 2220 CE  	1D73N0000001	black	LED 16W 2700K CRI 90 <input data-bbox="1225 331 1249 358" type="checkbox"/>	11.352,00
		1D73N0000007	red		11.352,00

D73 COUNTERBALANCE SPOT

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D73NA1 wall/ceiling dimmable trailing edge 220-240V ~ 50/60Hz L 280 ceiling rose ø 120, head ø 85   	1D73NA100001	black	LED 12W 2700K CRI 90 ☐	5.556,00

D73 COUNTERBALANCE FLOOR

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

Add the cost of the body (D73NT) to the base (D73/1)

	D73NT floor step dimmer (0%, 50%, 100%) 100-240V ~ 50/60Hz H 1560 CE  	1D73NT000001	black	LED 16W 2700K CRI 90 ☐	6.408,00
	D73/1 base H 240 ø 145 CE	1D730/100001	black		2.868,00



struttura
A14S10W

+



push/DALI ceiling rose
A14/3D

+




diffusori
A14/2

=



lampada completa



structure
A14S10W

+




phase cut ceiling rose
A14/3T

+




diffuser
A14/2

=



complete lamp



structure
A14S06W

+



push/DALI ceiling rose
A14/5D

+




diffuser
A14/1

=



complete lamp



structure
A14S06W

+



phase cut ceiling rose
A14/5T

+



diffuser
A14/1

=



complete lamp

A14S10W
A14S10W
A14S06W
A14S06W

A14/3D
A14/3T
A14/5D
A14/5T

75W
80W
45W
47W

Calculate the price of the lamp adding the ceiling rose to the diffuser.

A14 DIX BOUGIES

Studio Odile Decq

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
structure					
	A14S10W suspension I: max 2A, V: 37 Vdc, SELV L 1930 x W 747 x H 35 L cable: 5000   	1A140S10W001	black	LED 67W 2700K CRI 90 ☐	13.692,00
dimnable ceiling rose push/DALI					
	A14/3D dimmable ceiling rose push/DALI for A14S10W 220-240V ~ 50/60Hz L 550 x W 43 x H 30   	1A140/03D001	black		2.592,00
dimnable ceiling rose phase cut					
	A14/3T dimmable ceiling rose phase cut for A14S10W 220-240V ~ 50/60Hz L 310 x W 51 x H 84   	1A140/03T001	black		3.240,00
remote driver					
	A14/4 remote driver push/DALI dimmerable 2000 mA, 100W SELV L 235 x W 100 x H 31  	1A140/040000			1.164,00
diffusers					
	A14/2 10 diffusers for A14S10W H 150 Ø 23 	1A140/020002	white		4.104,00

A14 DIX BOUGIES

Studio Odile Decq

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

structure PETITE

	A14S06W suspension I: max 1,2A, V: 37 Vdc, SELV L 1100 x W 447 L cable: 5000	1A140S06W001	black	LED 40W 2700K CRI 90	6.012,00
  					

dimnable ceiling rose push/DALI

	A14/5D dimmable ceiling rose push/DALI for A14S06W 220-240V ~ 50/60Hz L 550 x W 43 x H 30	1A140/05D001	black		2.868,00
  					

dimnable ceiling rose phase cut


	A14/5T dimmable ceiling rose phase cut for A14S06W 220-240V ~ 50/60Hz L 270 x W 74 x H 34	1A140/05T001	black		2.724,00
  					

remote driver

	A14/6 remote driver push/DALI dimmerabile 1200 mA, 100W SELV L 235 x W 100 x H 31	1A140/060000			1.164,00
					

diffusers

	A14/1 6 diffusers for A14S06W H 150 Ø 23	1A140/010002	white		2.700,00
					



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A05ADW wall/ceiling dimmable phase cut 220-240V ~ 50/60Hz L 87 x W 106 x H 180 Ø 25 ceiling rose: Ø 60 CE	1A050ADW0001	black/black	LED 7W 2700K CRI 90	4.668,00
		1A050ADW0002	white/ribbed white		4.668,00
		1A050ADW0030	black/brass		4.668,00
		1A050ADW0035	white/black		4.668,00
		1A050ADW0098	black/ribbed white		4.668,00

complete wall version 3000K. Ceiling rose finish / optic finish

	A05AD wall/ceiling dimmable phase cut 220-240V ~ 50/60Hz L 87 x W 106 x H 180 Ø 25 ceiling rose: Ø 60 CE	1A050AD00001	black/black	LED 7W 3000K CRI 90	4.668,00
		1A050AD00002	white/ribbed white		4.668,00
		1A050AD00030	black/brass		4.668,00
		1A050AD00035	white/black		4.668,00
		1A050AD00098	black/ribbed white		4.668,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
bodies suspension version 2700K					
	A05S1W suspension body Imax: 500mAdc, V: 9 Vdc H 300 Ø 25 L cable: 3000	1A050S1W0001	black	LED 5W 2700K CRI 90 ☐	2.760,00
		1A050S1W0030	brass		3.168,00
		  			

	A05S2W suspension ribbed body Imax: 500mAdc, V: 9 Vdc H 300 Ø 25 L cable: 3000	1A050S2W0002	white	LED 5W 2700K CRI 90 ☐	2.760,00
  					

bodies suspension version 3000K

	A05S1 suspension body Imax: 500mAdc, V: 9 Vdc H 300 Ø 25 L cable: 3000	1A050S100001	black	LED 5W 3000K CRI 90	☐	2.760,00
		1A050S100030	brass			3.168,00
		CE  				

	A05S2 suspension ribbed body Imax: 500mAdc, V: 9 Vdc H 300 Ø 25 L cable: 3000	1A050S200002	white	LED 5W 3000K CRI 90 ☐	2.760,00
  					

ceiling rose

	A05/1T ceiling rose dimable phase cut 220-240V ~ 50/60Hz H 65 Ø 110	1A050/01T001	black		1.332,00
  					

	A05/1D ceiling rose dimable DALI 220-240V ~ 50/60Hz H 65 Ø 110	1A050/01D001	black		1.620,00
  					

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
counterweight					
	A05/2 counterweight W 15 Ø 105 L cable: 3000	1A050/020001	black		1.392,00
 					

accessory counterweight

	A05/3 counterweight accessory for B configuration	1A050/030000	metal		492,00
					

cover plate

	A05/6 cover plate accessory only for wall/ ceiling structure L 270 x W 20 x H 140 Ø 95	1A050/060001	black			528,00
		1A050/060002	white			528,00
						

track adapter

	A05/7 track adapter dimmable DALI 48V dc, SELV L 70 x W 11 x H 160	1A050/070001	black			1.080,00
		1A050/070002	white			1.080,00
  						

remote driver

	A07/4 remote driver dimmable push/DALI 500 mA, 42W, SELV 220-240V 50/60Hz L 98 x W 43 x H 22	1A070/040000			636,00
					


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A07/6 remote driver dimmable phase cut 501 mA, 30W, SELV 220-240V 50/60Hz L 137.5 x W 44 x H 30 CE	1A070/060000			312,00

spot for track version 2700K

	A05WB1 track dimmable DALI 48Vdc, SELV H 180 Ø 25 CE  	1A05WB010001	black	LED 6W 2700K CRI 90 ☐	2.520,00
		1A05WB010002	white		2.520,00
		1A05WB010030	brass		2.520,00

spot for track version 3000K

	A050B1 track dimmable DALI 48Vdc, SELV H 180 Ø 25 CE  	1A050B010001	black	LED 6W 3000K CRI 90 ☐	2.520,00
		1A050B010002	white		2.520,00
		1A050B010030	brass		2.520,00



body

LED optic
or
RETROFIT optic

complete lamp

Calculate the price of the lamp adding the body to the optic (see following pages).

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	E04200 ceiling direct light H 279 Ø 70	1E0400200001	black		1.356,00
		1E0400200002	white		1.356,00
		1E0400200030	brass		1.356,00
	 				

E04250 (with LED optic)

body

2 x LED optic

complete lamp

E04250 (with RETROFIT optic)

body

1 x RETROFIT optic

top cover




complete lamp

Calculate the price of the lamp adding the body to the optic (see following pages).

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	E04250 wall direct and direct/indirect light L 168 x W 134 x H 465 CE	1E0400250001	black		2.460,00
		1E0400250002	white		2.460,00
		1E0400250030	brass		2.460,00

top cover to use with retrofit optics

	E0401 top cover	1E040/010001	black		276,00
	CE				



Calculate the price of the lamp adding the body to the optic (see following pages).

E04 SUSPENSION

Habits Studio

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	E04270 suspension direct light H 279 Ø 70 L cable: 3000 CE	1E0400270001	black		2.280,00
		1E0400270002	white		2.280,00
		1E0400270030	brass		2.280,00
	E04280 suspension direct and direct/indirect light H 465 Ø 70 L cable: 3000 CE	1E0400280001	black		2.256,00
		1E0400280002	white		2.256,00
		1E0400280030	brass		2.256,00

accessories

	EA1096 5-pole ceiling rose kit ceiling rose: Ø 120 x 30 CE	1EA100096000	white		240,00
	E0402 top cover for E04280 CE	1E040/020001	black		432,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
optics for E04 (ceiling, wall e suspension)					
	E041M medium beam optic 45° dimmable push/DALI for body Ø 70 220-240V ~ 50/60Hz	1E040/1M0000		COB LED module 12 W 2700K CRI 90 ☐	2.244,00
	E041R retrofit optic dimmable phase cut for body Ø 70 220-240V ~ 50/60Hz	1E040/1R0000		LED retrofit GU10 ☐	924,00
	E041W large beam optic 60° dimmable push/DALI for body Ø 70 220-240V ~ 50/60Hz	1E040/1W0000		COB LED module 12 W 2700K CRI 90 ☐	2.244,00
	E042M medium beam optic 45° dimmable push/DALI for body Ø 134 220-240V ~ 50/60Hz	1E040/2M0000		COB LED module 19 W 2700K CRI 90 ☐	2.820,00
	E042W large beam optic 45° dimmable push/DALI for body Ø 134 220-240V ~ 50/60Hz	1E040/2W0000		COB LED module 19 W 2700K CRI 90 ☐	2.820,00
	E042R retrofit optic dimmable phase cut for body Ø 134 220-240V ~ 50/60Hz	1E040/2R0000		LED retrofit GU53 ☐	1.908,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	E043M medium beam optic 30° dimmable push/DALI for body Ø 7 220-240V ~ 50/60Hz CE 	1E040/3M0000		LED module 13 W dim to warm 3000K --> 1800K CRI 97 ☐	2.364,00
	E043W large beam optic 42° dimmable push/DALI for body Ø 7 220-240V ~ 50/60Hz CE 	1E040/3W0000		LED module 13 W dim to warm 3000K --> 1800K CRI 97 ☐	2.364,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
bodies for LED optics					
	E06100 ceiling fixture dimable push/DALI 220-240V ~ 50/60Hz H 400 Ø 70 CE ⊕ V	1E0600100001	black		3.756,00
		1E0600100002	white		3.756,00
		1E0600100030	brass		3.756,00
	E06150 electrified EUTRAC fixture dimable push/DALI 220-240V ~ 50/60Hz H 400 Ø 70 CE V	1E0600150001	black		4.236,00
		1E0600150002	white		4.236,00
		1E0600150030	brass		4.236,00
LED optics					
	E061M LED optic medium beam 45° CE	1E060/1M0000		LED module COB 11W 2700K CRI 90 ☐	1.512,00
	E061W LED optic large beam 60° CE	1E060/1W0000		LED module COB 11W 2700K CRI 90 ☐	1.512,00
	E062M LED optic medium beam 45° CE	1E060/2M0000		LED module 11W dim to warm 3000K --> 1800 K CRI 97 ☐	1.728,00
	E062W LED optic large beam 60° CE	1E060/2W0000		LED module 11W dim to warm 3000K --> 1800 K CRI 97 ☐	1.728,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

bodies for retrofit optics

	E06200 ceiling fixture 220-240V ~ 50/60Hz H 400 Ø 70 CE ⊕ V	1E0600200001	black			3.456,00
		1E0600200002	white			3.456,00
		1E0600200030	brass			3.456,00
	E06250 electrified EUTRAC fixture 220-240V ~ 50/60Hz H 400 Ø 70 CE ⊕ V	1E0600250001	black			3.972,00
		1E0600250002	white			3.972,00
		1E0600250030	brass			3.972,00


retrofit optic

	E041R retrofit optic dimmable phase cut for body Ø 7 220-240V ~ 50/60Hz CE ⊕	1E040/1R0000		LED retrofit GU10		924,00
--	---	--------------	--	-------------------	--	--------

D67P ECRAN IN&OUT

Inga Sempé

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D67PLN1 wall indoor/outdoor H 145 Ø 185    IP65	1D670PN10002	white	LED 8W 3000K CRI 80 	2.880,00



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

LED optics. 2700K version

	D96/6DW optic + suspension cables dimmable push/DALI - 220-240V ~ 50/60Hz L cable: 4500 ceiling rose: ø 150 x 50	1D960/6DW001	black	LED module 23W 2700K CRI 90	☐	5.412,00
		1D960/6DW020	alu			5.412,00
CE 						

LED optics. 3000K version


	D96/6D optic + suspension cables dimmable push/DALI 220-240V ~ 50/60Hz L cable: 4500 ceiling rose: ø 150 x 50	1D960/6D0001	black	LED module 23W 3000K CRI 90	☐	5.412,00
		1D960/6D0020	alu			5.412,00
  						

sound-absorbing body

	D96C recycled acoustic material and flame retardant H 400 Ø 800	1D960C0000A4	dark grey / white			9.588,00
		1D960C0000A5	light grey / white			9.588,00
		1D960C0000B3	rust/black			9.588,00
		1D960C0000G3	ocher/black			9.588,00
 						

finishing ring

	D96A lower finishing ring Ø 800	1D960A000001	black			3.312,00
		1D960A000020	alu			3.312,00
		CE 				



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

optic (the lamp is supplied without power supply)

	D98TM1 floor outdoor 24Vdc L 450 x W 280 x H 20	1D980TM10005	dark grey	LED 22W 3000K CRI 90	☐	4.584,00
		1D980TM10020	light grey			4.296,00
		 				

structures

	D98/2 floor outdoor L 320 x W 150 x H 300	1D980/020005	dark grey			2.736,00
		1D980/020020	light grey			2.736,00
		 				

	D98/3 floor outdoor L 320 x W 150 x H 700	1D980/030005	dark grey			3.624,00
		1D980/030020	light grey			3.624,00
		CE 				


remote drivers (the junction box is recommended watertight IP68)

	D98/5 remote driver on/off 24V, 30W, SELV L 153 x W 32 x H 41	1D980/050000	white			612,00
 						

D980 FIENILE outdoor

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D94/1 remote driver push/DALI 24V, 45W, SELV 220-240V ~ 50/60Hz SELV L 187 x W 45 x H 30.5 CE	1D940/100000			1.200,00



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

structure (the lamp is supplied without power supply). 3000K versions

	A04WTF1A floor single structure I: max 300mA V: 8,5Vdc H 750 Ø 50 CE   IP65 IK03	1A04WTF1A001	matt black	LED 2.5 W 3000K CRI 90 ☐	5.256,00
	A04WTF1B floor single structure I: max 300mA V: 8,5Vdc H 1200 Ø 50 CE   IP65 IK03	1A04WTF1B001	matt black	LED 2.5 W 3000K CRI 90 ☐	5.448,00
	A04WTF1C floor single structure I: max 300mA V: 8,5Vdc H 1800 Ø 50 CE   IP65 IK03	1A04WTF1C001	matt black	LED 2.5 W 3000K CRI 90 ☐	5.868,00
	A04WTF2 floor multiple structure 2 stems I: max 600mA V: 8,5Vdc L 750 x H 1200 Ø 50 CE   IP65 IK03	1A04WTF20001	matt black	LED 5 W 3000K CRI 90 ☐	8.556,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A04WTF3 floor multiple structure 3 stems I: max 900mA V: 8,5Vdc L 2x 1200 x H 1800 Ø 50 CE  IP65 IK03	1A04WTF30001	matt black	LED 7.5 W 3000K CRI 90 ☐	12.132,00

track 2700K versions

	A04WB1 track dimmable push/DALI 48Vdc SELV L 160 x H 700 CE 	1A04WB010001	matt black	LED 3,3W 3000K CRI 90 ☐	4.212,00
---	---	--------------	------------	--	----------

track 3000K versions

	A04B1 track dimmable push/DALI 48Vdc SELV L 160 x H 700 CE 	1A04B010001	matt black	LED 3,3W 2700K CRI 90 ☐	4.212,00
--	--	-------------	------------	--	----------

accessories

	A04/1 base standing L 140 x W 100 x H 50 CE	1A040/010001	matt black		912,00
	A04/2 picket H 280 Ø 50 CE	1A040/020000	matt black		1.680,00


remote drivers (the junction box is recommended watertight IP68)


	A04/3 driver on/off I: 300/600/900 A, 42W L 146 x W 43.5 x H 22 CE	1A040/030000			276,00
---	---	--------------	--	--	--------

A04 FLIA

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A04/4 driver dimmable push/DALI I: 300/600/900 A, 40W L 98 x W 43 x H 22 CE	1A040/040000			600,00


portable/rechargeable lamp (USB charger not included in the package)

	A04TP1B floor portable, rechargeable dimmer on board USB/USB-C cable included 5Vdc USB-C L base 135 x W 100 x H 1200 CE 	1A040TP1B001	matt black	LED 4W 3000K CRI 90 ☐	6.108,00
---	---	--------------	------------	--	----------

	A04TP1C floor portable, rechargeable dimmer on board USB/USB-C cable included 5Vdc USB-C L base 135 x W 100 x H 1800 CE 	1A040TP1C001	matt black	LED 4W 3000K CRI 90 ☐	6.468,00
--	---	--------------	------------	--	----------

USB charger for A04TP1B and A04TP1C

	A02/1 USB charger input 110/240V -50/60Hz output 5v 2,4A CE	1A020/010000			432,00
---	---	--------------	--	--	--------



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D33N.100 table/wall on/off switch 220-240V ~ 50/60Hz L arms L 440 + 355 head Ø 160 CE  	1D33N2GI00AA	metal	LED filament E27 max 42W HSGSA E27	2.796,00
		1D33N2GI0001	black		3.252,00
		1D33N2GI0002	white		2.952,00
	D33Nsp.60 ceiling/wall on/off switch fixed base included 220-240V ~ 50/60Hz L 360, head Ø 110 CE  	1D33NSPI00AA	metal	LED E14 max 28W Spot R50 E14	2.088,00
		1D33NSPI0001	black		2.328,00
		1D33NSPI0002	white		2.148,00
	D33Nsp.100 ceiling/wall on/off switch fixed base included 220-240V ~ 50/60Hz L 360, head Ø 160 CE  	1D33NSGI00AA	metal	LED filament E27 max 42W HSGSA E27	2.172,00
		1D33NSGI0001	black		2.472,00
		1D33NSGI0002	white		2.316,00

accessories

	D33N/01 base Ø 236 CE	1D33N/01000A	metal		1.356,00
		1D33N/010001	black		1.428,00
		1D33N/010002	white		1.356,00

D33 FORTEBRACCIO

Alberto Meda, Paolo Rizzato

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D33N/03 universal joint H 118 CE	1D33N/03000A	metal		552,00
	D33N/04 clamp H min 10 - max 65 CE	1D33N/04000A	metal		552,00
	D33N/05 fixing pin Ø 125 CE	1D33N/05000A	metal		888,00

D90 GARBi

David Dolcini

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

2700K versions

	D90NW1 wall dimmable phase cut 220-240V ~ 50/60Hz L 200 x W 160 x H 140 CE  	1D90NAW10002	white	LED 20W 2700K CRI 90 ☐	4.236,00
---	--	--------------	-------	---	----------

3000K versions

	D90NC1 wall dimmable phase cut 220-240V ~ 50/60Hz L 200 x W 160 x H 140 CE  	1D90NAC10002	white	LED 20W 3000K CRI 90 ☐	4.236,00
---	--	--------------	-------	---	----------



body
A16=1W



A16/1
diffuser



complete lamp



body
A16T1W



base
A16/5



diffuser
A16/3



complete lamp



body
A16S2W/A16SD2W



diffuser
A16/4



complete lamp



body
A16S1W/A16SD1W



diffuser
A16/2



complete lamp



body
A16B1W



diffuser
A16/2



complete lamp

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

Table version (Determine the price of the lamp by adding the structure and the diffuser)

	A16=1W table structure 220-240V - 50/60 Hz H 672 base ø 50	1A160=01W001	black	LED 21W 2700K CRI 90	☐	4.320,00
	CE  					
	A16/1 table diffuser L 410 ø 50	1A160/010002	white			1.068,00

Floor version (Determine the price of the lamp by adding the structure and the diffuser)

	A16/5 floor base L 203 ø 80	1A160/050001	black			2.532,00
	A16T1W floor structure 220-240V - 50/60 Hz H 1806 ø 80	1A160T01W001	black	LED 46W 2700K CRI 90	☐	4.812,00
	CE  					
	A16/3 floor diffuser L 640 ø 50	1A160/030002	white			1.536,00

Horizontal suspension version (Determine the price of the lamp by adding the structure and the diffuser)

	A16S2W horizontal suspension structure dimmable phase cut 220-240V - 50/60 Hz L cable: 3000 ceiling rose: ø 50, l 1080	1A160S02W001	black	LED 50W 2700K CRI 90	☐	6.096,00
	CE  					

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A16SD2W horizontal suspension structure dimmable DALI 220-240V - 50/60 Hz L cable: 3000 ceiling rose: ø 50, I 1080	1A160SD2W001	black	LED 50W 2700K CRI 90	5.652,00
	A16/4 suspension horizontal diffuser L 940 ø 50	1A160/040002	white		1.332,00

Suspension and track version (Determine the price of the lamp by adding the structure and the diffuser)

	A16S1W vertical suspension structure dimmable phase cut 220-240V - 50/60 Hz L cable: 3000 ceiling rose: ø 50, I 1000	1A160S01W001	black	LED 37W 2700K CRI 90	5.592,00
	A16SD1W vertical suspension structure dimmable DALI 220-240V - 50/60 Hz L cable: 3000 ceiling rose: ø 50, I 1000	1A160SD1W001	black	LED 37W 2700K CRI 90	5.304,00
	A16B1W track system H 1000 ø 50	1A160B01W001	black	LED 37W 3000K CRI 90	2.832,00
	A16/2 suspension vertical/track diffuser L 410 ø 50	1A160/020002	white		1.236,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D66/12 suspension 220-240V ~ 50/60Hz H 490 Ø 610 L cable: 3000 ceiling rose: Ø 120 x 30	1D6612S00000	methacrylate	LED E27 max 20W	13.884,00
	D66/18 suspension 220-240V ~ 50/60Hz H 540 Ø 720 L cable: 3000 ceiling rose: Ø 120 x 30	1D6618S00000	methacrylate	LED E27 max 20W	18.444,00
	D66/42 suspension 220-240V ~ 50/60Hz H 660 Ø 1100 L cable: 3000 ceiling rose: Ø 160 x 40	1D6642S00000	methacrylate	3x LED E27 max 20W	55.488,00
	D66/105 suspension 220-240V ~ 50/60Hz H 900 Ø 2000 L cable: 3000 ceiling rose: Ø 160 x 40	1D66105S00000	methacrylate	5x LED E27 max 20W	153.984,00
	D66/18td floor structure foot dimmer 220-240V ~ 50/60Hz H 540 Ø 720	1D6618TD0000	methacrylate	LED E27 max 20W	18.768,00
	D66/18t.1 ground rod L 51.7 x H 1640	1D6618T01019	polished		8.004,00

for the floor version calculate the price of the lamp adding the cost of the body (D66/18td) to the polished steel stem (D66/18T.1).

D66 HOPE

Francisco Gomez Paz, Paolo Rizzato

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D66/03a wall 220-240V ~ 50/60Hz L 480 x W 285 x H 430 CE  	1D6603A00000	methacrylate	LED dimmable R7s L 78mm, ø max: 22mm max 120W R7S HDG L 78 mm	4.584,00
	D66/08a wall 220-240V ~ 50/60Hz L 610 x W 456 x H 490 CE  	1D6608A00000	methacrylate	MAX 20W LED E27	10.728,00
	D66/12p ceiling 220-240V ~ 50/60Hz H 420 Ø 690 CE  	1D6612P00000	methacrylate	3 x 12W LED E14	15.588,00
	D66/30p ceiling 220-240V ~ 50/60Hz H 640 Ø 1090 CE  	1D6630P00000	methacrylate	3 x 20W SB LED E27	38.472,00

accessories

	D66R/KT kit for multiple composition (the price of the composition is determined by adding the price of the individual lamps in the chosen composition to the price of the kit) L cable: 15000 CE	9D6600000000	metal		4.608,00
---	---	--------------	-------	--	----------

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D82S1 suspension dimmable phase cut 220-240V ~ 50/60Hz W 400 Ø 600 L cable: 3000 ceiling rose: Ø 240x60 CE  	1D82YS100099	birch	LED 25W 2700K CRI 90 ☐	11.172,00
	D82SID suspension dimmable push/DALI 220-240V ~ 50/60Hz W 400 Ø 600 L cable: 3000 ceiling rose: Ø 240x60 CE  	1D82YS1D0099	birch	LED 25W 2700K CRI 90 ☐	11.796,00
	D82S2 suspension dimmable phase cut 220-240V ~ 50/60Hz W 500 Ø 800 L cable: 3000 ceiling rose: Ø 240x60 CE  	1D82YS200099	birch	LED 32W 2700K CRI 90 ☐	14.220,00
	D82S2D suspension dimmable push/DALI 220-240V ~ 50/60Hz W 500 Ø 800 L cable: 3000 ceiling rose: Ø 240x60 CE  	1D82YS2D0099	birch	LED 32W 2700K CRI 90 ☐	14.916,00
	D82S3 suspension dimmable phase cut 220-240V ~ 50/60Hz W 650 Ø 1000 L cable: 3000 ceiling rose: Ø 240x60 CE  	1D82YS300099	birch	LED 40W 2700K CRI 90 ☐	16.764,00
	D82S3D suspension dimmable push/DALI 220-240V ~ 50/60Hz W 650 Ø 1000 L cable: 3000 ceiling rose: Ø 240x60 CE  	1D82YS3D0099	birch	LED 40W 2700K CRI 90 ☐	17.472,00


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D82/1 extra cable kit 10m L cable: 10000 CE 	1D820/010000	transparent		2.148,00

wall structure

	D82A1TW wall structure dimmable phase cut H 300 ø 300 CE  	1D82YA1TW099	birch	LED 21W 2700K CRI 90 ☐	4.992,00
---	--	--------------	-------	---	----------

	D82A1T wall structure dimmable phase cut H 300 ø 300 CE  	1D82YA1T0099	birch	LED 21W 3000K CRI 90 ☐	4.992,00
--	---	--------------	-------	---	----------

Example. Please refer to the catalogue or data sheet to check all possible product configurations.



Calculate the price of the complete lamp by adding the prices of the articles.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A09/1D suspension dimmable push/DALI 220-240V ~ 50/60Hz H 300 ø 28 L cable: 5000 ceiling rose: Ø155 H 52 CE ⊕ V	1A090/01D001	matt black		6.120,00
		1A090/01D030	satin gold		6.720,00
	A09/1T suspension dimmable phase cut 220-240V ~ 50/60Hz H 300 ø 28 L cable: 5000 ceiling rose: Ø155 H 52 CE ⊕ V	1A090/01T001	matt black		5.892,00
		1A090/01T030	satin gold		6.468,00
	A09/2D suspension dimmable push/DALI 220-240V ~ 50/60Hz H 545 ø 28 L cable: 5000 ceiling rose: Ø155 H 52 CE ⊕ V	1A090/02D001	matt black		6.684,00
		1A090/02D030	satin gold		7.260,00

A09 J-US

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A09/2T suspension dimmable phase cut 220-240V ~ 50/60Hz H 545 ø 28 L cable: 5000 ceiling rose: Ø155 H 52	1A090/02T001	matt black		6.456,00
		1A090/02T030	satin gold		6.996,00
		  			
	A09/3D suspension dimmable push/DALI 220-240V ~ 50/60Hz H 895 ø 28 L cable: 5000 ceiling rose: Ø240 H 50	1A090/03D001	matt black		7.896,00
		1A090/03D030	satin gold		8.100,00
		  			
	A09/3T suspension dimmable phase cut 220-240V ~ 50/60Hz H 895 ø 28 L cable: 5000 ceiling rose: Ø240 H 50	1A090/03T001	matt black		10.668,00
		1A090/03T030	satin gold		10.932,00
		  			

wall structure

	A09A1T wall phase cut dimmable 220-240V ~ 50/60Hz H 870 ø 28	1A090A01T001	matt black			4.392,00
		1A090A01T030	satin gold			4.392,00
	  					

arms


	A09C12WN 2 single arms kit L 240 x W 226	1A09NC12W001	matt black	LED 2 x 3W 2700K CRI 90		2.796,00
		1A09NC12W030	satin gold			2.796,00
						

	A09C16WN 6 single arms kit L 240 x W 226	1A09NC16W001	matt black	LED 6 x 3W 2700K CRI 90		7.524,00
		1A09NC16W030	satin gold			7.524,00
						

A09 J-US

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A09C22WN 2 double arms kit L 456 x W 317 	1A09NC22W001	matt black	LED 2 x 6W 2700K CRI 90 ☐	4.668,00
		1A09NC22W030	satin gold		4.668,00
	A09C23WN 3 double arms kit L 456 x W 317 	1A09NC23W001	matt black	LED 6 x 6W 2700K CRI 90 ☐	6.960,00
		1A09NC23W030	satin gold		6.960,00
	A09C32WN 2 triple arms kit L 673 x W 408 	1A09NC32W001	matt black	LED 3 x 9W 2700K CRI 90 ☐	7.680,00
		1A09NC32W030	satin gold		8.040,00
	A09C01WN single arm small L 147 x W 226 	1A09NC01W001	matt black	LED 3W 2700K CRI 90 ☐	708,00
		1A09NC01W030	satin gold		708,00
	A09C11WN single arm L 240 x W 226 	1A09NC11W001	matt black	LED 3W 2700K CRI 90 ☐	1.404,00
		1A09NC11W030	satin gold		1.404,00



A07S20W/A07S20	A07/3D-A07/3T-A07/12-A07/13	15W
A07S37WN/A07S55WN	A07/1D-A07/04	21W
A07S37N/A07S55N		
A07S37WN/A07S55WN	A07/1T-A07/06	22W
A07S37N/A07S55N		
A07S55WN/A07S55N	A07TD	19W
A07S86W/A07S86/A07S11WN/A07S11N	A07/2D-A07/05	30W
A07F86WN/A07F86N/A07F11WN/A07F11N		
A07S86W/A07S86/A07S11WN/A07S11N	A07/2T-A07/07	31W
A07F86WN/A07F86N/A07F11WN/A07F11N		


Calculate the price of the lamp adding the body to the ceiling rose.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
2700K bodies					
	A07S20W suspension l: max 350mA, V: 33 Vdc, SELV H 70 ø 200 L cable: 5000 ceiling rose: Ø 210x50 CE  	1A070S20W001	matt black	LED 12W 2700K CRI 90 	5.316,00
		1A070S20W002	matt white		5.316,00
		1A070S20W007	matt red		5.316,00
		1A070S20W010	matt blue		5.316,00
	A07S37WN suspension l: max 350mA, V: 33 Vdc, SELV H 80 ø 370 L cable: 5000 ceiling rose: Ø 210x50 CE  	1A07NS37W001	matt black	LED 19W 2700K CRI 90 	6.288,00
		1A07NS37W002	matt white		6.288,00
		1A07NS37W007	mat red		6.288,00
		1A07NS37W010	mat blue		6.288,00
	A07S55WN suspension l: max 500mA, V: 33 Vdc, SELV H 100 ø 550 L cable: 5000 ceiling rose: Ø 210x50 CE  	1A07NS55W001	matt black	LED 19W 2700K CRI 90 	7.488,00
		1A07NS55W002	matt white		7.488,00
		1A07NS55W007	mat red		7.488,00
		1A07NS55W010	mat blue		7.488,00
	A07S86W suspension l: max 750mA, V: 33 Vdc, SELV H 110 ø 860 L cable: 5000 ceiling rose: Ø 210x50 CE  	1A070S86W001	matt black	LED 26W 2700K CRI 90 	13.656,00
		1A070S86W002	matt white		13.656,00
		1A070S86W007	mat red		14.268,00
		1A070S86W010	mat blue		14.268,00
	A07S11WN suspension l: max 750mA, V: 33 Vdc, SELV H 150 ø 1100 L cable: 5000 ceiling rose: Ø 210x50 CE  	1A07NS11W001	matt black	LED 26W 2700K CRI 90 	16.884,00
		1A07NS11W002	matt white		17.244,00
		1A07NS11W007	mat red		17.268,00
		1A07NS11W010	mat blue		17.268,00
3000K bodies					
	A07S20 suspension l: max 350mA, V: 33 Vdc, SELV H 70 ø 200 L cable: 5000 ceiling rose: Ø 210x50 CE  	1A070S200001	matt black	LED 12W 3000K CRI 90 	5.316,00
		1A070S200002	matt white		5.316,00
		1A070S200007	matt red		5.316,00
		1A070S200010	matt blue		5.316,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A07S37N suspension l: max 350mA, V: 33 Vdc, SELV H 80 ø 370 L cable: 5000 ceiling rose: Ø 210x50 CE  	1A07NS370001	matt black	LED 19W 3000K CRI 90 	6.288,00
		1A07NS370002	matt white		6.288,00
		1A07NS370007	mat red		6.288,00
		1A07NS370010	mat blue		6.288,00
	A07S55N suspension l: max 500mA, V: 33 Vdc, SELV H 100 ø 550 L cable: 5000 ceiling rose: Ø 210x50 CE  	1A07NS550001	matt black	LED 19W 3000K CRI 90 	7.488,00
		1A07NS550002	matt white		7.488,00
		1A07NS550007	mat red		7.488,00
		1A07NS550010	mat blue		7.488,00
	A07S86 suspension l: max 750mA, V: 33 Vdc, SELV H 110 ø 860 L cable: 5000 ceiling rose: Ø 210x50 CE  	1A07S860001	matt black	LED 26W 3000K CRI 90 	13.656,00
		1A07S860002	matt white		13.656,00
		1A07S860007	mat red		14.268,00
		1A07S860010	mat blue		14.268,00
	A07S11N suspension l: max 750mA, V: 33 Vdc, SELV H 150 ø 1100 L cable: 5000 ceiling rose: Ø 210x50 CE  	1A07NS110001	matt black	LED 26W 3000K CRI 90 	16.944,00
		1A07NS110002	matt white		17.292,00
		1A07NS110007	mat red		17.328,00
		1A07NS110010	mat blue		17.328,00

sound-absorbing body 2700K

	A07F86WN suspension l: max 750mA, V: 33 Vdc, SELV H 108 ø 860 L cable: 5000 ceiling rose: Ø 210x50 CE  	1A07NF86W004	medium grey	LED 26W 2700K CRI 90 	12.156,00
		1A07NF86W005	anthracite		12.156,00
		1A07NF86W011	green		12.156,00
	A07F11WN suspension l: max 750mA, V: 33 Vdc, SELV H 150 ø 1100 L cable: 5000 ceiling rose: Ø 210x50 CE  	1A07NF11W004	medium grey	LED 26W 2700K CRI 90 	12.528,00
		1A07NF11W005	anthracite		12.528,00
		1A07NF11W011	green		12.528,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
sound-absorbing body 3000K					
	A07F86N suspension I: max 750mA, V: 33 Vdc, SELV H 108 ø 860 L cable: 5000 ceiling rose: Ø 210x50	1A07NF860004	medium grey	LED 26W 3000K CRI 90	12.156,00
		1A07NF860005	anthracite		12.156,00
		1A07NF860011	green		12.156,00
CE  					
	A07F11N suspension I: max 750mA, V: 33 Vdc, SELV H 150 ø 1100 L cable: 5000 ceiling rose: Ø 210x50	1A07NF110004	medium grey	LED 26W 3000K CRI 90	12.528,00
		1A07NF110005	anthracite		12.528,00
		1A07NF110011	green		12.528,00
CE  					
floor structure					
	A07TD floor structure only for A07S55WN, A07S55N foot dimmer stem Ø 8, L 1900 L cable: 3000	1A07TD000001	matt black		6.408,00
CE  					
2700K wall structure					
	A07A20W wall 220-240V ~ 50/60Hz L 320 x W 200 x H 580 L cable: 2400	1A070A20W001	matt black	LED 12W 2700K CRI 90	7.320,00
CE  					
ceiling rose					
	A07/3D ceiling rose dimmmable push/DALI for A07S20W and A07S20 220-240V ~ 50/60Hz H 47 ø 210	1A070/03D001	black		2.136,00
CE  					
	A07/3T ceiling rose dimmmable phase cut for A07S20W and A07S20 220-240V ~ 50/60Hz H 47 ø 210	1A070/03T001	black		1.980,00
CE  					

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A07/1D ceiling rose dimmable push/DALI for A07S37N, A07S37WN, A07S55N, A07S55WN 220-240V ~ 50/60Hz H 47 ø 210 CE  	1A070/01D001	matt black		2.148,00
	A07/1T ceiling rose dimmable phase cut for A07S37N, A07S37WN, A07S55N, A07S55WN 220-240V ~ 50/60Hz H 47 ø 210 CE  	1A070/01T001	matt black		1.956,00
	A07/2D ceiling rose dimmable push/DALI for A07S86W/A07S86, A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 220-240V ~ 50/60Hz H 47 ø 210 CE  	1A070/02D001	matt black		2.148,00
	A07/2T ceiling rose dimmable phase cut for A07S86W/ A07S86, A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 220-240V ~ 50/60Hz H 47 ø 210 CE  	1A070/02T001	matt black		1.956,00

remote driver

	A07/12 remote driver dimmable phase cut for A07S20W and A07S20 350mA, 42W, SELV 220-240V ~ 50/60Hz L 98 x W 43 x H 22 CE	1A070/120000			828,00
	A07/13 remote driver dimmable phase cut for A07S20W and A07S20 350mA, 42W, SELV 220-240V ~ 50/60Hz L 125 x W 41 x H 23 CE	1A070/130000			552,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A07/4 remote driver dimmable push/DALI for A07S37N, A07S37WN, A07S55N, A07S55WN 500mA, 42W, SELV 220-240V ~ 50/60Hz L 98 x W 43 x H 22 CE	1A070/040000			636,00
	A07/5 remote driver dimmable phase cut for A07S86W/ A07S86, A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 750mA, 42W, SELV 220-240V ~ 50/60Hz L 98 x W 43 x H 22 CE	1A070/050000			612,00
	A07/6 remote driver dimmable phase cut for A07S37N, A07S37WN, A07S55N, A07S55WN 500mA, 30W, SELV 220-240V ~ 50/60Hz L 137.5 x W 44 x H 30 CE	1A070/060000			312,00
	A07/7 remote driver dimmable phase cut for A07S86W/ A07S86, A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 700mA, 30W, SELV 220-240V ~ 50/60Hz L 137.5 x W 44 x H 30 CE	1A070/070000			336,00

track adapter


	A07/11 track adapter only for version Ø 20 dimmable DALI 48V dc, SELV L 160 x W 11 x H 70 CE 	1A070/110001	black		1.152,00
		1A070/110002	white		1.152,00

off-center ceiling rose

	A07/10 off-center for versions Ø20, Ø37, Ø55 L cable: max 5000 CE	1A070/100001	black		444,00
		1A070/100000	white, red, blue		444,00

A07 KOINÈ multiple ceiling rose


Mandalaki



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

multiple ceiling rose

	A07/8D ceiling rose dimmable push/DALI only for A07S20W, A07S20 2 optics 220-240V ~ 50/60Hz L 1160 x W 60 x H 40	1A070/08D001	matt black		3.300,00
	A07/9D ceiling rose dimmable push/DALI only for A07S20W, A07S20 3 optics 220-240V ~ 50/60Hz L 1160 x W 60 x H 40	1A070/09D001	matt black		2.640,00



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

structure

	A06/1D suspension dimnable push/DALI 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: Ø150x60	1A060/01D002	matt white	LED 25W 2700K CRI 90	☐	8.520,00
	A06/1T suspension dimnable phase cut 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: Ø150x60	1A060/01T002	matt white	LED 28W 2700K CRI 90	☐	7.992,00
	A06/2D suspension dimnable push/DALI 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: Ø150x60	1A060/02D002	matt white	LED 54W 2700K CRI 90	☐	11.388,00

A06 LEVANTE

Marco Spatti

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A06/2T suspension dimmable phase cut 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: Ø150x60 CE  	1A060/02T002	matt white	LED 54W 2700K CRI 90 ☐	11.064,00



panels

	A06C1 small diffusers for A06/1T, A06/1D and A06TD L 600 x H 440 CE	1A060C100002	matt white		6.252,00
---	--	--------------	------------	--	----------

	A06C2 big diffusers for A06/2D, A06/2T L 1020 x H 720 CE	1A060C200002	matt white		10.560,00
---	--	--------------	------------	--	-----------

floor structure (add A06C1 code for complete lamp)

	A06TD floor structure foot dimmer 220-240V ~ 50/60Hz L 620 x W 620 x H 1800 CE  	1A060TD00002	matt white	LED 22W 2700K CRI 90 ☐	13.836,00
---	--	--------------	------------	---	-----------



For all possible lamp arrangements please consult the configurator at www.luceplan.com

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
optics					
	A12C1W 1 optic L 363 x W 108 x H 265 CE	1A120C01W000	satin white	LED 2,5W 2700K CRI 90 ☐	1.440,00
	A12C3W 3 optics L 363 x W 108 x H 265 CE	1A120C03W000	satin white	LED 3 x 2,5W 2700K CRI 90 ☐	3.624,00
	A12C6W 6 optics L 363 x W 108 x H 265 CE	1A120C06W000	satin white	LED 6 x 2,5W 2700K CRI 90 ☐	6.840,00
floor structure					
	A12/I floor structure 220-240V ~ 50/60Hz H 99 ø 124 L cable: 5000 CE ☐ V	1A120/010001	black		6.432,00
ceiling rose					
	A12/22D ceiling rose for 4 cables max 60W dimmable push/DALI 220-240V ~ 50/60Hz H 46 ø 206 CE ☐ V	1A120/22D001	black		4.932,00
	A12/23D ceiling rose for 6 cables max 100W dimmable push/DALI 220-240V ~ 50/60Hz H 46 ø 265 CE ☐ V	1A120/23D001	black		5.280,00


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A12/24D ceiling rose for 12 cables max 150W dimmable push/DALI 220-240V ~ 50/60Hz H 46 ø 451	1A120/24D001	black		5.760,00
  					

cables + weight

	A12/58 Kit 4x 5m cables + counterweight L 125 counterweight ø 32 L cable: 5000	1A120/580001	metal		5.016,00
					
	A12/59 Kit 6x 5m cables + counterweight L 125 counterweight ø 32 L cable: 5000	1A120/590001	metal		7.296,00
					
	A12/60 Kit 4x 10m cables + counterweight L 125 counterweight ø 32 L cable: 10000	1A120/600001	metal		6.840,00
					
	A12/61 Kit 6x 10m cables + counterweight L 125 counterweight ø 32 L cable: 10000	1A120/610001	metal		10.032,00
					
	A12/62 Kit 4x 20m cables + counterweight L 125 counterweight ø 32 L cable: 20000	1A120/620001	metal		10.176,00
					

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	A12/63 Kit 6x 20m cables + counterweight L 125 counterweight ø 32 L cable: 20000 CE	1A120/630001	metal		15.036,00

Lita table or suspension (with only one diffuser)



structure



diffuser



complete lamp

Calculate the price of the lamp adding the structure (for the floor version also the base weight) or the support to the corresponding diffuser for all versions: table, floor, wall and suspension.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D92V14 complete version table on/off switch 220-240V ~ 50/60Hz H 130 ø 140	1D920V140000	white	max 16W LED G9 (max h.70mm)	2.520,00
		1D920V140030	brass		2.664,00
	D92=18 table dimmer on board - for D92/2 diffuser 220-240V ~ 50/60Hz L base ø 120 x H 280	1D920=180002	white	LED G9 min 4W, max 16W (max h.70mm)	3.408,00
	D92V18 support base dimmer on board for D92/2 diffuser 220-240V ~ 50/60Hz L base ø 100 x H 160	1D920V180000	white	LED G9 min 4W, max 16W (max h.70mm)	1.680,00
		1D920V180030	brass		2.052,00
	D92=30 table structure dimmer on board for D92/3 diffuser 220-240V ~ 50/60Hz L base ø 200 x H 460	1D920=300002	white	LED E27 70W HSGSA	3.936,00
	D92V30 support base dimmer on cable for D92/3 diffuser 220-240V ~ 50/60Hz L base ø 150 x H 260	1D920V300000	white	LED E27 70W HSGSA	1.848,00
		1D920V300030	brass		2.136,00

D92 LITA

David Dolcini

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D92P14 complete version wall/ceiling 220-240V ~ 50/60Hz H 120 140	1D920P140000	white	max 16W LED G9 (max h 70mm)	1.608,00
	D92P18 wall/ceiling dimmable for D92/2 diffuser 220-240V ~ 50/60Hz H 150 180	1D920P180000	white	max 16W LED G9 (max h 70mm)	696,00
	D92P30 wall/ceiling dimmable for D92/3 diffuser 220-240V ~ 50/60Hz H 260 300	1D920P300000	white	LED E27 70W HSGSA	744,00
	D92S14 complete version suspension 220-240V ~ 50/60Hz ø 140 L cable: 3000 ceiling rose: ø 130 x 40	1D920S140002 1D920S140030	white brass	max 16W LED G9 (max h 70mm)	2.508,00 3.060,00
	D92S18 suspension structure for D92/2 diffuser 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: ø 130 x 40	1D920S180002 1D920S180030	white brass	max 16W LED G9 (max h 70mm)	1.968,00 2.304,00
	D92S30 suspension structure for D92/3 diffuser 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: ø 130 x 40	1D920S300002 1D920S300030	white brass	LED E27 70W HSGSA	2.772,00 3.384,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D92S42 suspension structure for D92/4 diffuser 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: ø 130 x 40	1D920S420002	white	LED E27 70W HSGSA	2.808,00
		1D920S420030	brass		3.468,00
					

diffusers

	D92/1 Opal glass diffuser H 112 ø 140	1D920/100002	opale			852,00
						

	D92/2 Opal glass diffuser H 150 ø 180	1D920/200002	opale			1.236,00
						

	D92/3 Opal glass diffuser H 250 ø 300	1D920/300002	opale			2.016,00
						

	D92/4 Opal glass diffuser H 360 ø 420	1D920/400002	opale			3.384,00
						

D15 LOLA

Alberto Meda, Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D15ND floor foot dimmer 220-240V ~ 50/60Hz W base Ø 480, head 180 x H min 1600 - max 2000 CE □ V	1D15=1ND0017	black	LED R7s max 240W HDG R7s (Ømax 22 mm)	6.672,00
		1D15=1ND0020	alu		6.672,00
	D15NA1 wall 220-240V ~ 50/60Hz L 180 x W 250 x H 250 CE □ V	1D15A1N00017	black	LED R7s max 240W HDG R7s (Ømax 22 mm)	2.472,00
		1D15A1N00020	alu		2.472,00

D85 LUTHIEN

Monica Armani

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

3000K versions

	D85AC wall dimmable phase cut 220-240V ~ 50/60Hz L 270 x W 100 x H 270 CE  	1D850A0C0002	white	LED 21W 3000K CRI 80 	3.768,00
---	---	--------------	-------	--	----------

2700K versions

	D85A wall dimmable phase cut 220-240V ~ 50/60Hz L 270 x W 100 x H 270 CE  	1D850A000002	white	LED 21W 2700K CRI 80 	3.768,00
---	--	--------------	-------	--	----------

Malamata floor



structure



base




diffuser



complete lamp


Malamata wall



structure



diffuser



complete lamp


Malamata suspension



structure



diffuser





complete lamp

For all versions calculate the price of the lamp adding the structure to the diffuser.

B01 MALAMATA

Studio Shulab

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
floor version					
	B01T22 floor dimmable structure for B01/1 diffuser foot dimmer 220-240V ~ 50/60Hz L 960 x H 1500 L cable: 3300	1B010T220001	black	LED E14 (max ø 40mm)	6.456,00
		1B010T220030	brushed brass		9.000,00
CE  					
	B01/3 base H 15 ø 380	1B010/300001	black		2.256,00
		1B010/300030	brushed brass		3.672,00
CE					
wall version					
	B01A22 wall dimmable structure for B01/1 diffuser 220-240V ~ 50/60Hz L 1520 x H 330	1B010A220001	black	LED E14 (max ø 40mm)	8.460,00
		1B010A220030	brushed brass		12.132,00
CE  					
suspension version					
	B01S22 suspension structure for diffuser diameter 22 cm 220-240V ~ 50/60Hz L 1060 x H 860 L cable: 3000 ceiling rose: ø 133x40	1B010S220001	black	LED E14 (max ø 40mm)	7.560,00
		1B010S220030	brushed brass		10.068,00
CE  					
	B01S48 suspension structure for diffuser diameter 48 cm 220-240V ~ 50/60Hz L 1190 x H 1320 L cable: 3000 ceiling rose: ø 133x40	1B010S480001	black	LED E27	8.856,00
		1B010S480030	brushed brass		11.400,00
CE  					
opal diffusers					
	B01/1 opal diffuser ø 220	1B010/100002	opal		1.404,00
CE					

B01 MALAMATA

Studio Shulab

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	B01/2 opal diffuser ø 480 CE	1B010/200002	opal		3.216,00

Mesh wireless



+

APP

Luceplan Mesh+ **NEW**



Google Play
App Store

Don't use characters: " /

APP:  www.luceplan.com/products/mesh-wireless

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

complete version phase cut Ø 800

	D86KT081 suspension dimnable phase cut 220-240V ~ 50/60Hz H 600 ø 800 L cable: 1000 ceiling rose: Ø300 x 70   	1D86KT081001	black	LED 53W 2700K CRI 90 ☐	38.316,00
	D86KT082 suspension dimnable phase cut 220-240V ~ 50/60Hz H 600 ø 800 L cable: 2000 ceiling rose: Ø300 x 70   	1D86KT082001	black	LED 53W 2700K CRI 90 ☐	39.720,00
	D86KT083 suspension dimnable phase cut 220-240V ~ 50/60Hz H 600 ø 800 L cable: 3000 ceiling rose: Ø300 x 70   	1D86KT083001	black	LED 53W 2700K CRI 90 ☐	39.720,00
	D86KT084 suspension dimnable phase cut 220-240V ~ 50/60Hz H 600 ø 800 L cable: 4000 ceiling rose: Ø300 x 70   	1D86KT084001	black	LED 53W 2700K CRI 90 ☐	39.720,00

D86 MESH

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D86KT085 suspension dimmable phase cut 220-240V ~ 50/60Hz H 900 ø 800 L cable: 5000 ceiling rose: Ø300 x 70 CE  	1D86KT085001	black	LED 53W 2700K CRI 90 ☐	39.720,00

complete version with wireless kit Ø 800

	D86KW081B suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 1000 ceiling rose: Ø300 x 70 CE  	1D86KW081001B	black	LED 50W 2700K CRI 90 ☐	40.932,00
---	--	---------------	-------	---	-----------

	D86KW082B suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 2000 ceiling rose: Ø300 x 70 CE  	1D86KW082001B	black	LED 50W 2700K CRI 90 ☐	42.984,00
--	--	---------------	-------	---	-----------

	D86KW083B suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 3000 ceiling rose: Ø300 x 70 CE  	1D86KW083001B	black	LED 50W 2700K CRI 90 ☐	42.984,00
---	--	---------------	-------	---	-----------

	D86KW084B suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 4000 ceiling rose: Ø300 x 70 CE  	1D86KW084001B	black	LED 50W 2700K CRI 90 ☐	42.984,00
---	--	---------------	-------	---	-----------

	D86KW085B suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 5000 ceiling rose: Ø300 x 70 CE  	1D86KW085001B	black	LED 50W 2700K CRI 90 ☐	42.984,00
---	--	---------------	-------	---	-----------

Light source included ☐

D86 MESH

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
complete version phase cut Ø 1000					
	D86KT101 suspension dimmable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 1000 ceiling rose: Ø300 x 70	1D86KT101001	black	LED 61W 2700K CRI 90	49.332,00
	D86KT102 suspension dimmable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 2000 ceiling rose: Ø300 x 70	1D86KT102001	black	LED 61W 2700K CRI 90	50.568,00
	D86KT103 suspension dimmable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 3000 ceiling rose: Ø300 x 70	1D86KT103001	black	LED 61W 2700K CRI 90	50.568,00
	D86KT104 suspension dimmable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 4000 ceiling rose: Ø300 x 70	1D86KT104001	black	LED 61W 2700K CRI 90	50.568,00
	D86KT105 suspension dimmable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 5000 ceiling rose: Ø300 x 70	1D86KT105001	black	LED 61W 2700K CRI 90	50.568,00
complete version with wireless kit Ø 1000					
	D86KW101B suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 1000 ceiling rose: Ø300 x 70	1D86KW101001B	black	LED 61W 2700K CRI 90	51.024,00

D86 MESH

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D86KW102B suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 2000 ceiling rose: Ø300 x 70 CE  	1D86KW102001B	black	LED 61W 2700K CRI 90 ☐	53.088,00
	D86KW103B suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 3000 ceiling rose: Ø300 x 70 CE  	1D86KW103001B	black	LED 61W 2700K CRI 90 ☐	53.088,00
	D86KW104B suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 4000 ceiling rose: Ø300 x 70 CE  	1D86KW104001B	black	LED 61W 2700K CRI 90 ☐	53.088,00
	D86KW105B suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 5000 ceiling rose: Ø300 x 70 CE  	1D86KW105001B	black	LED 61W 2700K CRI 90 ☐	53.088,00

complete version

	D86C551 suspension dimnable phase cut 220-240V ~ 50/60Hz H 550 ø 550 L cable: 1000 ceiling rose: Ø260 x 50 CE  	1D86C551001	black	LED 39W 2700K CRI 90 ☐	21.372,00
	D86C555 suspension dimnable phase cut 220-240V ~ 50/60Hz H 550 ø 550 L cable: 5000 ceiling rose: Ø260 x 50 CE  	1D86C555001	black	LED 39W 2700K CRI 90 ☐	23.004,00

D86 MESH

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D86PLN ceiling dimable phase cut 220-240V ~ 50/60Hz H 320 ø 720 ceiling rose: Ø400 x 66	1D860PLN0001	black	LED 50W 2700K CRI 90	32.328,00
  					

complete version Ø 800 CASAMBI

	D86S081 suspension dimable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 1000 ceiling rose: Ø300 x 70	1D860S081001	black	LED 50W 2700K CRI 90	38.316,00
  					

	D86S082 suspension dimable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 2000 ceiling rose: Ø300 x 70	1D860S082001	black	LED 50W 2700K CRI 90	39.720,00
  					

	D86S083 suspension dimable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 3000 ceiling rose: Ø300 x 70	1D860S083001	black	LED 50W 2700K CRI 90	39.720,00
  					

	D86S084 suspension dimable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 4000 ceiling rose: Ø300 x 70	1D860S084001	black	LED 50W 2700K CRI 90	39.720,00
  					

	D86S085 suspension dimable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 5000 ceiling rose: Ø300 x 70	1D860S085001	black	LED 50W 2700K CRI 90	39.720,00
  					

D86 MESH

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
complete version Ø 1000 CASAMBI					
	D86S101 suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 1000 ceiling rose: Ø300 x 70	1D860S101001	black	LED 64W 2700K CRI 90	49.332,00
	D86S102 suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 2000 ceiling rose: Ø300 x 70	1D860S102001	black	LED 64W 2700K CRI 90	50.568,00
	D86S103 suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 3000 ceiling rose: Ø300 x 70	1D860S103001	black	LED 64W 2700K CRI 90	50.568,00
	D86S104 suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 4000 ceiling rose: Ø300 x 70	1D860S104001	black	LED 64W 2700K CRI 90	50.568,00
	D86S105 suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 5000 ceiling rose: Ø300 x 70	1D860S105001	black	LED 64W 2700K CRI 90	50.568,00
complete version CASAMBI					
	D86S051 suspension dimmable CASAMBI 220-240V ~ 50/60Hz H 550 ø 550 L cable: 1000 ceiling rose: Ø260 x 50	1D860S051001	black	LED 39W 2700K CRI 90	21.372,00

D86 MESH

Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D86S055 suspension dimnable CASAMBI 220-240V ~ 50/60Hz H 550 ø 550 L cable: 5000 ceiling rose: Ø260 x 50 CE  	1D860S055001	black	LED 39W 2700K CRI 90 ☐	23.004,00
	D86P ceiling dimnable CASAMBI 220-240V ~ 50/60Hz H 320 ø 720 CE  	1D860P000001	black	LED 50W 2700K CRI 90 ☐	32.328,00

D20 METROPOLI

Alberto Meda, Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

indoor complete versions

	D2017V1 wall/ceiling glass diffuser 220-240V ~ 50/60Hz H 80 ø 170 CE  	1D2017V01019	polished	LED E14 max 28W HSGSA E14		3.084,00
		1D2017V01020	alu			3.360,00
		1D2017V01040	satin bronze			4.968,00
	D2017V7 wall/ceiling glass diffuser 220-240V ~ 50/60Hz H 80 ø 170 CE  	1D2017V07019	polished	12W LED 2700K CRI 90 		4.452,00
		1D2017V07020	alu			4.728,00
		1D2017V07040	satin bronze			6.300,00
	D2027V1 wall/ceiling glass diffuser 220-240V ~ 50/60Hz H 100 ø 270 CE  	1D2027V01019	polished	LED E27 max 70W HSGSA E27		4.044,00
		1D2027V01020	alu			3.936,00
		1D2027V01040	satin bronze			5.808,00
	D2027V9 wall/ceiling glass diffuser 220-240V ~ 50/60Hz H 100 ø 270 CE  	1D2027V09019	polished	17W LED 3000K CRI 90 		5.184,00
		1D2027V09020	alu			5.076,00
		1D2027V09040	satin bronze			6.936,00


D200 METROPOLI outdoor

Alberto Meda, Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

outdoor complete versions

	D2017P1 wall/ceiling polycarbonate diffuser 220-240V ~ 50/60Hz H 80 ø 170	1D2017P01020	alu	LED E14 max 28W HSGSA E14	3.204,00
	   IP65				
	D2017P7 wall/ceiling polycarbonate diffuser 220-240V ~ 50/60Hz H 80 ø 170	1D2017P07020	alu	12W LED 2700K CRI 90	4.584,00
	   IP65				
	D2027P1 wall/ceiling polycarbonate diffuser 220-240V ~ 50/60Hz H 100 ø 270	1D2027P01020	alu	LED E27 max 70W HSGSA E27	3.792,00
	   IP65				
	D2027P9 wall/ceiling polycarbonate diffuser 220-240V ~ 50/60Hz H 100 ø 270	1D2027P09020	alu	17W LED 3000K CRI 90	4.920,00
	   IP65				



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
table complete					
	A11=1W table dimmer on board 220-240V ~50/60 Hz L 180 x W 235 x H 170	1A110=01W009	royal blue	LED 11 W 2700 90	2.892,00
		1A110=01W020	metal		2.892,00
		1A110=01W030	brass		2.892,00
		  			

wall complete structure 2700K

	A11A25W wall dimmmable phase cut 220-240V ~ 50/60Hz H 30 ø 250	1A110A25W020	polished	LED 22W 2700K CRI 90	☐	2.928,00

A11 MILLIMETRO

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
wall complete structure 3000K					
	A11A25 wall dimmable phase cut 220-240V ~ 50/60Hz H 30 ø 250 CE	1A110A250020	polished	LED 22W 3000K CRI 90	2.928,00
cover plate for wall version					
	A11/6 cover plate H 2 ø 250 CE	1A110/060002	white		396,00
		1A110/060009	royal blue		396,00
		1A110/060020	metal		396,00
		1A110/060030	brass		396,00
suspension structure					
	A11/2 stem H 230 ø 10 CE	1A110/020030	brass		972,00
		1A110/020009	royal blue		792,00
		1A110/020020	alu		852,00
	A11/3 stem H 330 ø 10 CE	1A110/030030	brass		1.044,00
		1A110/030009	royal blue		852,00
		1A110/030020	alu		900,00
	A11/4 stem H 530 ø 10 CE	1A110/040030	brass		1.284,00
		1A110/040009	royal blue		984,00
		1A110/040020	alu		1.032,00
	A11/5 stem H 730 ø 10 CE	1A110/050030	brass		1.500,00
		1A110/050009	royal blue		1.116,00
		1A110/050020	alu		1.068,00

A11 MILLIMETRO

Daniel Rybakken


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

ceiling rose

	A11/1D ceiling rose dimmable push/DALI 220-240V ~ 50/60Hz ceiling rose: ø 110x80 CE  	1A110/01D030	brass	39W	3.156,00
		1A110/01D009	royal blue		2.724,00
		1A110/01D020	alu		2.772,00
	A11/1T ceiling rose dimmable phase cut 220-240V ~ 50/60Hz ceiling rose: ø 110x80 CE  	1A110/01T030	brass	37W	2.640,00
		1A110/01T009	royal blue		2.220,00
		1A110/01T020	alu		2.268,00

optic

	A11S50W disc LED 927 220-240V ~ 50/60Hz ø 500 CE  	1A110S50W018	polished	LED 2700K CRI 90 	6.720,00
	A11S85W disc LED 927 220-240V ~ 50/60Hz ø 850 CE  	1A110S85W018	polished	LED 2700K CRI 90 	8.916,00



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

version A (the lamp is supplied without power supply)

	A02TA1 outdoor floor base for A version H 340 ø 185	1A020TA10028	concrete grey		2.352,00
CE	IK03				

	A02TA2 outdoor floor head for A version H 170 ø 185	1A020TA20028	concrete grey		2.352,00
CE	IK03				

version B (the lamp is supplied without power supply)

	A02TB1 outdoor floor base for B version H 200 ø 185	1A020TB10028	concrete grey		2.352,00
CE	IK03				

	A02TB2 outdoor floor head for B version H 310 ø 185	1A020TB20028	concrete grey		2.352,00
CE	IK03				

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

version C (the lamp is supplied without power supply)

	A02TC3 outdoor floor base for C version H 460 ø 185	1A020TC30028	concrete grey		3.636,00
	 				
	A02TC4 outdoor floor head for C version H 70 ø 320	1A020TC40028	concrete grey		2.976,00
	 				

optic

	A02LC1 optic + stem for versions A, B, and C	1A020LC10000		LED 14W 3000K CRI 90	☐	2.352,00
   IP65 IK03						

version D. Complete version with optic + driver (on/off)

	A02TD2 outdoor wall/floor on-off 220-240V ~ 50/60Hz SELV H 140 ø 185	1A020TD20028	concrete grey	LED 14W 3000K CRI 90	☐	5.244,00
	   IP65 IK03					

power supply can be inserted inside the lamp

	A02/2 driver on/off 24V, 14W, SELV 220-240V ~ 50/60Hz L 70 x W 38 x H 24.4	1A020/020000				612,00
 						

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

remote drivers (the junction box is recommended watertight IP68)

	D94/1 remote driver push/DALI 24V, 45W, SELV 220-240V ~ 50/60Hz L 187 x W 45 x H 30.5 CE	1D940/100000			1.200,00
---	--	--------------	--	--	----------


A02R NUI mini

Meneghello Paoletti

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
table lamp portable/rechargeable (USB charger not included in the package)					
	A02R1 table portable / rechargeable indoor/outdoor dimmer on board cable USB/USB-C included 5V H 280 ø 110    IP54	1A020=R10002	white	LED 4W 2700K CRI 90 ☐	3.360,00
		1A020=R10004	sand		3.360,00
		1A020=R10039	greige		3.360,00

USB charger for A02R1

	A02/1 USB charger input 110/240V -50/60Hz output 5v 2,4A 	1A020/010000				432,00
---	---	--------------	--	--	--	--------



body + table base = complete lamp

Calculate the price of the lamp adding the cost of the body to the accessories.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D72N1 table dimmer on board 220-240V ~ 50/60Hz L 550 x W 105 x H 470 CE  	1D720=N10001	black soft touch	LED 8W 3000K CRI 80 ☐	4.968,00
		1D720=N10002	white		4.800,00
		1D720=N10018	Mirror		4.968,00

accessories

	D72/1 table base L 185 x W 185 x H 240 CE	1D72/1000001	black soft touch		1.104,00
		1D72/1000002	white		1.452,00
		1D72/1000018	Mirror		1.548,00



Calculate the price of the lamp adding the cost of the structure to the corresponding optical system.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

suspension structure

	D71PV suspension + LED strip LED module dimmable DALI L 1360 x W 830 x H 150 ceiling rose: ø 120 X 30	1D710P0V0002	white	LED 17W 3000K (strip module) ☐	27.288,00
	D71CV suspension + LED strip LED module dimmable DALI H 150 ø 1200 ceiling rose: ø 120 X 30	1D710C0V0002	white	LED 18W 3000K (strip module) ☐	27.288,00
	D71P1V suspension + LED strip LED module dimmable DALI L 1545 x W 1200 x H 150 ceiling rose: ø 120 X 30	1D710P1V0002	white	LED 21W 3000K (strip module) ☐	32.748,00

optics 3000K versions

	D71/7DL optic LED at direct/indirect light push dim / DALI 220-240V ~ 50/60Hz L cable: 3000	1D71/7DL0002		LED 45W + 25W 3000K CRI 90 ☐	12.564,00
--	--	--------------	--	---	-----------

D71 PÉTALE

Studio Odile Decq


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D71/7DV optic LED at direct light push dim / DALI 220-240V ~ 50/60Hz L cable: 3000 CE  	1D71/7DV0002		LED 45W 3000K CRI 90 ☐	8.964,00

top cover lamp body

	D71/0AP top cover lamp body for D71PV CE	1D71/0AP0002	white		2.904,00
--	---	--------------	-------	--	----------

	D71/0AC top cover lamp body for D71CV CE	1D71/0AC0002	white		2.904,00
---	---	--------------	-------	--	----------

	D71/0AP1 top cover lamp body for D71P1V CE	1D71/0AP1002	white		3.084,00
--	---	--------------	-------	--	----------



Calculate the price of the lamp adding the cost of the structure to the corresponding optical system and to the optional accessories.
Besides the four catalogue colors, other chromatic ranges have been selected for personalization of the lamps.
These custom hues are offered with a 10% surcharge.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D79/90c suspension textile H 450 ø 900 CE	1D7909C000A2	light grey 133		28.752,00
		1D7909C000A3	dark grey 152		28.752,00
		1D7909C000B1	sand 242		28.752,00
		1D7909C000B2	rust 252		28.752,00
	D79/120c suspension textile H 450 ø 1170 CE	1D7912C000A2	light grey 133		31.248,00
		1D7912C000A3	dark grey 152		31.248,00
		1D7912C000B1	sand 242		31.248,00
		1D7912C000B2	rust 252		31.248,00
	D79/150c suspension textile H 450 ø 1485 CE	1D7915C000A2	light grey 133		38.196,00
		1D7915C000A3	dark grey 152		38.196,00
		1D7915C000B1	sand 242		38.196,00
		1D7915C000B2	rust 252		38.196,00

optics


	D79R/24 LED optic dimmmable push / DALI 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: ø 160 x 40 CE	9D7924103200		LED 41W 2700K CRI 90	☐	8.736,00
--	---	--------------	--	----------------------------	--------------------------	----------

D79L SILENZIO

Monica Armani

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D79R/25 LED optic dimmable push / DALI 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: ø 160 x 40	9D7925103100		LED 41W 3000K CRI 90 ☐	8.448,00
CE  					

accessories


	D79R/09 suspension kits for installation in parallel ropes (optional)	9D7909612000				372,00
CE						

	D79R/07 lower screen (optional)	9D7907726000	satin ø 90			3.216,00
		9D7907726100	satin ø 120			4.932,00
		9D7907726200	satin ø 150			5.244,00
CE						

D89 SOLEIL NOIR

Studio Odile Decq

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D89s suspension dimmable push/DALI 220-240V ~ 50/60Hz L 120 x W 625 x H 353 L cable: 3000 ceiling rose: ø 150x45 CE ⚡ V	1D890S000002	white	LED 35W 3000K CRI 80 ☐	25.704,00
		1D890S000035	white/black		26.244,00
	D89P ceiling dimmable push/DALI 220-240V ~ 50/60Hz L 120 x W 625 x H 185 CE ⚡ V	1D890P000002	white	LED 35W 3000K CRI 80 ☐	25.704,00
		1D890P000035	white/black		26.244,00



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

3000K versions

	D87CW1 suspension dimable trailing edge 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: Ø180 x 45	1D870CW10000	alu	LED 18W 2700K CRI 90	☐	10.104,00
--	--	--------------	-----	----------------------------	--------------------------	-----------

2700K versions

	D87CC1 suspension dimable trailing edge 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: Ø180 x 45	1D870CC10000	alu	LED 18W 3000K CRI 90	☐	10.104,00
--	--	--------------	-----	----------------------------	--------------------------	-----------


sphere + tie rod kit

	D87048 kit 48 spheres + rods 400, Sphere: Ø 87	1D8704800002	opal white			9.348,00
--	---	--------------	------------	--	--	----------

	D87072 kit 72 spheres + rods 500, Sphere: Ø 87	1D8707200002	opal white			14.340,00
--	---	--------------	------------	--	--	-----------

D17 TITANIA

Alberto Meda, Paolo Rizzatto


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D17 suspension up and down filter included 220-240V ~ 50/60Hz L 80 x W 270 x H 700 L cable: 3000 ceiling rose: ø 116 x 30 CE  	1D1700000020	alu	LED E27 ø max 38mm l 150 mm 205W HSGST/F E27	5.928,00


accessories

	D13/25 off-center ceiling rose H 30 ø 120 CE	9D1325476800	white		612,00
---	---	--------------	-------	--	--------

D17Q TITANIA QUEEN

Alberto Meda, Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	D17Q suspension L 540 x W 1400 x H 160 L cable: 5000 ceiling rose: ø140x30 CE  	1D170QHAL020	alu	2xLED E27 ø max 38mm l 150 mm, 2x205W HSGST/F E27	13.968,00
	D17Q/01 pair of polycarbonate filter L 218 x W 60 x H 0.75 CE	1D170Q/01023	light blue		792,00
		1D170Q/01024	pink		792,00
		1D170Q/01027	yellow		792,00
	D17Q/02 suspension kit with counterweight 100 CE	1D170Q/02020	alu		2.832,00



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

table version

	B0220 complete version table on/off switch 220-240V ~ 50/60Hz W base ø 180 x H 420 ø 200 CE	1B020=200001	matt black	max 42W E27		3.540,00
		1B020=200002	matt white			3.540,00
		1B020=200013	matt brick red			3.540,00
		1B020=200039	matt dove grey			3.540,00

floor version

	B02T40D floor dimmmable structure dimmer on board 220-240V ~ 50/60Hz W base ø 400 x H 1710 CE	1B020T40D001	matt black	max 42W E27		6.576,00
		1B020T40D002	matt white			6.576,00
		1B020T40D013	matt brick red			6.576,00
		1B020T40D039	matt dove grey			6.576,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
	B02/2 shade for B02T40D H 275 400 	1B020/200001	matt black		2.460,00
		1B020/200002	matt white		2.460,00
		1B020/200013	matt brick red		2.460,00
		1B020/200039	matt dove grey		2.460,00

shade

suspension version

	B02S20 complete version suspension 220-240V ~ 50/60Hz H ø 200, H 225 L cable: 3000 ceiling rose: ø 130x40   	1B020S200001	matt black	max 53W E27	2.484,00
		1B020S200002	matt white		2.484,00
		1B020S200013	matt brick red		2.484,00
		1B020S200039	matt dove grey		2.484,00
	B02S40 complete version suspension 220-240V ~ 50/60Hz H ø 400, H 275 L cable: 3000 ceiling rose: ø 130x40   	1B020S400001	matt black	max 53W E27	4.092,00
		1B020S400002	matt white		4.092,00
		1B020S400013	matt brick red		4.092,00
		1B020S400039	matt dove grey		4.092,00
	B02/1 decentralization accessory L cable: 3000 	1B020/100001	black		228,00
		1B020/100002	white		228,00
		1B020/100013	matt brick red		228,00
		1B020/100039	matt dove grey		228,00

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
built-in					
	A00BP1 linear recessed track dimable DALI L 100 x W 49 x H 15	9A000BP10001	black		1.212,00
	CE				
	A00BP2 linear recessed track dimable DALI L 200 x W 49 x H 15	9A000BP20001	black		2.340,00
	CE				
	A00BP3 linear recessed track dimable DALI L 300 x W 49 x H 15	9A000BP30001	black		3.456,00
	CE				
ceiling/wall					
	A00BS11 ceiling/wall linear track dimable DALI L 1000 x W 19 x H 10	9A000BS11001	black		1.152,00
		9A000BS11002	white		1.152,00
	A00BS12 ceiling/wall linear track dimable DALI L 2000 x W 19 x H 10	9A000BS12001	black		2.208,00
		9A000BS12002	white		2.208,00
	A00BS13 ceiling/wall linear track dimable DALI L 3000 x W 19 x H 10	9A000BS13001	black		3.252,00
		9A000BS13002	white		3.252,00
					
	CE				

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
ceiling/wall curved track					
	A00BS30 ceiling/wall horizontal curved track dimmable DALI W 19 x H 10 R 300 CE	9A000BS3O001	black		1.992,00
		9A000BS3O002	white		1.992,00
	A00BS50 ceiling/wall horizontal curved track dimmable DALI W 19 x H 10 R 500 CE	9A000BS5O001	black		2.340,00
		9A000BS5O002	white		2.340,00
	A00BS3V ceiling/wall vertical curved track dimmable DALI W 19 x H 10 R 300 CE	9A000BS3V001	black		1.992,00
		9A000BS3V002	white		1.992,00
suspension					
	A00BS21 suspension track dimmable DALI L 1000 x W 19 x H 25.8 CE	9A000BS21001	black		1.236,00
		9A000BS21002	white		1.236,00
	A00BS22 suspension track dimmable DALI L 2000 x W 19 x H 25.8 CE	9A000BS22001	black		2.388,00
		9A000BS22002	white		2.388,00
	A00BS23 suspension track dimmable DALI L 3000 x W 19 x H 25.8 CE	9A000BS23001	black		3.540,00
		9A000BS23002	white		3.540,00

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
end caps					
	A00BT1 for ceiling/wall track L 8 x W 19 x H 10 CE	9A000BT10001	black		120,00
		9A000BT10002	white		120,00
	A00BT5 for recessed track L 3 x W 20 x H 14 CE	9A000BT50001	black		120,00
	A00BT6 for suspension track L 8 x W 19 x H 24 CE	9A000BT60001	black		120,00
		9A000BT60002	white		120,00
frontal cap					
	A00BC1 front closure for wall/ceiling L 3000 x W 3 x H 12 CE	9A000BC10001	black		360,00
		9A000BC10002	white		360,00
	A00BC5 front closure for recessed and pendant track L 3000 x W 3 x H 13 CE	9A000BC50001	black		360,00
		9A000BC50002	white		360,00
locking tool					
	A00BT locking tool for track cut CE	9A000BT00000	black		2.556,00


A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
rope suspension bell					
	A00BR bell Ø 12	9A000BR00000	black		312,00
	CE				
brackets for suspension track					
	A00BS1 short bracket L 25 x W 5 x H 15	9A000BS10001	black		144,00
		9A000BS10002	white		144,00
	A00BS2 long bracket L 50 x W 5 x H 15	9A000BS20001	black		192,00
		9A000BS20002	white		192,00
	A00BT3V n 5 pieces L 6 x H 3	9A000BT3V000	black		60,00
	CE				
rope tensioner					
	A00BT3 gripper H 30 Ø 90	9A000BT30000	steel		144,00
	CE				

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
steel cable					
	A00BF5 steel cable for suspension track L 5000 Ø15	9A000BF50000	alu		240,00
	CE				
ceiling rose					
	A00BDP on-off ceiling rose for ceiling/wall track 48V 100w SELV L 435 x W 42 x H 32	9A000BDP0001	black		3.960,00
		9A000BDP0002	white		3.960,00
	A00BDS on-off ceiling rose for suspension track 48V 100w SELV L 435 x W 42 x H 32	9A000BDS0001	black		3.960,00
		9A000BDS0002	white		3.960,00
	A00B10048 on-off remote driver 220-240V~50/60 Hz 48V 100w SELV L 298 x W 29.8 x H 16.5	9A000B100480			804,00
	CE				
remote driver					
	A00BTP end feed only for ceiling/wall L 140 x W 10 x H 19	9A000BTP0001	black		384,00
		9A000BTP0002	white		384,00
	A00BTS concealed end feed for all track L 116 x W 7 x H 11 L cable: 2500	9A000BTS0001	black		636,00
		9A000BTS0002	white		636,00
					
	CE				

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
joints					
	A00BGP jointing connector for all track L 113 x W 7 x H 11 CE	9A000BGP0001	black		348,00
		9A000BGP0002	white		348,00
	A00BGL Horizontal L joint for ceiling/wall and recessed track L 87 x W 7 x H 87 CE	9A000BGL0001	black		936,00
		9A000BGL0002	white		936,00
	A00BGT Vertical L joint ceiling-wall for ceiling-wall and recessed track L 87 x W 110 x H 87 CE	9A000BGT0001	black		936,00
		9A000BGT0002	white		936,00
	A00BGF adjustable corner for ceiling/wall and recessed track L 238 x W 7 x H 11 CE	9A000BGF0001	black		1.020,00
		9A000BGF0002	white		1.020,00
	A00BCGO horizontal corner joint cover for ceiling/wall track L 24 x W 1 x H 24 CE	9A000BCGO001	black		120,00
		9A000BCGO002	white		120,00
	A00BCGV vertical corner joint cover for ceiling/wall track L 22 x W 19 x H 22 CE	9A000BCGV001	black		120,00
		9A000BCGV002	white		120,00

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
2700K optics					
	A00WB303 5x led lens 30° optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A00WB303001	black	LED 4,9W 2700K CRI 90	2.448,00
	CE 			☐	
	A00WBE03 5x led lens 21,6° x 37,6° optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A00WBE03001	black	LED 4,9W 2700K CRI 90	2.448,00
	CE 			☐	
	A00WBU03 5 x led UGR optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A00WBU03001	black	LED 4,9W 2700K CRI 90	2.640,00
		9A00WBU03002	white		2.640,00
	CE 			☐	
	A00WB067 opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 674 x W 7 x H 11	9A00WB067001	black	LED 7,4W 2700K CRI 90	3.084,00
	CE 			☐	
	A00WB117 opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 1174 x W 7 x H 11	9A00WB117001	black	LED 14,5W 2700K CRI 90	5.124,00
	CE 			☐	
	A00WB167 opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 1674 x W 7 x H 11	9A00WB167001	black	LED 21,6W 2700K CRI 90	5.688,00
	CE 			☐	

A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
3000K optics					
	A00B303 5x led lens 30° optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A000B303001	black	LED 4,9W 3000K CRI 90	2.364,00
	CE 			☐	
	A00BE03 5x led lens 21,6° x 37,6° optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A000BE03001	black	LED 4,9W 3000K CRI 90	2.364,00
	CE 			☐	
	A00BU03 5 x led UGR optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A000BU03001	black	LED 4,9W 3000K CRI 90	2.544,00
		9A000BU03002	white		2.640,00
	CE 			☐	
	A00B067 opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 674 x W 7 x H 11	9A000B067001	black	LED 7,4W 3000K CRI 90	2.940,00
	CE 			☐	
	A00B117 opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 1174 x W 7 x H 11	9A000B117001	black	LED 14,5W 3000K CRI 90	4.704,00
	CE 			☐	
	A00B167 opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 1674 x W 7 x H 11	9A000B167001	black	LED 21,6W 3000K CRI 90	5.220,00
	CE 			☐	

A00 ACCESSORI / ACCESSORIES

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	SEK VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

Dimmer

	A00/1 universal dimmer phase cut 230V 50/60Hz, 500W L 43 x W 43 x H 18.5	9A000/010000			1.008,00
---	--	--------------	--	--	----------

PACKAGING DIMENSIONS AND WEIGHT

<https://bit.ly/lp-pricelist-SK-excel>



GENERAL CONDITION OF SALE

<https://bit.ly/LP-sales-cond-ENG>



Italy

Headquarters

Via E. T. Moneta, 40
20161 Milano
T +39 02 66 242 1
F +39 02 66 203 400
N. verde 800 800 169
info@luceplan.com

Showroom

Corso Monforte 7
20122 Milano
T +39 02 76 015 760
F +39 02 78 4062
luceplanstore@luceplan.com

USA

c/o Spring Place
Suite 702
6 St Johns Ln
Tribeca, New York, 10013
T +1 (212) 334 1809
F +1 (212) 334 7307
infous@luceplan.com

For info, contacts and information about international distributors please visit www.luceplan.com

luceplan.com