Prices 2026

Valid from 01.08.2026

All of the prices given in the list
are in SEK excluding statutory VAT.

SEK price list: EUR list price incl. the +3.5 % surcharge from 2025 list,
converted at 1 EUR = 11.5 SEK (EUR x 1.035 x 11.5), rounded to whole SEK.







DAUPHIN

Dauphin Ergonomic platforms

With patented mechanisms, the ergonomic seating from Dauphin is designed to offer ample freedom of movement and encourage a frequent change of physical posture. We are therefore helping people to achieve an active, healthy posture and a greater feeling of well-being when sitting. All Dauphin ergonomic platforms are geared to people's physical needs and encourage dynamic, fatigue-free sitting, suitable for all work situations.

Set workstations, longer periods of time sitting, e.g. for highly focused work (in front of a computer monitor)

BALANCE

Automatic tilt of the entire upper part of the chair (active dynamic seated posture). Individual and flexible, providing optimum comfort.

- 3D Shape, Stilo ES
- BB Indeed
- AB Shape, Stilo ES



SYNCRO

Adjusts individually to the user's weight (dynamic seated posture). Indivi-dual support and maximum mobility. Syncro-Dynamic Advanced®: Constant back-rest counterpressure throughout the movement process and automatic seat-tilt adjustment.

- SE @Just evo, Indeed, Sequel
- SD A Lordo
- SX X-Code
- QS @Just magic2, Lordo, sim-o, Stilo/ Stilo ES
- DS dat-o
- ST Cento Miglia 24h/XXL, Shape



AUTOMATIC

Adjusts automatically to the user's weight. Allows to change places easily and flexibly.

- AE @Just evo, Sequel, Stilo ES
- MA Indeed




Changing users, shorter periods of sitting, e.g. shared workstations in open-plan offices

CUSTOMER REQUIREMENTS

Seat features

Dauphin offers optimum solutions for every working environment.
One or more mechanisms are available for each ergonomic platform.

Platforms		Description	Features	Mechanisms
BALANCE		The **Syncro-3D-Balance**® mechanism allows the entire upper part of the chair to be automatically adjusted forwards, backwards and to the side (a third dimension of sitting). This mechanism encourages natural movements, maintains concentration and improves the user's performance. Active dynamic sitting – ideal when sitting for long periods. The same as above (without ill.): **Ball-Balance**® (BB)	• synchronised seat and backrest movement • synchronised movement infinitely lockable (using gas unit); Ball-Balance: backrest tilt angle can be set to four positions, backrest can be locked in the forwardmost position • side-mounted fine adjustment of the backrest counterpressure with just a few turns • automatic tilt adjustment for the seat (up to −8° towards the front) and backrest (up to 128° towards the rear), can be locked in a number of positions; Ball-Balance: −4° towards the front, 122° towards the rear • the seat and backrest automatically move to both sides (+/−6°); BB: (+/−4°) • locking in the zero position or at a forward tilt of −6° (only 3D) • seat-depth adjustment using sliding seat (6 cm)	3D BB
		Thanks to an automatic seat-tilt adjustment feature (up to −12°), the **Syncro-Activ-Balance**® mechanism provides stimuli for straightening the spinal column. The seat tilt causes the pelvis to tip forwards (1). This in turn lifts the chest (2) and stretches the cervical spine (3), thus encouraging an active, dynamic seated posture and strengthening the muscles. The fact that the backrest can move so far forwards ensures that the lumbar spine is supported even in the forwardmost seated posture.	• synchronised seat and backrest movement • synchronised movement infinitely lockable (using gas unit) • side-mounted fine adjustment of the backrest counterpressure with just a few turns • individual or automatic tilt adjustment for the seat (up to −12° towards the front) and backrest (up to 128° towards the rear), can be locked in a number of positions • seat-depth adjustment using sliding seat (6 cm)	AB
SYNCRO		The **Syncro-Dynamic Advanced**® mechanism has a patented kinematics system. Once it has been set to a user's individual body weight, the mechanism provides a constant backrest counterpressure throughout the movement process. The fact that users are able to sit in comfort in a balanced seated posture triggers a dynamic sitting pattern. In addition the flexible seat shell is divided into three sections and thus adapts to the user's individual sitting profile throughout the movement process.	• harmonious, synchronised seat and backrest movement • synchronised movement can be locked in four positions • can be immediately and noticeably adjusted to the user's individual body weight with just a few turns, for constant backrest counterpressure throughout the movement process • integrated seat-tilt adjustment (up to −4°) during the movement process thanks to a seat shell that is divided into three sections (active pelvic support) • seat-depth adjustment using sliding seat (5 cm)	SD A1
		The **Syncro-Motion X**® mechanism offers a harmonious seat and backrest movement. All operating components are integrated in compact fashion into the mechanical module. The dynamic movement is retained at all times, even if the backrest tilt is limited.	• harmonious, synchronised seat and backrest movement • side-mounted fine adjustment of the backrest counterpressure with just a few turns for constant backrest counterpressure throughout the movement process • backrest tilt angle can be set to four positions, backrest can be locked in the forwardmost position • seat-depth adjustment using sliding seat (7 cm) • **option**: infinite seat-tilt adjustment from −2° to −8°	SX
		With the **Syncro-Quickshift**® mechanism the seat and backrest follow the movements of the person sitting synchronously and at the correct angle. The same as above (without ill.): **Syncro-Tension**® (ST)	• synchronised seat and backrest movement • synchronised movement can be locked in 4 positions • rapid backrest counterpressure adjustment in 10 index settings • three-position seat-tilt (−1°/−3,5°/−6°) • seat-depth adjustment using sliding seat (6 cm); XL/NPR versions: 10 cm **ST mechanism:** Features such as Syncro-Activ-Balance®, but without tilt adjustment (Balance)	QS ST
		The **Delta-Synchron**® mechanism ensures a synchronised seat and backrest movement. A large opening angle between the backrest and seat (128°) provides the greatest possible level of relaxation for the person sitting on it, particularly in the rear seated posture and working position. The backrest counterpressure can quickly be adjusted to the body weight by adjusting the spring force by means of a crank handle. (Similar to illustration)	• synchronised seat and backrest movement • side-mounted system allows rapid adjustment of the backrest counterpressure by a crank handle (can be pulled out) • synchronised movement can be locked in 3 positions **option 1:** Seat-depth adjustment 4 cm **option 2:** Seat-depth adjustment 4 cm and dual-position seat-tilt adjustment (−1°/−4°)	DS
		The **Syncro-Evolution**® mechanism is a low-cost entry option to the Syncro mechanism platform. With the seat and backrest moving synchronously in a pleasant way, a large opening angle between the backrest and seat (128°) for the greatest possible level of relaxation even in the rear seated posture, and simple adjustment of the spring force to your body weight using a handwheel that can be pulled out, this mechanism caters for almost any wishes.	• synchronised seat and backrest movement • side-mounted adjustment of the backrest counterpressure by a handwheel (can be pulled out) • synchronised movement can be locked in 4 positions • pre-selectable seat tilt up to −4° • seat-depth adjustment using sliding seat (8 cm; @Just evo 6 cm); XL/NPR versions: 10 cm	SE
AUTOMATIC		With the **Motionflex®-Automatic mechanism**, the backrest counterpressure automatically adapts to the body weight of the person sitting on the chair. The mechanism allows users to change places easily and flexibly for individual workplace formats. Thanks to its flat and open configuration, the Motionflex®-Automatic offers an extremely attractive design.	• synchronised seat and backrest movement • automatic, weight-controlled adjustment of the backrest counterpressure, incl. fine adjustment • synchronised movement can be locked in the forwardmost position • dual-position seat-tilt adjustment (0°/−4°) • seat-depth adjustment using sliding seat (6 cm)	MA
		With the **Automatic-Evolution**® mechanism the backrest counterpressure automatically adapts to the bodyweight of the person sitting. It allows users to change places easily and flexibly for individual workplace formats. Needs-based, individual adjustments are also possible with the integrated seat-tilt and seat-depth adjustment.	• synchronised seat and backrest movement • automatic, weight-controlled adjustment of the backrest counterpressure • synchronised movement can be locked in 3 positions • dual-position seat-tilt adjustment (0°/−4°) • seat-depth adjustment using sliding seat (7 cm)	AE

Overview Office chairs





Seat features *(also see pages 4/5)*		Sequel	Indeed	@Just	
BALANCE	BB **Ball-Balance®**	–	BB	–	
	3D **Syncro-3D-Balance®**	–	–	–	
	AB **Syncro-Activ-Balance®**	–	–	–	
SYNCRO	SDA **Syncro-Dynamic Advanced®**	–	–	–	
	ST **Syncro-Tension®**	–	–	–	
	SX **Syncro-Motion X®**	–	–	–	
	QS **Syncro-Quickshift®**	–	–	QS	
	SE **Syncro-Evolution®**	SE	SE	SE	
	DS **Delta-Synchron**	–	–	–	
AUTOMATIC	AE **Automatic-Evolution®**	AE	–	AE	
	MA **Motionflex®-Automatic**	–	MA	–	

Specifications *(also see pages 182 ff)*				
Kinematics system with constant backrest counterpressure	–	–	–	
Automatic body-weight adjustment	●	●	●	
Seat-depth adjustment (sliding seat)	●	●	●	
XL/NPR version (10 cm sliding seat)	–	●	●	
XS version (shorter seat)	–	–	●	
Pelvic support with seat divided into three sections (integrated, automatic seat tilt)	–	–	–	
Manual seat-tilt adjustment	● [5]	● [5]	● [5]	
Automatic seat-tilt adjustment (Balance) – towards the front	–	●	–	
Seat-tilt adjustment automatically to the side (3D Balance)	–	●	–	
Backrest, height-adjustable	–	●	●	
Lumbar support, adjustable	❍	❍	❍	
Neckrest, height-adjustable/tiltable	●	●	●	
Coat-hanger	❍	❍	❍	
Multi-functional armrests	❍	❍	❍ [4]	

● = standard or model variant
❍ = option with surcharge
◐ = standard or option depending on the model

[4] NPR: standard
[5] Pre-selectable seat tilt (SE)






Shape				Lordo	@Just 24h	24h/XXL
–				–	–	–
3D				–	–	–
AB				–	–	–
–				SDA	–	–
ST [1]				–	–	ST [2]
–				–	–	–
–				QS	–	–
–				–	SE [3]	SE [3]
–				–	–	–
–				–	–	–
–				–	–	–


[1] also as 24h executive swivel chair
[2] Cento Miglia/Shape 24h
[3] @Just 24h

–				●	–	–
–				–	–	–
●				●	●	◐
–				●	–	–
–				–	–	–
–				●	–	–
●				●	● [5]	◐
●				–	–	–
●				–	–	–
●				●	●	◐
❍				◐ [7]	❍	❍
●				●	●	●
❍				❍	❍	❍
❍				❍ [4]	2F/3F	2F

[6] Infinite seat-tilt adjustment
[7] Lordo: swing-mounted
[8] X-Code style: standard

Sequel operator

(Plastic outer shell)
Swivel chairs

Description				Price groups							Notes		
Design: Rüdiger Schaack				P	A	B	C	D	E	F			
Sequel operator swivel chair with modern, high upholstered backrest, optionally with height-adjustable lumbar support and Ergo neck support. Optionally with individual or automatic body weight adjustment	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parotega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	SQ 7246	A0	SE	**5 106,-**	**5 404,-**	**5 939,-**	**6 475,-**	**7 368,-**	**7 963,-**	**9 451,-**	14.4	3.1	120/1.7
Swivel chair, high backrest with Ergo neckrest 	SQ 7248	A0	SE	**6 415,-**	**6 773,-**	**7 368,-**	**7 963,-**	**9 034,-**	**9 629,-**	**11 295,-**	15.1	3.1	140/2.0
		A246KGS		**7 546,-**	**7 903,-**	**8 498,-**	**9 094,-**	**10 165,-**	**10 760,-**	**12 426,-**	17.9	3.1	140/2.0

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
AE	**Automatic-Evolution®** Synchronised mechanism with automatic body weight adjustment - including seat-tilt and seat-depth adjustment	◇
Seat-tilt (N)		
N2	Two-position seat-tilt adjustment - mechanism AE	●
NV	Pre-selectable seat-tilt - mechanism SE	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat	●
T7	Seat-depth adjustment (7 cm) using sliding seat - only in combination with armrests	◇
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support	2 321,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S55CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L29	Lumbar support, height-adjustable (9 cm)	119,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand)	●
V00	Model completely assembled in protective cover (in the export markets on demand)	◇
V12	Model completely assembled in box	◇
Features/extras (Z)		
	Swivel chair for people with a body weight of **up to 150 kg**	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest	●
B_S06895	Seat cover, retro-fittable: Go couture (167.140 coral, 167.120 light blue, 167.028 navy blue, 167.016 ice green, 167.079 black and white) - not in combination with pocket spring core upholstery	655,-
ZB01	Fireproof version (classification P-b) - SQ 7246	○
ZB01	Fireproof version (classification P-b) - SQ 7248	○
ZCO2	CO2 compensation	83,-
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-
ZK10	Coat hanger, black (for models with high backrest)	1 071,-

Order example (required details have grey background)


Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
SQ	**7246**	**SE**	**NV**	**T7**	**KGS**	**A246KGS**	**FHKGS**	**S50GS**	**R75HGS**	**L29**	**199.082**	**199.082**	**V09**

● = Standard ◇ = Option without surcharge
○ = Price on request

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Sequel mesh

(Mesh backrest)
Swivel chairs

Description				Price groups							Notes		
Design: Rüdiger Schaack				P	A	B	C	D	E	F			
Sequel mesh swivel chair with modern, high mesh backrest in three different mesh versions. Optionally with height-adjustable lumbar support and Ergo neck support. Optionally with individual or automatic body weight adjustment	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Paroteega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	SQ 7256	A0	SE	**5 106,-**	**5 285,-**	**5 666,-**	**6 046,-**	**6 594,-**	**6 880,-**	**7 713,-**	12.8	3.1	100/1.4
Swivel chair, high backrest with Ergo neckrest 	SQ 7258	A0	SE	**6 415,-**	**6 594,-**	**6 975,-**	**7 356,-**	**7 903,-**	**8 189,-**	**9 022,-**	13.5	3.1	100/1.4
		A246KGS		**7 546,-**	**7 725,-**	**8 106,-**	**8 486,-**	**9 034,-**	**9 320,-**	**10 153,-**	16.3	3.1	100/1.4

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
AE	**Automatic-Evolution®** Synchronised mechanism with automatic body weight adjustment - including seat-tilt and seat-depth adjustment	◇
Seat-tilt (N)		
N2	Two-position seat-tilt adjustment - mechanism AE	●
NV	Pre-selectable seat-tilt - mechanism SE	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat	●
T7	Seat-depth adjustment (7 cm) using sliding seat - only in combination with armrests	◇
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support	2 321,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S55CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L29	Lumbar support, height-adjustable (9 cm)	119,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
230.033	Mesh backrest: Web H/matrix, black	●
181.033	Mesh backrest: Web B/Tale, black, see fabric cards for further colours	119,-
179.033	Mesh backrest: Web C/Spin, black	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand)	●
V00	Model completely assembled in protective cover (in the export markets on demand)	◇
V12	Model completely assembled in box	◇
Features/extras (Z)		
	Swivel chair for people with a body weight of **up to 150 kg**	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover Polo black	●
B_S06895	Seat cover, retro-fittable: Go couture (167.140 coral, 167.120 light blue, 167.028 navy blue, 167.016 ice green, 167.079 black and white) - not in combination with pocket spring core upholstery	655,-
ZB01	Fireproof version (classification P-b) - SQ 7256/for upholstery; please select Web C for mesh backrest	143,-
ZB01	Fireproof version (classification P-b) - SQ 7258/for upholstery; please select Web C for mesh backrest	214,-
ZCO2	CO2 compensation	83,-
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-
ZK10	Coat hanger, black (for models with high backrest)	1 071,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
SQ	**7256**	**SE**	**NV**	**T7**	**KGS**	**A346KGS**	**FHKGS**	**S50GS**	**R75HGS**	**L29**	**199.082**	**179.033**	**V09**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Sequel cosy

(cosy, fabric covered outer shell)
Swivel chair

Description				Price groups					Notes		
Design: Rüdiger Schaack				P	A	B	C	D			
Sequel cosy swivel chair with modern, high upholstered backrest (covered with fabric on the outside), optionally with height-adjustable lumbar support and ergo neckrest. The cosy version of the Sequel series. Optionally with individual or automatic body weight adjustment.	Models	Armrests	Mecha-nism	Polo	Era, King, Customer fabrics, Tonal	Jet bio, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Maple	Divina, Steelcut	kg net	Packaging units	Requi-rement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	SQ 7266	A0	SE	**5 582,-**	**5 939,-**	**6 773,-**	**7 606,-**	**8 915,-**	14.5	3.1	190/-
Swivel chair, high backrest with Ergo neckrest 	SQ 7268	A0	SE	**6 892,-**	**7 308,-**	**8 201,-**	**9 094,-**	**10 462,-**	15.2	3.1	210/-
		A246KGS		**8 022,-**	**8 439,-**	**9 332,-**	**10 224,-**	**11 593,-**	18,0	3,1	210/-

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
AE	**Automatic-Evolution®** Synchronised mechanism with automatic body weight adjustment - including seat-tilt and seat-depth adjustment	◇
Seat-tilt (N)		
N2	Two-position seat-tilt adjustment - mechanism AE	●
NV	Pre-selectable seat-tilt - mechanism SE	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat	●
T7	Seat-depth adjustment (7 cm) using sliding seat - only in combination with armrests	◇
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support	2 321,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S55CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L29	Lumbar support, height-adjustable (9 cm)	119,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection - cover to match inside	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand)	●
V00	Model completely assembled in protective cover (in the export markets on demand)	◇
V12	Model completely assembled in box	◇
Features/extras (Z)		
	Swivel chair for people with a body weight of **up to 150 kg**	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest	●
ZB01	Fireproof version (classification P-b) - SQ 7266	○
ZB01	Fireproof version (classification P-b) - SQ 7268	○
B_S06895	Seat cover, retro-fittable: Go couture (167.140 coral, 167.120 light blue, 167.028 navy blue, 167.016 ice green, 167.079 black and white) - not in combination with pocket spring core upholstery	655,-
ZCO2	CO2 compensation	83,-
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 071,-
ZK10	Coat hanger, black (for models with high backrest)	1 309,-

Order example (required details have grey background)

Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
SQ	**7266**	**SE**	**NV**	**T7**	**KGS**	**A246KGS**	**FHKGS**	**S50GS**	**R75HGS**	**L29**	**199.082**	**199.082**	**V09**

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

● = Standard ◇ = Option without surcharge
○ = Price on request



Sequel cosy

Use



Indeed operator

(Plastic outer shell)
Swivel chairs

Description				Price groups							Notes		
Design: Rüdiger Schaack				P	A	B	C	D	E	F			
Indeed operator swivel chair with height-adjustable upholstered backrest (Easy-Touch-System). Optionally with the seat technologies of the SYNCRO, AUTOMATIC or BALANCE ergonomic platforms.	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parotega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	ID 7046	A0	SE	**5 701,-**	**6 011,-**	**6 570,-**	**7 130,-**	**8 058,-**	**8 677,-**	**10 224,-**	14.4	3.1	120/1.7
Swivel chair, high backrest with Ergo neckrest 	ID 7048	A0	SE	**7 011,-**	**7 380,-**	**7 998,-**	**8 617,-**	**9 724,-**	**10 343,-**	**12 069,-**	15.1	3.1	140/2.0
		A246KGS		**8 141,-**	**8 510,-**	**9 129,-**	**9 748,-**	**10 855,-**	**11 474,-**	**13 200,-**	17.9	3.1	140/2.0

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
MA	**Motionflex®-Automatic** Synchronous technology with automatic body weight adjustment, incl. two-stage fine adjustment	357,-
BB	**Ball-Balance®** Synchronous technology with 4-way adjustable backrest tilt angle. Additional automatic tilt adjustment of the seat and backrest forwards (-4°) and to both sides (+/-4°)	1 547,-
Seat-tilt (N)		
N2	Two-position seat-tilt adjustment - mechanism MA	●
NV	Pre-selectable seat-tilt - mechanism SE	●
NA	Automatic seat-tilt - mechanism BB	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat - mechanism BB, MA	●
T8	Seat-depth adjustment (8 cm) using sliding seat - mechanism SE	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
KVW	Traffic-white (~RAL 9016)	595,-
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support - casing according to colour of model	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support - casing according to colour of model	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support - casing according to colour of model	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support - casing according to colour of model	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support - casing black	2 321,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHKVW	Base H, traffic-white plastic (~RAL 9016)	357,-
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAVW	Base H, traffic-white aluminium (~RAL 9016)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S50VW	Gas unit (traffic white base tube)	179,-
S35CR	Gas unit with mechanical bounce spring (chrome base tube) - for mechanism MA, BB	417,-
S55CR	Gas unit with mechanical bounce spring (chrome base tube) - for mechanism SE	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm, mechanism MA and BB + 2 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm; mechanism MA and BB + 2 cm	536,-
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R75HVW	Hard castors (Ø 60 mm) for soft floors, **white**	536,-
R75WVW	Soft castors (Ø 60 mm) for hard floors, **white**	536,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L08	Lumbar support, infinitely depth-adjustable (2,5 cm)	357,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors - except white castors; **standard for models with glides**	◇
V10	Model dismantled in box	◇
V11	Model partly assembled in box	143,-
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm, using Easy-Touch system)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest	●
	Swivel chair for people with a body weight of **up to 150 kg** - (Technology SE; MA: 130 kg; BB: 110 kg)	●
ZCO1	CO2 compensation - for Indeed with Motionflex®-Automatic	●
ZCO2	CO2 compensation - for Indeed with mechanisms SE, BB	83,-
B_S06895	Seat cover, retro-fittable: Go couture (167.140 coral, 167.120 light blue, 167.028 navy blue, 167.016 ice green, 167.079 black and white) - not in combination with pocket spring core upholstery	655,-
ZB01	Fireproof version (classification P-b) - ID 7046	286,-
ZB01	Fireproof version (classification P-b) - ID 7048	357,-
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK10	Coat hanger, black (for models with high backrest)	1 071,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
ID	**7046**	**SE**	**NV**	**T8**	**KGS**	**A246KGS**	**FHKGS**	**S50GS**	**R75HGS**	**L08**	**165.025**	**165.025**	**V09**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Indeed operator XL/NPR

(Plastic outer shell)
Swivel chairs

Description				Price groups							Notes		
Design: Rüdiger Schaack				P	A	B	C	D	E	F			
Indeed operator swivel chair with height-adjustable upholstered backrest (Easy-Touch system). Optionally with Ergo neckrest and as white edition. With armrests and 10 cm seat-depth adjustment as standard.	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parotega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	ID 7045	A246KGS (ill.)	SE	**7 070,-**	**7 380,-**	**7 939,-**	**8 498,-**	**9 427,-**	**10 046,-**	**11 593,-**	17.4	3.1	120/1.7
		A660KGS (NPR)	SE	**8 201,-**	**8 510,-**	**9 070,-**	**9 629,-**	**10 558,-**	**11 176,-**	**12 724,-**	17.5	3.1	120/1.7
Swivel chair, high backrest with Ergo neckrest 	ID 7049	A246KGS	SE	**8 379,-**	**8 748,-**	**9 367,-**	**9 986,-**	**11 093,-**	**11 712,-**	**13 438,-**	18.1	3.1	140/2.0
		A660KGS (NPR; ill.)	SE	**9 510,-**	**9 879,-**	**10 498,-**	**11 117,-**	**12 224,-**	**12 843,-**	**14 569,-**	18.2	3.1	140/2.0

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
Seat-tilt (N)		
NV	Pre-selectable seat-tilt	●
Seat-depth (T)		
T10	Seat-depth adjustment (10 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
KVW	Traffic-white (~RAL 9016)	595,-
Armrests (A)		
A246KGS	2F armrests, soft PU pads, black plastic support - casing according to colour of model	●
A346KGS	3F armrests, soft PU pads, black plastic support - casing according to colour of model	655,-
A446KGS	4F armrests, soft PU pads, black plastic support - casing according to colour of model	774,-
A441APO	4F armrests, soft PU pads, polished aluminium support - casing according to colour of model	1 071,-
A541APO	5F armrests, soft PU pads, polished aluminium support - casing black	1 190,-
A660KGS	6F armrests, soft PU pads, NPR, black plastic support - **standard for NPR version**	1 131,-
Base (F)		
FJKGS	Base J, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAVW	Base H, traffic-white aluminium (~RAL 9016)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S50VW	Gas unit (traffic white base tube)	179,-
S55CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S56GS	NPR gas unit (black base tube) - **required for NPR version**	298,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R75HVW	Hard castors (Ø 60 mm) for soft floors, **white**	536,-
R75WVW	Soft castors (Ø 60 mm) for hard floors, **white**	536,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L08	Lumbar support, infinitely depth-adjustable (2,5 cm) - **required for NPR version**	357,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors - except white castors; **standard for models with glides**	◇
V11	Model partly assembled in box	◇
V12	Model completely assembled in box	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm, using Easy-Touch system)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest	●
	Swivel chair for people with a body weight of **up to 150 kg**	●
B_S06895	Seat cover, retro-fittable: Go couture (167.140 coral, 167.120 light blue, 167.028 navy blue, 167.016 ice green, 167.079 black and white) - not in combination with pocket spring core upholstery	655,-
ZB01	Fireproof version (classification P-b) - ID 7045	286,-
ZB01	Fireproof version (classification P-b) - ID 7049	357,-
ZCO2	CO2 compensation	83,-
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK10	Coat hanger, black (for models with high backrest)	1 071,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-

Order example (required details have grey background)


Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
ID	**7045**	**SE**	**NV**	**T10**	**KGS**	**A246KGS**	**FJKGS**	**S50GS**	**R75HGS**	**L08**	**165.025**	**165.025**	**V09**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Indeed mesh

(Mesh backrest)
Swivel chairs

Description				Price groups							Notes		
Design: Rüdiger Schaack				P	A	B	C	D	E	F			
Indeed mesh swivel chair with height-adjustable mesh backrest (Easy-Touch-System) in three different mesh versions. Optionally with the seat technologies of the ergonomic platforms SYNCRO, AUTOMATIC or BALANCE ergonomic platforms.	Models	Armrests	Mecha-nism	Fabio, Polo	Era, King, Custo-mer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parote-ga, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (se-mi-ani-line leather)	Leather F (premi-um se-mi-anilin leather)	kg net	Packaging units	Requi-rement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	ID 7056	A0	SE	**5 701,-**	**5 892,-**	**6 273,-**	**6 653,-**	**7 225,-**	**7 522,-**	**8 391,-**	12.8	3.1	100/1.4
Swivel chair, high backrest with Ergo neckrest 	ID 7058	A0	SE	**7 011,-**	**7 201,-**	**7 582,-**	**7 963,-**	**8 534,-**	**8 832,-**	**9 701,-**	13.5	3.1	100/1.4
		A246KGS	SE	**8 141,-**	**8 332,-**	**8 713,-**	**9 094,-**	**9 665,-**	**9 962,-**	**10 831,-**	16.3	3.1	100/1.4

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
MA	**Motionflex®-Automatic** Synchronous technology with automatic body weight adjustment, incl. two-stage fine adjustment	357,-
BB	**Ball-Balance®** Synchronous technology with 4-way adjustable backrest tilt angle. Additi-onal automatic tilt adjustment of the seat and backrest forwards (-4°) and to both sides (+/-4°)	1 547,-
Seat-tilt (N)		
N2	Two-position seat-tilt adjustment - mechanism MA	●
NV	Pre-selectable seat-tilt - mechanism SE	●
NA	Automatic seat-tilt - mechanism BB	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat - mechanism BB, MA	●
T8	Seat-depth adjustment (8 cm) using sliding seat - mechanism SE	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
KVW	Traffic-white (~RAL 9016)	595,-
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support - casing according to colour of model	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support - casing according to colour of model	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support - casing according to colour of model	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support - casing according to colour of model	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support - casing black	2 321,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHKVW	Base H, traffic-white plastic (~RAL 9016)	357,-
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAVW	Base H, traffic-white aluminium (~RAL 9016)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S50VW	Gas unit (traffic white base tube)	179,-
S35CR	Gas unit with mechanical bounce spring (chrome base tube) - for mecha-nism MA, BB	417,-
S55CR	Gas unit with mechanical bounce spring (chrome base tube) - for mechanism SE	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm; mechanism MA and BB + 2 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm; mechanism MA and BB + 2 cm	536,-
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R75HVW	Hard castors (Ø 60 mm) for soft floors, **white**	536,-
R75WVW	Soft castors (Ø 60 mm) for hard floors, **white**	536,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L08	Lumbar support, infinitely depth-adjustable (2,5 cm) - recommended for Web C/Web M mesh versions	357,-
L28	Upholstered lumbar support, infinitely depth-adjustable (2,5 cm)	655,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
181.033	Mesh backrest: Web B/Tale, black, see fabric cards for further colours	●
179.033	Mesh backrest: Web C/Spin, black; alternativ 031 (platinum grey)	119,-
056.033	Mesh backrest: Web M/Runner, black, see fabric cards for further colours	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors - except white castors; **standard for models with glides**	◇
V10	Model dismantled in box	◇
V11	Model partly assembled in box	143,-
V12	Model completely assembled in box	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm, using Easy-Touch system)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest (Web B: Tonal, colour matching backrest, Web C: Polo black or Polo platin)	●
	Swivel chair for people with a body weight of **up to 150 kg** - (Technology SE; MA: 130 kg; BB: 110 kg)	●
ZCO1	CO2 compensation - for Indeed with Motionflex®-Automatic	●
ZCO2	CO2 compensation - for Indeed with mechanisms SE, BB	83,-
B_S06895	Seat cover, retro-fittable: Go couture (167.140 coral, 167.120 light blue, 167.028 navy blue, 167.016 ice green, 167.079 black and white) - not in combination with pocket spring core upholstery	655,-
TE 3712316	Padded lumbar pad (black), can be retrofitted for equipment L08, as spare part for equipment L28	298,-
ZB01	Fireproof version (classification P-b) - ID 7058/for upholstery; please select Web C for mesh backrest	214,-
ZB01	Fireproof version (classification P-b) - ID 7056/for upholstery; please select Web C for mesh backrest	143,-
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-
ZK10	Coat hanger, black (for models with high backrest) - only in conjunction with delivery types V00, V09, V12	1 071,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
ID	**7056**	**SE**	**NV**	**T8**	**KGS**	**A346KGS**	**FHKGS**	**S50GS**	**R75HGS**	**L08**	**165.025**	**179.033**	**V09**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Indeed mesh XL/NPR

(Mesh backrest)
Swivel chairs

Description				Price groups							Notes		
Design: Rüdiger Schaack				P	A	B	C	D	E	F			
Indeed mesh swivel chair with height-adjustable mesh backrest (Easy-Touch system) in three different mesh versions. Optionally with Ergo neckrest and white edition. With armrests and 10 cm seat-depth adjustment as standard.	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Paroteega, Runner, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	ID 7055	A246KGS (ill.)	SE	**7 070,-**	**7 261,-**	**7 641,-**	**8 022,-**	**8 594,-**	**8 891,-**	**9 760,-**	16.3	3.1	100/1.4
		A660KGS (NPR)		**8 201,-**	**8 391,-**	**8 772,-**	**9 153,-**	**9 724,-**	**10 022,-**	**10 891,-**	16.4	3.1	100/1.4
Swivel chair, high backrest with Ergo neckrest 	ID 7059	A246KGS	SE	**8 379,-**	**8 570,-**	**8 951,-**	**9 332,-**	**9 903,-**	**10 200,-**	**11 069,-**	17.2	3.1	100/1.4
		A660KGS (NPR; ill.)		**9 510,-**	**9 701,-**	**10 081,-**	**10 462,-**	**11 034,-**	**11 331,-**	**12 200,-**	17.3	3.1	100/1.4

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
Seat-tilt (N)		
NV	Pre-selectable seat-tilt	●
Seat-depth (T)		
T10	Seat-depth adjustment (10 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
KVW	Traffic-white (~RAL 9016)	595,-
Armrests (A)		
A246KGS	2F armrests, soft PU pads, black plastic support	●
A346KGS	3F armrests, soft PU pads, black plastic support - casing according to colour of model	655,-
A446KGS	4F armrests, soft PU pads, black plastic support	774,-
A441APO	4F armrests, soft PU pads, polished aluminium support - casing according to colour of model	1 071,-
A541APO	5F armrests, soft PU pads, polished aluminium support - casing black	1 190,-
A660KGS	6F armrests, soft PU pads, NPR, black plastic support - **standard for NPR version**	1 131,-
Base (F)		
FJKGS	Base J, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAVW	Base H, traffic-white aluminium (~RAL 9016)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S50VW	Gas unit (traffic white base tube)	179,-
S55CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S56GS	NPR gas unit (black base tube) - for seat height approx. 41-55 cm; **required for NPR version**	298,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R75HVW	Hard castors (Ø 60 mm) for soft floors, **white**	536,-
R75WVW	Soft castors (Ø 60 mm) for hard floors, **white**	536,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L08	Lumbar support, infinitely depth-adjustable (2,5 cm) - **required for NPR version;** recommended for mesh variants: Web C / Web M	357,-
L28	Upholstered lumbar support, infinitely depth-adjustable (2,5 cm)	655,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
181.033	Mesh backrest: Web B/Tale, black, see fabric cards for further colours	●
179.033	Mesh backrest: Web C/Spin, black; alternativ 031 (platinum grey)	119,-
056.033	Mesh backrest: Web M/Runner, black, see fabric cards for further colours	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand)	●
V00	Model completely assembled in protective cover (in the export markets on demand)	◇
V11	Model partly assembled in box	◇
V12	Model completely assembled in box	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm, using Easy-Touch system)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest (Web B: Tonal, colour matching backrest, Web C: Polo black or Polo platin)	●
	Swivel chair for people with a body weight of **up to 150 kg**	●
B_S06895	Seat cover, retro-fittable: Go couture (167.140 coral, 167.120 light blue, 167.028 navy blue, 167.016 ice green, 167.079 black and white) - not in combination with pocket spring core upholstery	655,-
TE 3712316	Padded lumbar pad (black), can be retrofitted for equipment L08, as spare part for equipment L28	298,-
ZB01	Fireproof version (classification P-b) - ID 7055/for upholstery; please select Web C for mesh backrest	143,-
ZB01	Fireproof version (classification P-b) - ID 7059/for upholstery; please select Web C for mesh backrest	214,-
ZCO2	CO2 compensation	83,-
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-
ZK10	Coat hanger, black (for models with high backrest) - only in conjunction with delivery types V00, V09, V12	1 071,-

Order example (required details have grey background)


Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
ID	**7055**	**SE**	**NV**	**T10**	**KGS**	**A246KGS**	**FJKGS**	**S56GS**	**R75HGS**	**L08**	**165.025**	**179.033**	**V09**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Indeed operator counter

(Plastic outer shell)
Counter chair

Description				Price groups							Notes		
Design: Rüdiger Schaack				P	A	B	C	D	E	F			
Indeed operator counter chair with height-adjustable upholstered backrest (Easy-Touch system). Optionally with individual or automatic body weight adjustment.	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Paroteega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Counter chair, high backrest 	ID 7046_ CFR	A0	SE	**6 773,-**	**7 082,-**	**7 641,-**	**8 201,-**	**9 129,-**	**9 748,-**	**11 295,-**	16.2	6.7	120/1.7

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
MA	**Motionflex®-Automatic** Synchronous technology with automatic body weight adjustment, incl. two-stage fine adjustment	357,-
Seat-tilt (N)		
N2	Two-position seat-tilt adjustment - mechanism MA	●
NV	Pre-selectable seat-tilt - mechanism SE	●
Seat-depth (T)		
T0	Without seat-depth adjustment - mechanism MA	●
T8	Seat-depth adjustment (8 cm) using sliding seat - mechanism SE	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
KVW	Traffic-white (~RAL 9016)	595,-
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support - casing according to colour of model	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support - casing according to colour of model	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support	2 321,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011) - not for mechanism MA	●
FHKVW	Base H, traffic-white plastic (~RAL 9016) - not for mechanism MA	357,-
FHAGS	Base H, graphite black aluminium (RAL 9011) - **required for mechanism MA**	774,-
FHAVW	Base H, traffic-white aluminium (~RAL 9016) - **optionally required formechanism MA**	774,-
FHAPO	Base H, polished aluminium - **optionally required for mechanism MA**	1 131,-
Seat height/Gas unit (S)		
S62CR	Gas unit (chrome base tube) - for seat height approx. 48-65 cm	●
S82CR	Gas unit (chrome base tube); only in combination with glides or with load-dependent locking castors - for seat height approx. 56-80 cm	298,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R75HVW	Hard castors (Ø 60 mm) for soft floors, **white**	536,-
R75WVW	Soft castors (Ø 60 mm) for hard floors, **white**	536,-
R86WGS	Soft castors (Ø 50 mm) for hard floors, load-dependent locking, black	893,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L08	Lumbar support, infinitely depth-adjustable (2,5 cm)	357,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors; **standard for models with glides**	◇
V12	Model completely assembled in box	◇
Features/extras (Z)		
	Backrest, height-adjustable (7 cm, using Easy-Touch system)	●
	Swivel chair for people with a body weight of **up to 150 kg** - (Technology SE; MA: 130 kg)	●
ZCO1	CO2 compensation - for Indeed with Motionflex®-Automatic	●
ZCO2	CO2 compensation - for Indeed with mechanism SE	83,-
B_S06895	Seat cover, retro-fittable: Go couture (167.140 coral, 167.120 light blue, 167.028 navy blue, 167.016 ice green, 167.079 black and white) - not in combination with pocket spring core upholstery	655,-
ZB01	Fireproof version (classification P-b)	286,-
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK10	Coat hanger, black (for models with high backrest)	1 071,-

Order example (required details have grey background)


Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
ID	**7046_CFR**	**SE**	**NV**	**T8**	**KGS**	**A246KGS**	**FHAPO**	**S62CR**	**R75HGS**	**L08**	**163.016**	**163.016**	**V09**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Indeed mesh counter

(Mesh backrest)
Counter chair

Description				Price groups							Notes		
Design: Rüdiger Schaack				P	A	B	C	D	E	F			
Indeed operator counter chair with height-adjustable mesh backrest (Easy-Touch system) in three different mesh versions. Optionally with individual or automatic body weight adjustment.	Models	Armrests	Mecha-nism	Fabio, Polo	Era, King, Custo-mer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parote-ga, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (se-mi-ani-line leather)	Leather F (premi-um se-mi-anilin leather)	kg net	Packaging units	Requi-rement for cover fabric 140 cm wide / leather in m^2
Counter chair, high backrest 	ID 7056_ CFR	A0	SE	**6 773,-**	**6 963,-**	**7 344,-**	**7 725,-**	**8 296,-**	**8 594,-**	**9 462,-**	14.6	6.7	100/1.4

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
MA	**Motionflex®-Automatic** Synchronous technology with automatic body weight adjustment, incl. two-stage fine adjustment	357,-
Seat-tilt (N)		
N2	Two-position seat-tilt adjustment - mechanism MA	●
NV	Pre-selectable seat-tilt - mechanism SE	●
Seat-depth (T)		
T0	Without seat-depth adjustment - mechanism MA	●
T8	Seat-depth adjustment (8 cm) using sliding seat - mechanism SE	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
KVW	Traffic-white (~RAL 9016)	595,-
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support - casing according to colour of model	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support - casing according to colour of model	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support	2 321,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011) - not for mechanism MA	●
FHKVW	Base H, traffic-white plastic (~RAL 9016) - not for mechanism MA	357,-
FHAGS	Base H, graphite black aluminium (RAL 9011) - **required for mechanism MA**	774,-
FHAVW	Base H, traffic-white aluminium (~RAL 9016) - **optionally required formechanism MA**	774,-
FHAPO	Base H, polished aluminium - **optionally required for mechanism MA**	1 131,-
Seat height/Gas unit (S)		
S62CR	Gas unit (chrome base tube) - for seat height approx. 48-65 cm	●
S82CR	Gas unit (chrome base tube); only in combination with glides or with load-dependent locking castors - for seat height approx. 56-80 cm	298,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R75HVW	Hard castors (Ø 60 mm) for soft floors, **white**	536,-
R75WVW	Soft castors (Ø 60 mm) for hard floors, **white**	536,-
R86WGS	Soft castors (Ø 50 mm) for hard floors, load-dependent locking, black	893,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L08	Lumbar support, infinitely depth-adjustable (2,5 cm) - recommended for Web C/Web M mesh versions	357,-
L28	Upholstered lumbar support, infinitely depth-adjustable (2,5 cm)	655,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
181.033	Mesh backrest: Web B/Tale, black, see fabric cards for further colours	●
179.033	Mesh backrest: Web C/Spin, black; alternativ 031 (platinum grey)	119,-
056.033	Mesh backrest: Web M/Runner, black, see fabric cards for further colours	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors - except white castors; **standard for models with glides**	◇
V12	Model completely assembled in box	◇
Features/extras (Z)		
	Backrest, height-adjustable (7 cm, using Easy-Touch system)	●
	Swivel chair for people with a body weight of **up to 150 kg** - (Technology SE; MA: 130 kg)	●
ZCO1	CO2 compensation - for Indeed with Motionflex®-Automatic	●
ZCO2	CO2 compensation - for Indeed with mechanism SE	83,-
B_S06895	Seat cover, retro-fittable: Go couture (167.140 coral, 167.120 light blue, 167.028 navy blue, 167.016 ice green, 167.079 black and white) - not in combination with pocket spring core upholstery	655,-
TE 3712316	Padded lumbar pad (black), can be retrofitted for equipment L08, as spare part for equipment L28	298,-
ZB01	Fireproof version (classification P-b) - for upholstery; please select Web C for mesh backrest	143,-
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK10	Coat hanger, black (for models with high backrest) - only in conjunction with delivery types V00, V09, V12	1 071,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
ID	**7056_CFR**	**SE**	**NV**	**T8**	**KGS**	**A346KGS**	**FHKGS**	**S62CR**	**R75HGS**	**L08**	**163.016**	**179.031**	**V09**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

@Just evo operator

(Plastic outer shell)
Swivel chairs

Description				Price groups							Notes		
Design: Dauphin Design-Team				P	A	B	C	D	E	F			
@Just evo operator with flexible, height-adjustable backrests with plastic outer shell; can be operated from both sides whilst sitting. Optionally with individual or automatic body weight adjustment.	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parotega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, medium-high backrest 	AJ 4846	A0	SE	**5 939,-**	**6 273,-**	**6 939,-**	**7 606,-**	**8 558,-**	**8 939,-**	**10 272,-**	14.4	5.0	100/1.4
Swivel chair, high backrest 	AJ 4876	A0	SE	**6 415,-**	**6 820,-**	**7 558,-**	**8 296,-**	**9 415,-**	**9 855,-**	**11 414,-**	14.9	5.0	120/1.7
Swivel chair, high backrest with Ergo neckrest 	AJ 4896	A0	SE	**7 725,-**	**8 189,-**	**8 986,-**	**9 784,-**	**11 081,-**	**11 522,-**	**13 259,-**	15.6	5.0	140/2.0
		A441APO		**9 927,-**	**10 391,-**	**11 188,-**	**11 986,-**	**13 283,-**	**13 724,-**	**15 461,-**	19.1	5.0	140/2.0

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
AE	**Automatic-Evolution®** Synchronised mechanism with automatic body weight adjustment - including seat-tilt and seat-depth adjustment	◇
Seat-tilt (N)		
N2	Two-position seat-tilt adjustment - mechanism AE	●
NV	Pre-selectable seat-tilt - mechanism SE	●
Seat-depth (T)		
T7	Seat-depth adjustment (7 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support	2 321,-
A442APO	4F armrests, leather pads, polished aluminium support	3 511,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAMS	Base H, silver aluminium (~RAL 9006)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S14CR	Gas unit (chrome base tube) - for seat height approx. 36-43 cm	238,-
S55CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L02	Lumbar support, depth-adjustable (3,5 cm)	595,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand)	●
V00	Model completely assembled in protective cover (in the export markets on demand)	◇
V10	Model dismantled in box	◇
V11	Model partly assembled in box	143,-
V12	Model completely assembled in box	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest - AJ 4896	●
	Swivel chair for people with a body weight of **up to 150 kg**	●
B_S06895	Seat cover, retro-fittable: Go couture (167.140 coral, 167.120 light blue, 167.028 navy blue, 167.016 ice green, 167.079 black and white) - not in combination with pocket spring core upholstery	655,-
ZB01	Fireproof version (classification P-b) - AJ 4846/4876	286,-
ZB01	Fireproof version (classification P-b) - AJ 4896	357,-
ZCO2	CO2 compensation	83,-
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK03	Coat hanger, chrome (for models with a high backrest)	1 071,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**4876**	**SE**	**NV**	**T7**	**KGS**	**A246KGS**	**FHKGS**	**S50GS**	**R75HGS**	**L02**	**165.025**	**165.025**	**V09**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

@Just evo operator XL/NPR

(Plastic outer shell)
Swivel chairs

Description				Price groups							Notes		
Design: Dauphin Design-Team				P	A	B	C	D	E	F			
@Just evo operator XL/NPR with flexible, height-adjustable backrests with plastic outer shell; can be operated from both sides whilst sitting. With armrests and 10 cm seat-depth adjustment as standard.	Models	Armrests	Mecha-nism	Fabio, Polo	Era, King, Custo-mer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parote-ga, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (se-mi-ani-line leather)	Leather F (premi-um se-mi-anilin leather)	kg net	Packaging units	Requi-rement for cover fabric 140 cm wide / leather in m^2
Swivel chair, medium-high backrest 	AJ 4881	A246KGS	SE	**7 308,-**	**7 641,-**	**8 308,-**	**8 974,-**	**9 927,-**	**10 308,-**	**11 641,-**	17.2	5.0	100/1.4
		A660KGS		**8 439,-**	**8 772,-**	**9 439,-**	**10 105,-**	**11 057,-**	**11 438,-**	**12 771,-**	17.3	5.0	100/1.4
Swivel chair, high backrest 	AJ 4885	A246KGS	SE	**7 784,-**	**8 189,-**	**8 927,-**	**9 665,-**	**10 784,-**	**11 224,-**	**12 783,-**	17.7	5.0	120/1.7
		A660KGS		**8 915,-**	**9 320,-**	**10 058,-**	**10 796,-**	**11 914,-**	**12 355,-**	**13 914,-**	17.8	5.0	120/1.7
Swivel chair, high backrest with Ergo neckrest 	AJ 4889	A246KGS	SE	**9 094,-**	**9 558,-**	**10 355,-**	**11 153,-**	**12 450,-**	**12 890,-**	**14 628,-**	18.4	5.0	140/2.0
		A660KGS		**10 224,-**	**10 688,-**	**11 486,-**	**12 283,-**	**13 581,-**	**14 021,-**	**15 759,-**	18.5	5.0	140/2.0

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
Seat-tilt (N)		
NV	Pre-selectable seat-tilt	●
Seat-depth (T)		
T10	Seat-depth adjustment (10 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A246KGS	2F armrests, soft PU pads, black plastic support	●
A346KGS	3F armrests, soft PU pads, black plastic support	655,-
A446KGS	4F armrests, soft PU pads, black plastic support	774,-
A441APO	4F armrests, soft PU pads, polished aluminium support	1 071,-
A541APO	5F armrests, soft PU pads, polished aluminium support	1 190,-
A442APO	4F armrests, leather pads, polished aluminium support	2 381,-
A660KGS	6F armrests, soft PU pads, NPR, black plastic support - **standard for NPR version**	1 131,-
Base (F)		
FJKGS	Base J, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAMS	Base H, silver aluminium (~RAL 9006)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S55CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S56GS	NPR gas unit (black base tube) - **required for NPR version**	298,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L02	Lumbar support, depth-adjustable (3,5 cm)	595,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand)	●
V00	Model completely assembled in protective cover (in the export markets on demand)	◇
V11	Model partly assembled in box	◇
V12	Model completely assembled in box	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest - AJ 4889	●
B_S06895	Seat cover, retro-fittable: Go couture (167.140 coral, 167.120 light blue, 167.028 navy blue, 167.016 ice green, 167.079 black and white) - not in combination with pocket spring core upholstery	655,-
ZB01	Fireproof version (classification P-b) - AJ 4881/4885	286,-
ZB01	Fireproof version (classification P-b) - AJ 4889	357,-
ZCO2	CO2 compensation	83,-
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK03	Coat hanger, chrome (for models with a high backrest)	1 071,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**4885**	**SE**	**NV**	**T10**	**KGS**	**A246KGS**	**FJKGS**	**S50GS**	**R75HGS**	**L02**	**165.025**	**165.025**	**V09**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

@Just magic2 operator

(Plastic outer shell)
Swivel chairs

Description				Price groups							Notes		
Design: Dauphin Design-Team				P	A	B	C	D	E	F			
@Just magic2 operator with flexible, height-adjustable backrests with plastic outer shell; can be operated from both sides whilst sitting. **Seat and backrest cushions without side seams.**	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Paroteega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, medium-high backrest 	AJ 4847	A0	QS	**6 653,-**	**6 987,-**	**7 653,-**	**8 320,-**	**9 272,-**	**9 653,-**	**10 986,-**	14.4	5.0	100/1.4
Swivel chair, high backrest 	AJ 4877	A0	QS	**7 130,-**	**7 534,-**	**8 272,-**	**9 010,-**	**10 129,-**	**10 569,-**	**12 129,-**	14.9	5.0	120/1.7
Swivel chair, high backrest with Ergo neckrest 	AJ 4897	A0	QS	**8 439,-**	**8 903,-**	**9 701,-**	**10 498,-**	**11 795,-**	**12 236,-**	**13 974,-**	15.6	5.0	140/2.0
		A441APO		**10 641,-**	**11 105,-**	**11 903,-**	**12 700,-**	**13 997,-**	**14 438,-**	**16 175,-**	19.1	5.0	140/2.0

Code	Feature	Surcharge
Mechanisms		
QS	**Syncro-Quickshift®** Synchronised mechanism with rapid spring force adjustment, including seat tilt and seat depth adjustment	●
Seat-tilt (N)		
N3	Three-position seat-tilt adjustment	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support	2 321,-
A442APO	4F armrests, leather pads, polished aluminium support	3 511,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAMS	Base H, silver aluminium (~RAL 9006)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S55CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L02	Lumbar support, depth-adjustable (3,5 cm)	595,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors; **standard for models with glides**	◇
V11	Model partly assembled in box	◇
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest - AJ 4897	●
	Swivel chair for people with a body weight of **up to 150 kg**	●
ZB01	Fireproof version (classification P-b) - AJ 4847/4877	286,-
ZB01	Fireproof version (classification P-b) - AJ 4897	357,-
ZCO2	CO2 compensation	83,-
ZK03	Coat hanger, chrome (for models with a high backrest)	1 071,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-

Order example (required details have grey background)




Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**4897**	**QS**	**N3**	**T6**	**KGS**	**A441APO**	**FHAPO**	**S55CR**	**R75HGS**	**L00**	**081.041**	**081.041**	**V11**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

@Just magic2 operator XS

(Plastic outer shell)
Swivel chairs

Description				Price groups							Notes		
Design: Dauphin Design-Team				P	A	B	C	D	E	F			
@Just magic2 operator XS with shorter seat (36 cm) with flexible, height-adjustable backrests with plastic outer shell; can be operated from both sides whilst sitting. **Seat and backrest cushions without side seams.**	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parotega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, medium-high backrest 	AJ 4847_XS	A0	QS	**7 130,-**	**7 463,-**	**8 129,-**	**8 796,-**	**9 748,-**	**10 129,-**	**11 462,-**	14.4	5.0	100/1.4
Swivel chair, high backrest 	AJ 4877_XS	A0	QS	**7 606,-**	**8 010,-**	**8 748,-**	**9 486,-**	**10 605,-**	**11 046,-**	**12 605,-**	14.9	5.0	120/1.7
Swivel chair, high backrest with Ergo neckrest 	AJ 4897_XS	A0	QS	**8 915,-**	**9 379,-**	**10 177,-**	**10 974,-**	**12 271,-**	**12 712,-**	**14 450,-**	15.6	5.0	140/2.0
		A441APO		**11 117,-**	**11 581,-**	**12 379,-**	**13 176,-**	**14 473,-**	**14 914,-**	**16 652,-**	19.1	5.0	140/2.0

Code	Feature	Surcharge
Mechanisms		
QS	**Syncro-Quickshift®** Synchronised mechanism with rapid spring force adjustment, including seat tilt and seat depth adjustment	●
Seat-tilt (N)		
N3	Three-position seat-tilt adjustment	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support - **recommended for @Just magic2 XS**	2 321,-
A442APO	4F armrests, leather pads, polished aluminium support	3 511,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAMS	Base H, silver aluminium (~RAL 9006)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S14CR	Gas unit (chrome base tube) - for seat height approx. 36-43 cm **(recommended for @Just magic2 XS)**	238,-
S55CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L02	Lumbar support, depth-adjustable (3,5 cm)	595,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors; **standard for models with glides**	◇
V11	Model partly assembled in box	◇
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest - AJ 4897_XS	●
ZB01	Fireproof version (classification P-b) - AJ 4847_XS/4877_XS	286,-
ZB01	Fireproof version (classification P-b) - AJ 4897_XS	357,-
ZCO2	CO2 compensation	83,-
ZK03	Coat hanger, chrome (for models with a high backrest)	1 071,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-

Order example (required details have grey background)




Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**4847_XS**	**QS**	**N3**	**T6**	**KGS**	**A541APO**	**FHAPO**	**S14CR**	**R75HGS**	**L00**	**081.041**	**081.041**	**V11**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

@Just magic2 operator XL

(Plastic outer shell)
Swivel chairs

Description				Price groups							Notes		
Design: Dauphin Design-Team				P	A	B	C	D	E	F			
@Just magic2 operator XL with flexible, height-adjustable backrests with plastic outer shell; can be operated from both sides whilst sitting. **Seat and backrest cushions with side seams.**	Models	Armrests	Mecha-nism	Fabio, Polo	Era, King, Custo-mer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parote-ga, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (se-mi-ani-line leather)	Leather F (premi-um se-mi-anilin leather)	kg net	Packaging units	Requi-rement for cover fabric 140 cm wide / leather in m^2
Swivel chair, medium-high backrest 	AJ 4845	A0	QS	**7 487,-**	**7 820,-**	**8 486,-**	**9 153,-**	**10 105,-**	**10 486,-**	**11 819,-**	14.4	5.0	100/1.4
Swivel chair, high backrest 	AJ 4875	A0	QS	**7 963,-**	**8 367,-**	**9 105,-**	**9 843,-**	**10 962,-**	**11 403,-**	**12 962,-**	14.9	5.0	120/1.7
Swivel chair, high backrest with Ergo neckrest 	AJ 4891	A0	QS	**9 272,-**	**9 736,-**	**10 534,-**	**11 331,-**	**12 629,-**	**13 069,-**	**14 807,-**	15.6	5.0	140/2.0
		A441APO		**11 474,-**	**11 938,-**	**12 736,-**	**13 533,-**	**14 831,-**	**15 271,-**	**17 009,-**	19.1	5.0	140/2.0

Code	Feature	Surcharge
Mechanisms		
QS	**Syncro-Quickshift®** Synchronised mechanism with rapid spring force adjustment, including seat tilt and seat depth adjustment	●
Seat-tilt (N)		
N3	Three-position seat-tilt adjustment	●
Seat-depth (T)		
T10	Seat-depth adjustment (10 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support	2 321,-
A442APO	4F armrests, leather pads, polished aluminium support	3 511,-
A660KGS	6F armrests, soft PU pads, NPR, black plastic support	2 261,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAMS	Base H, silver aluminium (~RAL 9006)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S35CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L01	Lumbar support, depth-adjustable (3,5 cm)	714,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors; **standard for models with glides**	◇
V11	Model partly assembled in box	◇
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest - AJ 4891	●
ZB01	Fireproof version (classification P-b) - AJ 4845/4875	286,-
ZB01	Fireproof version (classification P-b) - AJ 4891	357,-
ZCO2	CO2 compensation	83,-
ZK03	Coat hanger, chrome (for models with a high backrest)	1 071,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**4891**	**QS**	**N3**	**T10**	**KGS**	**A441APO**	**FHAPO**	**S35CR**	**R75HGS**	**L00**	**081.021**	**081.021**	**V11**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

@Just magic2 operator NPR

(Plastic outer shell)
Swivel chairs

Description				Price groups							Notes		
Design: Dauphin Design-Team				P	A	B	C	D	E	F			
@Just magic2 operator NPR with flexible, height-adjustable backrests with plastic outer shell; can be operated from both sides whilst sitting. **Seat and backrest cushions with side seams.**	Models	Armrests	Mecha-nism	Fabio, Polo	Era, King, Custo-mer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parote-ga, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (se-mi-ani-line leather)	Leather F (premi-um se-mi-anilin leather)	kg net	Packaging units	Requi-rement for cover fabric 140 cm wide / leather in m^2
Swivel chair, medium-high backrest 	AJ 4845_ NPR	A660KGS	QS	**10 046,-**	**10 379,-**	**11 046,-**	**11 712,-**	**12 664,-**	**13 045,-**	**14 378,-**	16.9	5.0	100/1.4
Swivel chair, high backrest 	AJ 4875_ NPR	A660KGS	QS	**10 522,-**	**10 926,-**	**11 664,-**	**12 402,-**	**13 521,-**	**13 962,-**	**15 521,-**	17.4	5.0	120/1.7
Swivel chair, high backrest with Ergo neckrest 	AJ 4891_ NPR	A660KGS	QS	**11 831,-**	**12 295,-**	**13 093,-**	**13 890,-**	**15 188,-**	**15 628,-**	**17 366,-**	18.1	5.0	140/2.0

Code	Feature	Surcharge
Mechanisms		
QS	**Syncro-Quickshift®** Synchronised mechanism with rapid spring force adjustment, including seat tilt and seat depth adjustment	●
Seat-tilt (N)		
N3	Three-position seat-tilt adjustment	●
Seat-depth (T)		
T10	Seat-depth adjustment (10 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A660KGS	6F armrests, soft PU pads, NPR, black plastic support	●
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAMS	Base H, silver aluminium (~RAL 9006)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S56GS	NPR gas unit (black base tube)	●
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-

Code	Feature	Surcharge
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L01	Lumbar support, depth-adjustable (3,5 cm)	714,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors; **standard for models with glides**	◇
V11	Model partly assembled in box	◇
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest - AJ 4891_NPR	●
ZB01	Fireproof version (classification P-b) - AJ 4845_NPR/4875_NPR	286,-
ZB01	Fireproof version (classification P-b) - AJ 4891_NPR	357,-
ZCO2	CO2 compensation	83,-
ZK03	Coat hanger, chrome (for models with a high backrest)	1 071,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**4891_NPR**	**QS**	**N3**	**T10**	**KGS**	**A660KGS**	**FHAPO**	**S56GS**	**R75HGS**	**L00**	**081.021**	**081.021**	**V11**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

@Just evo mesh

(Mesh backrest)
Swivel chairs

Description				Price groups							Notes		
Design: Dauphin Design-Team				P	A	B	C	D	E	F			
@Just evo mesh with typical plastic frame (black or white) and flexible, height-adjustable mesh backrest. Optionally with individual or automatic body weight adjustment.	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parotega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	AJ 5776	A0	SE	**6 415,-**	**6 606,-**	**7 094,-**	**7 582,-**	**8 320,-**	**8 784,-**	**9 986,-**	13.8	5.0	100/1.4
Swivel chair, high backrest with Ergo neckrest 	AJ 5786	A0	SE	**7 725,-**	**7 915,-**	**8 403,-**	**8 891,-**	**9 629,-**	**10 093,-**	**11 295,-**	14.7	5.0	100/1.4
		A441APO		**9 927,-**	**10 117,-**	**10 605,-**	**11 093,-**	**11 831,-**	**12 295,-**	**13 497,-**	18.2	5.0	100/1.4

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
AE	**Automatic-Evolution®** Synchronised mechanism with automatic body weight adjustment - including seat-tilt and seat-depth adjustment	◇
Seat-tilt (N)		
N2	Two-position seat-tilt adjustment - mechanism AE	●
NV	Pre-selectable seat-tilt - mechanism SE	●
Seat-depth (T)		
T7	Seat-depth adjustment (7 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
KVW	Traffic-white (~RAL 9016)	595,-
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support - casing according to colour of model	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support - casing according to colour of model	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support - casing according to colour of model	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support - casing according to colour of model	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support - casing black	2 321,-
A442APO	4F armrests, leather pads, polished aluminium support - casing black	3 511,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHKVW	Base H, traffic-white plastic (~RAL 9016)	357,-
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAMS	Base H, silver aluminium (~RAL 9006)	774,-
FHAVW	Base H, traffic-white aluminium (~RAL 9016)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S50VW	Gas unit (traffic white base tube)	179,-
S55CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R75HVW	Hard castors (Ø 60 mm) for soft floors, **white**	536,-
R75WVW	Soft castors (Ø 60 mm) for hard floors, **white**	536,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L08	Lumbar support, infinitely depth-adjustable (2,5 cm)	357,-
L28	Upholstered lumbar support, infinitely depth-adjustable (2,5 cm)	655,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
181.033	Mesh backrest: Web B/Tale, black, see fabric cards for further colours	●
056.033	Mesh backrest: Web M/Runner, black, see fabric cards for further colours	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand)	●
V00	Model completely assembled in protective cover (in the export markets on demand)	◇
V10	Model dismantled in box	◇
V11	Model partly assembled in box	143,-
V12	Model completely assembled in box	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest (Web B: Tonal, colour matching backrest)	●
	Swivel chair for people with a body weight of **up to 150 kg**	●
B_S06895	Seat cover, retro-fittable: Go couture (167.140 coral, 167.120 light blue, 167.028 navy blue, 167.016 ice green, 167.079 black and white) - not in combination with pocket spring core upholstery	655,-
ZB01	Fireproof version (classification P-b) - AJ 5776/upholstery	143,-
ZB01	Fireproof version (classification P-b) - AJ 5786/upholstery	214,-
ZCO2	CO2 compensation	83,-
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-
ZK09	Coat hanger, black (for models with high backrest) - only in conjunction with delivery types V00, V09, V12	1 071,-

Order example (required details have grey background)

Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**5776**	**SE**	**NV**	**T7**	**KVW**	**A346KGS**	**FHKVW**	**S55CR**	**R75HVW**	**L08**	**165.011**	**056.031**	**V09**



● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025



@Just magic2 mesh

(Mesh backrest)
Swivel chairs

Description				Price groups							Notes		
Design: Dauphin Design-Team				P	A	B	C	D	E	F			
@Just magic2 mesh with typical plastic frame (black or white) and flexible, height-adjustable mesh backrest. **Seat cushion without side seam.**	Models	Armrests	Mecha-nism	Fabio, Polo	Era, King, Custo-mer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parote-ga, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (se-mi-ani-line leather)	Leather F (premi-um se-mi-anilin leather)	kg net	Packaging units	Requi-rement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	AJ 5777	A0	QS	**7 130,-**	**7 320,-**	**7 808,-**	**8 296,-**	**9 034,-**	**9 498,-**	**10 700,-**	13.8	5.0	100/1.4
Swivel chair, high backrest with Ergo neckrest 	AJ 5787	A0	QS	**8 439,-**	**8 629,-**	**9 117,-**	**9 605,-**	**10 343,-**	**10 807,-**	**12 010,-**	14.7	5.0	100/1.4
		A441APO		**10 641,-**	**10 831,-**	**11 319,-**	**11 807,-**	**12 545,-**	**13 009,-**	**14 212,-**	18.2	5.0	100/1.4

Code	Feature	Surcharge
Mechanisms		
QS	**Syncro-Quickshift®** Synchronised mechanism with rapid spring force adjustment, including seat tilt and seat depth adjustment	●
Seat-tilt (N)		
N3	Three-position seat-tilt adjustment	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011) - black edition	●
KVW	Traffic-white (~RAL 9016) - white edition	595,-
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support - casing according to colour of model	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support - casing according to colour of model	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support - casing according to colour of model	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support - casing according to colour of model	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support - casing black	2 321,-
A442APO	4F armrests, leather pads, polished aluminium support - casing black	3 511,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHKVW	Base H, traffic-white plastic (~RAL 9016)	357,-
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAMS	Base H, silver aluminium (~RAL 9006)	774,-
FHAVW	Base H, traffic-white aluminium (~RAL 9016)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S50VW	Gas unit (traffic white base tube)	179,-
S55CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R75HVW	Hard castors (Ø 60 mm) for soft floors, **white**	536,-
R75WVW	Soft castors (Ø 60 mm) for hard floors, **white**	536,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L08	Lumbar support, infinitely depth-adjustable (2,5 cm)	357,-
L28	Upholstered lumbar support, infinitely depth-adjustable (2,5 cm)	655,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
181.033	Mesh backrest: Web B/Tale, black, see fabric cards for further colours	●
056.033	Mesh backrest: Web M/Runner, black, see fabric cards for further colours	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors - except white castors; **standard for models with glides**	◇
V11	Model partly assembled in box	◇
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest (Web B: Tonal, colour matching backrest) - AJ 5787	●
ZB01	Fireproof version (classification P-b) - AJ 5777/upholstery	143,-
ZB01	Fireproof version (classification P-b) - AJ 5787/upholstery	214,-
ZCO2	CO2 compensation	83,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-
ZK09	Coat hanger, black (for models with high backrest) - only in conjunction with delivery types V00, V09, V12	1 071,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**5777**	**QS**	**N3**	**T6**	**KGS**	**A346KGS**	**FHKGS**	**S50GS**	**R75HGS**	**L08**	**081.041**	**056.033**	**V11**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

@Just magic2 mesh XS

(Mesh backrest)
Swivel chairs

Description				Price groups							Notes		
Design: Dauphin Design-Team				P	A	B	C	D	E	F			
@Just magic2 mesh XS with shorter seat (36 cm) with typical plastic frame (black or white) and flexible, height-adjustable mesh backrest. **Seat cushion without side seam.**	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parotega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	AJ 5777_XS	A0	QS	**7 606,-**	**7 796,-**	**8 284,-**	**8 772,-**	**9 510,-**	**9 974,-**	**11 176,-**	13.8	5.0	100/1.4
Swivel chair, high backrest with Ergo neckrest 	AJ 5787_XS	A0	QS	**8 915,-**	**9 105,-**	**9 593,-**	**10 081,-**	**10 819,-**	**11 284,-**	**12 486,-**	14.7	5.0	100/1.4
		A441APO		**11 117,-**	**11 307,-**	**11 795,-**	**12 283,-**	**13 021,-**	**13 486,-**	**14 688,-**	18.2	5.0	100/1.4

Code	Feature	Surcharge
Mechanisms		
QS	**Syncro-Quickshift®** Synchronised mechanism with rapid spring force adjustment, including seat tilt and seat depth adjustment	●
Seat-tilt (N)		
N3	Three-position seat-tilt adjustment	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011) - black edition	●
KVW	Traffic-white (~RAL 9016) - white edition	595,-
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support - casing according to colour of model	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support - casing according to colour of model	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support - casing according to colour of model	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support - casing according to colour of model	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support - casing black; **recommended for @Just magic2 XS**	2 321,-
A442APO	4F armrests, leather pads, polished aluminium support - casing black	3 511,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHKVW	Base H, traffic-white plastic (~RAL 9016)	357,-
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAMS	Base H, silver aluminium (~RAL 9006)	774,-
FHAVW	Base H, traffic-white aluminium (~RAL 9016)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S14CR	Gas unit (chrome base tube) - for seat height approx. 36-43 cm **(recommended for @Just magic2 XS)**	238,-
S50VW	Gas unit (traffic white base tube)	179,-
S55CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R75HVW	Hard castors (Ø 60 mm) for soft floors, **white**	536,-
R75WVW	Soft castors (Ø 60 mm) for hard floors, **white**	536,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L08	Lumbar support, infinitely depth-adjustable (2,5 cm)	357,-
L28	Upholstered lumbar support, infinitely depth-adjustable (2,5 cm)	655,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
181.033	Mesh backrest: Web B/Tale, black, see fabric cards for further colours	●
056.033	Mesh backrest: Web M/Runner, black, see fabric cards for further colours	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors - except white castors; **standard for models with glides**	◇
V11	Model partly assembled in box	◇
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest (Web B: Tonal, colour matching backrest)	●
ZB01	Fireproof version (classification P-b) - AJ 5777_XS/upholstery	143,-
ZB01	Fireproof version (classification P-b) - AJ 5787_XS/upholstery	214,-
ZCO2	CO2 compensation	83,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-
ZK09	Coat hanger, black (for models with high backrest) - only in conjunction with delivery types V00, V09, V12	1 071,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**5777_XS**	**QS**	**N3**	**T6**	**KGS**	**A541APO**	**FHAPO**	**S14CR**	**R75HGS**	**L00**	**081.041**	**056.033**	**V11**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

@Just magic2 mesh XL

(Mesh backrest)
Swivel chairs

Description				Price groups							Notes		
Design: Dauphin Design-Team				P	A	B	C	D	E	F			
@Just magic2 TA mesh XL with typical plastic frame (black or white) and flexible, height-adjustable mesh backrest. **Seat cushion with side seam.**	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parotega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	AJ 5775	A0	QS	**7 844,-**	**8 034,-**	**8 522,-**	**9 010,-**	**9 748,-**	**10 212,-**	**11 414,-**	14.2	5.0	100/1.4
Swivel chair, high backrest with Ergo neckrest 	AJ 5785	A0	QS	**9 153,-**	**9 343,-**	**9 831,-**	**10 319,-**	**11 057,-**	**11 522,-**	**12 724,-**	15.1	5.0	100/1.4
		A441APO		**11 355,-**	**11 545,-**	**12 033,-**	**12 521,-**	**13 259,-**	**13 724,-**	**14 926,-**	18.6	5.0	100/1.4

Code	Feature	Surcharge
Mechanisms		
QS	**Syncro-Quickshift®** Synchronised mechanism with rapid spring force adjustment, including seat tilt and seat depth adjustment	●
Seat-tilt (N)		
N3	Three-position seat-tilt adjustment	●
Seat-depth (T)		
T10	Seat-depth adjustment (10 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011) - black edition	●
KVW	Traffic-white (~RAL 9016) - white edition	595,-
Armrests (A)		
A0	Without armrests - casing according to colour of model	●
A246KGS	2F armrests, soft PU pads, black plastic support - casing according to colour of model	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support - casing according to colour of model	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support - casing according to colour of model	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support - casing according to colour of model	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support - casing black	2 321,-
A442APO	4F armrests, leather pads, polished aluminium support - casing black	3 511,-
A660KGS	6F armrests, soft PU pads, NPR, black plastic support	2 261,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHKVW	Base H, traffic-white plastic (~RAL 9016)	357,-
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAMS	Base H, silver aluminium (~RAL 9006)	774,-
FHAVW	Base H, traffic-white aluminium (~RAL 9016)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S50VW	Gas unit (traffic white base tube)	179,-
S35CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R75HVW	Hard castors (Ø 60 mm) for soft floors, **white**	536,-
R75WVW	Soft castors (Ø 60 mm) for hard floors, **white**	536,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L08	Lumbar support, infinitely depth-adjustable (2,5 cm)	357,-
L28	Upholstered lumbar support, infinitely depth-adjustable (2,5 cm)	655,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
181.033	Mesh backrest: Web B/Tale, black, see fabric cards for further colours	●
056.033	Mesh backrest: Web M/Runner, black, see fabric cards for further colours	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors - except white castors; **standard for models with glides**	◇
V11	Model partly assembled in box	◇
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest (Web B: Tonal, colour matching backrest) - AJ 5785	●
ZB01	Fireproof version (classification P-b) - AJ 5775/upholstery	143,-
ZB01	Fireproof version (classification P-b) - AJ 5785/upholstery	214,-
ZCO2	CO2 compensation	83,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-
ZK09	Coat hanger, black (for models with high backrest) - only in conjunction with delivery types V00, V09, V12	1 071,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**5775**	**QS**	**N3**	**T10**	**KGS**	**A441APO**	**FHAPO**	**S35CR**	**R75HGS**	**L08**	**081.021**	**056.033**	**V11**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

@Just magic2 mesh NPR

(Mesh backrest)
Swivel chairs

Description				Price groups							Notes		
Design: Dauphin Design-Team				P	A	B	C	D	E	F			
@Just magic2 mesh NPR with typical plastic frame (black or white) and flexible, height-adjustable mesh backrest. **Seat cushion with side seam.**	Models	Armrests	Mecha-nism	Fabio, Polo	Era, King, Custo-mer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parote-ga, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (se-mi-ani-line leather)	Leather F (premi-um se-mi-anilin leather)	kg net	Packaging units	Requi-rement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	AJ 5775_ NPR	A660KGS	QS	**10 403,-**	**10 593,-**	**11 081,-**	**11 569,-**	**12 307,-**	**12 771,-**	**13 974,-**	16.7	5.0	100/1.4
Swivel chair, high backrest with Ergo neckrest 	AJ 5785_ NPR	A660KGS	QS	**11 712,-**	**11 903,-**	**12 391,-**	**12 879,-**	**13 616,-**	**14 081,-**	**15 283,-**	17.6	5.0	100/1.4

Code	Feature	Surcharge
Mechanisms		
QS	**Syncro-Quickshift®** Synchronised mechanism with rapid spring force adjustment, including seat tilt and seat depth adjustment	●
Seat-tilt (N)		
N3	Three-position seat-tilt adjustment	●
Seat-depth (T)		
T10	Seat-depth adjustment (10 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011) - black edition	●
KVW	Traffic-white (~RAL 9016) - white edition	595,-
Armrests (A)		
A660KGS	6F armrests, soft PU pads, NPR, black plastic support	●
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHKVW	Base H, traffic-white plastic (~RAL 9016)	357,-
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAMS	Base H, silver aluminium (~RAL 9006)	774,-
FHAVW	Base H, traffic-white aluminium (~RAL 9016)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S56GS	NPR gas unit (black base tube)	●
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R75HVW	Hard castors (Ø 60 mm) for soft floors, **white**	536,-
R75WVW	Soft castors (Ø 60 mm) for hard floors, **white**	536,-

Code	Feature	Surcharge
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L08	Lumbar support, infinitely depth-adjustable (2,5 cm)	357,-
L28	Upholstered lumbar support, infinitely depth-adjustable (2,5 cm)	655,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
181.033	Mesh backrest: Web B/Tale, black, see fabric cards for further colours	●
056.033	Mesh backrest: Web M/Runner, black, see fabric cards for further colours	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors - except white castors; **standard for models with glides**	◇
V11	Model partly assembled in box	◇
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	286,-
Features/extras (Z)		
	Backrest, height-adjustable (7 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as backrest (Web B: Tonal, colour matching backrest) - AJ 5785_NPR	●
ZB01	Fireproof version (classification P-b) - AJ 5775_NPR/upholstery	143,-
ZB01	Fireproof version (classification P-b) - AJ 5785_NPR/upholstery	214,-
ZCO2	CO2 compensation	83,-
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-
ZK09	Coat hanger, black (for models with high backrest) - only in conjunction with delivery types V00, V09, V12	1 071,-

Order example (required details have grey background)

Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**5775_NPR**	**QS**	**N3**	**T10**	**KGS**	**A660KGS**	**FHAPO**	**S56GS**	**R75HGS**	**L08**	**081.021**	**181.033**	**V11**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Balance mechanisms

Benefit arguments



When using the Syncro-Activ-Balance® mechanism

- The automatic seat tilt encourages an upright seated posture for active sitting
- Large body opening angle for optimised freedom of movement
- Largest possible knee and hip angle for better circulation
- Stimulates muscles and circulation
- Supports the metabolism, breathing and digestion





When using the Syncro-3D-Balance® mechanism

In addition to the benefits of the Syncro-Activ-Balance® mechanism, this mechanism also offers:

- extra dynamism thanks to maximum three-dimensional mobility when sitting and support for natural movements
- better circulation and an increased supply of oxygen for more concentration and a greater feeling of well-being

Lordo flex

(Flexibly mounted backrest)
Swivel chairs

Description				Price groups							Notes		
Design: Martin Ballendat				P	A	B	C	D	E	F			
Lordo with transparent, elastic and pressure-regulating mesh backrest. Swivel chairs with swing-mounted backrest, optionally with depth-adjustable lumbar support.	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Paroteega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	LO 3017	A0	QS	**10 581,-**	**10 796,-**	**11 295,-**	**11 795,-**	**12 700,-**	**13 331,-**	**14 866,-**	19.8	7.6	100/1.2
Swivel chair, high backrest with Ergo neckrest 	LO 3027	A0	QS	**11 891,-**	**12 164,-**	**12 724,-**	**13 283,-**	**14 366,-**	**14 997,-**	**16 711,-**	20.7	9.0	100/1.2
		A441APO		**14 093,-**	**14 366,-**	**14 926,-**	**15 485,-**	**16 568,-**	**17 199,-**	**18 913,-**	24.2	9.0	100/1.2

Code	Feature	Surcharge
Mechanisms		
QS	**Syncro-Quickshift®** Synchronised mechanism with rapid spring force adjustment, including seat tilt and seat depth adjustment	●
Seat-tilt (N)		
N3	Three-position seat-tilt adjustment	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support	2 321,-
A442APO	4F armrests, leather pads, polished aluminium support	3 511,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S35CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R79HGS	Hard **design castors** (Ø 65 mm) for soft floors, black - only in conjunction with aluminium base	536,-
R79WGS	Soft **design castors** (Ø 65 mm) for hard floors, black - only in conjunction with aluminium base	536,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L15	Lumbar support, depth-adjustable (3,5 cm)	298,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
062.033	Mesh backrest: Web K, black	●
062.030	Mesh backrest: Web K, grey	◇
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors - except design castors; **standard for models with glides**	◇
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	◇
Features/extras (Z)		
	Backrest, height-adjustable (10 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as seat - LO 3027	●
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
LO	**3017**	**QS**	**N3**	**T6**	**KGS**	**A441KGS**	**FHAPO**	**S50GS**	**R75HGS**	**L00**	**078.027**	**062.030**	**V12**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Lordo flex advanced

(Flexible backrest/three-part seat shell)
Swivel chairs

Description				Price groups							Notes		
Design: Martin Ballendat				P	A	B	C	D	E	F			
Lordo with transparent, elastic and pressure-regulating mesh backrest. Swivel chairs with swing-mounted backrest, optionally with depth-adjustable lumbar support. Seat shell divided into three sections for direct contact with the entire body.	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parotega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	LO 3010	A0	SD A1	**11 891,-**	**12 105,-**	**12 605,-**	**13 105,-**	**14 009,-**	**14 640,-**	**16 175,-**	18.4	7.6	100/1.2
Swivel chair, high backrest with Ergo neckrest 	LO 3020	A0	SD A1	**13 200,-**	**13 474,-**	**14 033,-**	**14 592,-**	**15 676,-**	**16 306,-**	**18 020,-**	19.3	9.0	100/1.2
		A441APO		**15 402,-**	**15 676,-**	**16 235,-**	**16 794,-**	**17 878,-**	**18 508,-**	**20 222,-**	22.8	9.0	100/1.2

Code	Feature	Surcharge
Mechanisms		
SD A1	**Syncro-Dynamic Advanced® 1** Synchronised mechanism with seat shell divided into three parts, constant backrest counterpressure and synchronised movement lockable in four positions	●
Seat-tilt (N)		
NA	Automatic seat-tilt - up to -4°	●
Seat-depth (T)		
T5	Seat-depth adjustment (5 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support	2 321,-
A442APO	4F armrests, leather pads, polished aluminium support	3 511,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S35CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 47-58 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 47-58 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R79HGS	Hard **design castors** (Ø 65 mm) for soft floors, black - only in conjunction with aluminium base	536,-
R79WGS	Soft **design castors** (Ø 65 mm) for hard floors, black - only in conjunction with aluminium base	536,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L15	Lumbar support, depth-adjustable (3,5 cm)	298,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
062.033	Mesh backrest: Web K, black	●
062.030	Mesh backrest: Web K, grey	◇
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors - except design castors; **standard for models with glides**	◇
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	◇
Features/extras (Z)		
	Backrest, height-adjustable (10 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as seat - LO 3020	●
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-

Order example (required details have grey background)


Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
LO	**3010**	**SDA1**	**NA**	**T5**	**KGS**	**A441APO**	**FHAPO**	**S35CR**	**R75HGS**	**L00**	**078.027**	**062.030**	**V12**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Lordo

Swivel chairs

Description				Price groups							Notes		
Design: Martin Ballendat				P	A	B	C	D	E	F			
Lordo with transparent, elastic and pressure-regulating mesh backrests. Swivel chairs with swing-mounted lordosis segment.	Models	Armrests	Mecha-nism	Fabio, Polo	Era, King, Custo-mer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parote-ga, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (se-mi-ani-line leather)	Leather F (premi-um se-mi-anilin leather)	kg net	Packaging units	Requi-rement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	LO 3387	A0	QS	**10 938,-**	**11 153,-**	**11 653,-**	**12 152,-**	**13 057,-**	**13 688,-**	**15 223,-**	13.3	7.6	100/1.2
		A441APO		**13 140,-**	**13 355,-**	**13 855,-**	**14 354,-**	**15 259,-**	**15 890,-**	**17 425,-**	16.8	7.6	100/1.2
Swivel chair, high backrest with neckrest 	LO 3397	A0	QS	**12 248,-**	**12 462,-**	**12 962,-**	**13 462,-**	**14 366,-**	**14 997,-**	**16 533,-**	13.8	9.0	100/1.2
		A441APO		**14 450,-**	**14 664,-**	**15 164,-**	**15 664,-**	**16 568,-**	**17 199,-**	**18 735,-**	17.3	9.0	100/1.2

Code	Feature	Surcharge
Mechanisms		
QS	**Syncro-Quickshift®** Synchronised mechanism with rapid spring force adjustment, including seat tilt and seat depth adjustment	●
Seat-tilt (N)		
N3	Three-position seat-tilt adjustment	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support	2 321,-
A442APO	4F armrests, leather pads, polished aluminium support	3 511,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAPO	Base H, polished aluminium	1 131,-

Code	Feature	Surcharge
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S35CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 46-57 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 46-57 cm	536,-
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
062.033	Mesh backrest: Web K, black	●
062.030	Mesh backrest: Web K, grey	◇
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand)	●
V00	Model completely assembled in protective cover (in the export markets on demand)	◇
V12	Model completely assembled in box	◇
Features/extras (Z)		
	Backrest, height-adjustable (10 cm)	●
	Lumbar support, integrated, swing-mounted with an elastic cover	●
	Neckrest with mesh cover - LO 3397	●
ZK04	Coat hanger, chrome	1 071,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
LO	**3387**	**QS**	**N3**	**T6**	**KGS**	**A346KGS**	**FHKGS**	**S35CR**	**R75HGS**	-	**047.025**	**062.033**	**V12**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Lordo advanced

(three-part seat shell)
Swivel chairs

Description				Price groups							Notes		
Design: Martin Ballendat				P	A	B	C	D	E	F			
Lordo with transparent, elastic and pressure-regulating mesh backrest. Swivel chairs with swing-mounted lordosis segment. Seat shell divided into three sections for direct contact with the entire body.	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Paroteega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	LO 3380	A0	SD A1	**12 248,-**	**12 462,-**	**12 962,-**	**13 462,-**	**14 366,-**	**14 997,-**	**16 533,-**	16.1	7.6	100/1.2
		A441APO		**14 450,-**	**14 664,-**	**15 164,-**	**15 664,-**	**16 568,-**	**17 199,-**	**18 735,-**	19.6	7.6	100/1.2
Swivel chair, high backrest with neckrest 	LO 3390	A0	SD A1	**13 557,-**	**13 771,-**	**14 271,-**	**14 771,-**	**15 676,-**	**16 306,-**	**17 842,-**	16.6	9.0	100/1.2
		A441APO		**15 759,-**	**15 973,-**	**16 473,-**	**16 973,-**	**17 878,-**	**18 508,-**	**20 044,-**	20.1	9.0	100/1.2

Code	Feature	Surcharge
Mechanisms		
SD A1	**Syncro-Dynamic Advanced® 1** Synchronised mechanism with seat shell divided into three parts, constant backrest counterpressure and synchronised movement lockable in four positions	●
Seat-tilt (N)		
NA	Automatic seat-tilt - up to -4°	●
Seat-depth (T)		
T5	Seat-depth adjustment (5 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A0	Without armrests	●
A246KGS	2F armrests, soft PU pads, black plastic support	1 131,-
A346KGS	3F armrests, soft PU pads, black plastic support	1 785,-
A446KGS	4F armrests, soft PU pads, black plastic support	1 904,-
A441APO	4F armrests, soft PU pads, polished aluminium support	2 202,-
A541APO	5F armrests, soft PU pads, polished aluminium support	2 321,-
A442APO	4F armrests, leather pads, polished aluminium support	3 511,-
Base (F)		
FHKGS	Base H, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAPO	Base H, polished aluminium	1 131,-

Code	Feature	Surcharge
Seat height/Gas unit (S)		
S50GS	Gas unit (black base tube)	●
S35CR	Gas unit with mechanical bounce spring (chrome base tube)	417,-
S90GS	Gas unit (black base tube) - for seat height approx. 47-58 cm	119,-
S95CR	Gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 47-58 cm	536,-
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
062.033	Mesh backrest: Web K, black	●
062.030	Mesh backrest: Web K, grey	◇
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors; **standard for models with glides**	◇
V12	Model completely assembled in box	◇
Features/extras (Z)		
	Backrest, height-adjustable (10 cm)	●
	Lumbar support, integrated, swing-mounted with an elastic cover	●
	Neckrest with mesh cover - LO 3390	●
ZK04	Coat hanger, chrome	1 071,-

Order example (required details have grey background)


Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
LO	**3380**	**SDA1**	**NA**	**T5**	**KGS**	**A441APO**	**FHAPO**	**S35CR**	**R75HGS**	-	**056.022**	**062.033**	**V12**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Lordo flex NPR

(Flexibly mounted backrest)
Swivel chairs

Description				Price groups							Notes		
Design: Martin Ballendat				P	A	B	C	D	E	F			
Lordo NPR swivel chair with transparent, elastic and pressure-regulating mesh backrest. Swivel chairs with swing-mounted backrest, optionally with depth-adjustable lumbar support.	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Paroteega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	LO 3017_ NPR	A660KGS	QS	**13 378,-**	**13 593,-**	**14 093,-**	**14 592,-**	**15 497,-**	**16 128,-**	**17 663,-**	20.0	7.6	100/1.2
Swivel chair, high backrest with Ergo neckrest 	LO 3027_ NPR	A660KGS	QS	**14 688,-**	**14 961,-**	**15 521,-**	**16 080,-**	**17 163,-**	**17 794,-**	**19 508,-**	20.9	9.0	100/1.2

Code	Feature	Surcharge
Mechanisms		
QS	**Syncro-Quickshift®** Synchronised mechanism with rapid spring force adjustment, including seat tilt and seat depth adjustment	●
Seat-tilt (N)		
N3	Three-position seat-tilt adjustment	●
Seat-depth (T)		
T10	Seat-depth adjustment (10 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A660KGS	6F armrests, soft PU pads, NPR, black plastic support	●
Base (F)		
FJKGS	Base J, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S56GS	NPR gas unit (black base tube)	●

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
R79HGS	Hard **design castors** (Ø 65 mm) for soft floors, black - only in conjunction with aluminium base	536,-
R79WGS	Soft **design castors** (Ø 65 mm) for hard floors, black - only in conjunction with aluminium base	536,-
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L15	Lumbar support, depth-adjustable (3,5 cm)	298,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
062.033	Mesh backrest: Web K, black	●
062.030	Mesh backrest: Web K, grey	◇
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors - except design castors; **standard for models with glides**	◇
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	◇
Features/extras (Z)		
	Backrest, height-adjustable (10 cm)	●
	Ergo neckrest: 7 cm height-adjustable, 40° tiltable, cover as seat - LO 3027_NPR	●
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-

Order example (required details have grey background)


Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
LO	**3017_NPR**	**QS**	**N3**	**T10**	**KGS**	**A660KGS**	**FJKGS**	**S56GS**	**R75HVW**	**L00**	**078.010**	**062.033**	**V12**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Lordo NPR

Swivel chairs

Description				Price groups							Notes		
Design: Martin Ballendat				P	A	B	C	D	E	F			
Lordo NPR swivel chair with transparent, elastic and pressure-regulating mesh backrest. Swivel chairs with swing-mounted lordosis segment.	Models	Armrests	Mechanism	Fabio, Polo	Era, King, Customer fabrics, Relax, Tonal, Valencia	Fame, Jet bio, Parotega, Runner, Sealife, Select, Step, Xtreme	Avalon, Blazer, Fenice, Grain, Maple, Remix	Divina, Sera, Steelcut	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
Swivel chair, high backrest 	LO 3387_ NPR	A660KGS	QS	**13 735,-**	**13 950,-**	**14 450,-**	**14 950,-**	**15 854,-**	**16 485,-**	**18 020,-**	16.2	7.6	100/1.2
Swivel chair, high backrest with neckrest 	LO 3397_ NPR	A660KGS	QS	**15 045,-**	**15 259,-**	**15 759,-**	**16 259,-**	**17 163,-**	**17 794,-**	**19 330,-**	16.7	9.0	100/1.2

Code	Feature	Surcharge
Mechanisms		
QS	**Syncro-Quickshift®** Synchronised mechanism with rapid spring force adjustment, including seat tilt and seat depth adjustment	●
Seat-tilt (N)		
N3	Three-position seat-tilt adjustment	●
Seat-depth (T)		
T10	Seat-depth adjustment (10 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A660KGS	6F armrests, soft PU pads, NPR, black plastic support	●
Base (F)		
FJKGS	Base J, graphite black plastic (RAL 9011)	●
FHAGS	Base H, graphite black aluminium (RAL 9011)	774,-
FHAPO	Base H, polished aluminium	1 131,-
Seat height/Gas unit (S)		
S56GS	NPR gas unit (black base tube)	●

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
R10HGS	Plastic glides for soft floors, black	◇
R10WGS	Felt glides for hard floors, black	119,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
062.033	Mesh backrest: Web K, black	●
062.030	Mesh backrest: Web K, grey	◇
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand)	●
V00	Model completely assembled in protective cover (in the export markets on demand)	◇
V12	Model completely assembled in box	◇
Features/extras (Z)		
	Backrest, height-adjustable (10 cm)	●
	Lumbar support, integrated, swing-mounted with an elastic cover	●
	Neckrest with mesh cover - LO 3397_NPR	●
ZK04	Coat hanger, chrome	1 071,-

Order example (required details have grey background)


Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/glides	Seat fabric	Backrest fabric	Delivery type
LO	**3387_NPR**	**QS**	**N3**	**T10**	**KGS**	**A660KGS**	**FHAPO**	**S56GS**	**R75HGS**	**078.024**	**062.033**	**V12**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

@Just 24h

(Models for 24-hour use)
Executive swivel chair with height-adjustable backrest

Description				Price groups				Notes		
Design: Dauphin Design-Team				**A**	**B**	**E**	**F**			
@Just 24-hour executive swivel chair with height-adjustable backrest and 2F armrests; suitable for use at 3-shift companies or in particularly demanding situations.	Models	Armrests	Mechanism	King, Relax	Fame, Select, Ultra, Xtreme	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
24h executive swivel chair with armrests, high backrest 	AJ 5086 (ill.)	A241APO	SE	**11 772,-**	**14 271,-**	**16 295,-**	**19 270,-**	20.7	7.6	120/1.7
	AJ 5096 (protect)			**13 795,-**	**15 461,-**	-	-	20.7	7.6	120/1.7
24h executive swivel chair with armrests, high backrest with Ergo neckrest 	AJ 5088	A241APO	SE	**13 319,-**	**15 818,-**	**17 842,-**	**21 056,-**	21.5	9.0	140/2.0
	AJ 5098 (protect; ill.)			**15 342,-**	**17 009,-**	-	-	21.5	9.0	140/2.0

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
Seat-tilt (N)		
NV	Pre-selectable seat-tilt	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A241APO	2F armrests, soft PU pads, polished aluminium support, adjustable in height (10 cm) and width (2 cm, using a tool)	●
A350KGS	3F armrests, soft PU pads, black plastic support (can be folded backwards (50°), height (9 cm) and width-adjustable (5 cm, by means of eccentric lock) - cannot be supplied in conjunction with lumbar support	◇
Base (F)		
FHAPO	Base H, polished aluminium	●
Seat height/Gas unit (S)		
S53GS	Reinforced gas unit (black base tube) - for seat height approx. 41-53 cm	●
S54CR	Reinforced gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 42-53 cm	417,-
S63CR	Reinforced gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 50-65 cm	536,-
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇

Code	Feature	Surcharge
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L01	Lumbar support, depth-adjustable (3,5 cm)	714,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand)	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors	◇
V12	Model completely assembled in box	◇
Features/extras (Z)		
AJ 508x	Cushion trim in same colour as the backrest	■
AJ 509x	**protect:** for upholstery protection side parts and the cushion trim of the seat and backrest are in leather E, black	■
	Backrest, height-adjustable (7 cm)	●
	Comfort upholstery, thickness: seat 6,5 cm, backrest 4 cm	●
	Ergo headrest: 7 cm height-adjustable, 40° tiltable, cover genuine leather black (E); for fabric group E+F leather color corresponding to backrest - AJ 5088 / 5098	●
	Executive swivel chair for people with a body weight of **up to 150 kg** - **as 24-hour executive swivel chair up to 130 kg**	●
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK05GS	Coat hanger, black - AJ 5088 / AJ 5098	1 071,-

Order example (required details have grey background)

Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**5088**	**SE**	**NV**	**T6**	**KGS**	**A241APO**	**FHAPO**	**S54CR**	**R75HGS**	**L00**	**150.038**	**150.038**	**V12**

● = Standard ◇ = Option without surcharge
■ = see price groups

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

@Just 24h

(Models for 24-hour use)
Executive swivel chair with height-adjustable backrest

Description				Price groups				Notes		
Design: Dauphin Design-Team				A	B	E	F			
@Just 24-hour executive swivel chair with height-adjustable backrest and 2F armrests; suitable for use at 3-shift companies or in particularly demanding situations.	Models	Armrests	Mechanism	King, Relax	Fame, Select, Ultra, Xtreme	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
24h executive swivel chair with armrests, high backrest with integrated neckrest 	AJ 5089	A241APO	SE	**13 319,-**	**15 818,-**	**17 842,-**	**21 056,-**	21.4	9.0	160/2.2
	AJ 5099 (protect; ill.)			**15 342,-**	**17 009,-**	-	-	21.4	9.0	160/2.2

Code	Feature	Surcharge
Mechanisms		
SE	**Syncro-Evolution®** Synchronised mechanism with a large opening angle between the backrest and seat, including seat-depth- and pre-selectable seat-tilt adjustment	●
Seat-tilt (N)		
NV	Pre-selectable seat-tilt	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A241APO	2F armrests, soft PU pads, polished aluminium support, adjustable in height (10 cm) and width (2 cm, using a tool)	●
A350KGS	3F armrests, soft PU pads, black plastic support (can be folded backwards (50°), height (9 cm) and width-adjustable (5 cm, by means of eccentric lock) - cannot be supplied in conjunction with lumbar support	◇
Base (F)		
FHAPO	Base H, polished aluminium	●
Seat height/Gas unit (S)		
S53GS	Reinforced gas unit (black base tube) - for seat height approx. 41-53 cm	●
S54CR	Reinforced gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 42-53 cm	417,-
S63CR	Reinforced gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 50-65 cm	536,-
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇

Code	Feature	Surcharge
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L01	Lumbar support, depth-adjustable (3,5 cm)	714,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand)	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors	◇
V12	Model completely assembled in box	◇
Features/extras (Z)		
AJ 508x	Cushion trim in same colour as the backrest	■
AJ 509x	Upholstered seat and backrest, with leather case side parts	■
	Backrest, height-adjustable (7 cm)	●
	Comfort upholstery, thickness: seat 6,5 cm, backrest 4 cm	●
	Executive swivel chair for people with a body weight of **up to 150 kg** - **as 24-hour executive swivel chair up to 130 kg**	●
	Integrated neckrest: black real-leather upholstery (E), for fabric groups E + F leather colour same as backrest	●
ZFK01	Boxspring core upholstery; equipped with a point-elastic micro-pocket spring core and additional wadded, visco-elastic foam layer for highest seating comfort	595,-
ZK09	Coat hanger, black (for models with high backrest)	1 071,-

Order example (required details have grey background)


Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
AJ	**5099**	**SE**	**NV**	**T6**	**KGS**	**A241APO**	**FHAPO**	**S54CR**	**R75HGS**	**L00**	**150.038**	**150.038**	**V12**

● = Standard ◇ = Option without surcharge
■ = see price groups

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Shape 24h

(Models for 24-hour use)
Executive swivel chair with comfort upholstery

Description				Price groups				Notes		
Design: Design Office Kerstin Hagge/Alfred Puchta + Dauphin Design-Team				**A**	**B**	**E**	**F**			
Shape 24-hour executive swivel chair with comfortable upholstery and 2F armrests; suitable for use at 3-shift companies or in particularly demanding situations for body weights of up to 200 kg (as 24h executive swivel chair up to 150 kg).	Models	Armrests	Mechanism	King, Relax	Fame, Select, Ultra, Xtreme	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
24h executive swivel chair with armrests, high backrest 	SH 0989	A241APO	ST	**20 222,-**	**21 948,-**	**27 602,-**	**31 530,-**	17.3	7.6	180/2.5
24h executive swivel chair with armrests, high backrest with neckrest 	SH 0999	A241APO	ST	**23 674,-**	**25 400,-**	**31 054,-**	**35 219,-**	18.6	9.0	200/2.8

Code	Feature	Surcharge
Mechanisms		
ST	**Syncro-Tension®** Synchronised mechanism with infinitely lockable synchronised movement and immediately noticeable spring force adjustment (fine adjustment)	●
Seat-tilt (N)		
N0	Without seat-tilt adjustment	●
Seat-depth (T)		
T6	Seat-depth adjustment (6 cm) using sliding seat	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A241APO	2F armrests, soft PU pads, polished aluminium support, adjustable in height (10 cm) and width (2 cm, using a tool)	●
Base (F)		
FHAPO	Base H, polished aluminium	●
Seat height/Gas unit (S)		
S53GS	Reinforced gas unit (black base tube) - for seat height approx. 41-53 cm	●
S54CR	Reinforced gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 42-53 cm	417,-
S63CR	Reinforced gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 50-65 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L10	Lumbar support, height-adjustable (5 cm) and depth-adjustable (3,5 cm)	1 428,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors; **standard for models with glides**	◇
V12	Model completely assembled in box	◇
Features/extras (Z)		
	Comfort upholstery, thickness: seat 6,5 cm, backrest 6,0 cm	●
	Executive swivel chair for people with a body weight of up to **200 kg** (up to 150 kg if used as a 24-hour executive swivel chair)	●
	Neckrest, height-adjustable (15 cm), black real-leather upholstery (E); for fabric groups E + F colour of leather same as backrest - SH 0999	●
TE 9409990	Additional cover for the neckrest (natural white); 62 % polyamide, 38 % polyester/lycra; changeable, washable	214,-
ZK02	Coat hanger, chrome - only for executive swivel chairs with neckrest	1 071,-

Order example (required details have grey background)



Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
SH	**0999**	**ST**	**N0**	**T6**	**KGS**	**A241APO**	**FHAPO**	**S54CR**	**R75HGS**	**L00**	**029.033**	**029.033**	**V12**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Cento Miglia 24h / XXL

(Models for 24-hour use or heavier people)
Executive swivel chair with extra large seat

Description				Price groups				Notes		
Design: Design Office Kerstin Hagge/Alfred Puchta + Dauphin Design-Team				**A**	**B**	**E**	**F**			
Cento Miglia 24h or XXL executive swivel chair with extra large seat and 2F armrests for use in 3-shift businesses or where there is above-average loading with body weights of up to 200 kg (as 24h executive swivel chair up to 150 kg).	Models	Armrests	Mechanism	King, Relax	Fame, Select, Ultra, Xtreme	Leather E (semi-aniline leather)	Leather F (premium semi-anilin leather)	kg net	Packaging units	Requirement for cover fabric 140 cm wide / leather in m^2
24h executive swivel chair with armrests, high backrest 	MM 0783	A241APO	ST	**24 626,-**	**26 174,-**	**31 054,-**	**34 386,-**	22.1	7.6	170/2.4
24h executive swivel chair with armrests, high backrest with Ergo neckrest 	MM 0784	A241APO	ST	**26 174,-**	**27 721,-**	**32 601,-**	**36 172,-**	23.1	9.0	210/3.0

Code	Feature	Surcharge
Mechanisms		
ST	**Syncro-Tension®** Synchronised mechanism with infinitely lockable synchronised movement and immediately noticeable spring force adjustment (fine adjustment)	●
Seat-tilt (N)		
N0	Without seat-tilt adjustment	●
Seat-depth (T)		
T0	Without seat-depth adjustment	●
Model colour/plastic parts (K)		
KGS	Graphite black (RAL 9011)	●
Armrests (A)		
A241APO	2F armrests, soft PU pads, polished aluminium support, adjustable in height (10 cm) and width (2 cm, using a tool)	●
Base (F)		
FHAPO	Base H, polished aluminium	●
Seat height/Gas unit (S)		
S53GS	Reinforced gas unit (black base tube) - for seat height approx. 40-52 cm	●
S54CR	Reinforced gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 41-52 cm	417,-
S63CR	Reinforced gas unit with mechanical bounce spring (chrome base tube) - for seat height approx. 49-64 cm	536,-

Code	Feature	Surcharge
Castors/glides (R)		
R75HGS	Hard castors (Ø 60 mm) for soft floors, black	●
R75WGS	Soft castors (Ø 60 mm) for hard floors, black	◇
Lumbar support (L)		
L00	Without adjustment of the lumbar support	●
L09	Lumbar support, infinitely height-adjustable (7 cm) and depth-adjustable (2 cm)	714,-
Cover (collection and colour)		
xxx.xxx	Seat: see fabric cards for selection	●
yyy.yyy	Backrest: see fabric cards for selection	●
zzz.zzz	Backrest: different cover/colour to seat; price according to higher price group	238,-
Delivery type (V)		
V09	Model completely assembled in protective cover (with castor protection; in the export markets on demand) - for models with castors	●
V00	Model completely assembled in protective cover (in the export markets on demand) - for models with castors; **standard for models with glides**	◇
V12	Model completely assembled in box - Ergo neckrest can be attached without the use of tools	◇
Features/extras (Z)		
	Ergo headrest: 7 cm height-adjustable, 40° tiltable, cover genuine leather black (E); for fabric group E+F leather color corresponding to backrest	●
	Executive swivel chair for people with a body weight of up to **200 kg** (up to 150 kg if used as a 24-hour executive swivel chair)	●
ZK05	Coat hanger, chrome (for models with Ergo neckrest)	1 309,-

Order example (required details have grey background)

Product group	Model no.	Mechanism	Seat-tilt	Seat-depth	Colour of model	Armrests	Base	Seat height	Castors/ glides	Lumbar support	Seat fabric	Backrest fabric	Delivery type
MM	**0785**	**ST**	**N0**	**T0**	**KGS**	**A241APO**	**FHAPO**	**S54CR**	**R75HGS**	**L09**	**029.033**	**029.033**	**V12**

● = Standard ◇ = Option without surcharge

GS certificates are shown with the standard seat height (gas spring). Additional equipment is not included in the certificate.
The product illustrations may contain options at extra cost. All dimensions in cm (approx.).
All prices stated plus statutory VAT. Currency: SEK. Valid from: 01.07.2025

Model number system (order examples)

The minimum information required for an order is the model number and (in the case of chairs) the cover fabric (collection and colour).
Standards are predefined for all other attributes. Further order details are only required if the version you want is different from the standard version.

Order example 1:

If the model **SH 3855** (Shape swivel chair, high mesh backrest) is specified, the **standard** attributes are:

Range:		**SH**
Model number:		**3855**
Mechanism	(TK):	Syncro-Tension®
Seat tilt	N:	without seat-tilt adjustment
Seat depth	T:	with seat-depth adjustment
Model colour	K:	graphite-black
Armrests	A:	none
Base	F:	Black plastic
Seat height/gas unit	S:	Safety gas unit (black base tube)
Castors/glides	R:	hard castors for soft floors
Lumbar support	L:	no adjustment
Cover (seat):		Specification required
Cover (backrest):		Specification required
Delivery type	V:	Model completely assembled in box

All that needs to be specified to complete the order is the required cover, so in this case the collection and colour for the seat and the collection and colour of the mesh backrest.

If we assume for the model SH 3855 the seat is to be in Polo black and the backrest is to have a black mesh, then the order example is:
SH 3855/077.033/058.033

SH/3855 is the model,
077 is the Polo collection,
058 is the Web L and
033 is the colour black (seat and backrest)

Order example 1 (complete product configuration)

Product range	Model No.	Mechanism	Seat tilt	Seat depth	Model colour	Armrests	Base	Seat height/ gas unit	Castors/glides	Lumbar support	Cover	Delivery type	Extra feature
SH	**3855**	**ST**	**N0**	**T6**	**KGS**	**A0**	**FHKGS**	**S50GS**	**R75HGS**	**L00**	**077.033 058.033**	**V12**	**–**

Order example 2:

Let's assume the specific model you want is model SH 3855 with Syncro-3D-Balance®, 2F armrests, lumbar support and King cover fabric:

Range:		**SH**
Model number:		**3855**
Mechanism	(TK):	Syncro-3D-Balance®
Seat tilt	N:	automatic seat-tilt adjustment (standard)
Seat depth	T:	Seat-depth adjustment (6 cm)
Model colour	K:	graphite-black (standard)
Armrests	A:	2F armrests with PU pads
Base	F:	Black plastic (standard)
Seat height/gas unit	S:	Safety gas unit (black base tube); (standard)
Castors/glides	R:	hard castors for soft floors (standard)
Lumbar support	L:	height-adjustable lumbar support
Cover (seat):		King black
Cover (backrest):		Web L black
Delivery type	V:	Model completely assembled in box (standard)

Order example 2 is then (required details):
SH 3855/3D/T6/A246KGS/L03/081.033/058.033

In addition to the details from order example 1, the Syncro-3D-Balance® mechanism (3D) including automatic seat-tilt adjustment, 2F armrests with PU pads and black plastic supports (A246KGS) and the lumbar support (L03) have now also been added.

Order example 2 (complete product configuration)

Product range	Model No.	Mechanism	Seat tilt	Seat depth	Model colour	Armrests	Base	Seat height/ gas unit	Castors/glides	Lumbar support	Cover	Delivery type	Extra feature
SH	**3855**	**3D**	**NA**	**T6**	**KG/**	**A246KGS**	**FHKGS**	**S50GS**	**R75HGS**	**L03**	**081.033 058.033**	**V12**	**–**

Order example 3:

If you want a model from the rapid delivery range (shorter delivery time), it is sufficient if you add the suffix SLP to the model number, so e.g. **ID 7046_SLP**

Order example 4:

Let us assume you want to upgrade order example 2 as follows:

- Neckrest
- Polished aluminium base
- Safety gas unit with mechanical bounce spring
- Coat hanger

In our system, it would then be represented as follows (with the **neckrest being represented with its own model number);** the elements with grey shading need to be specified for this example:

SH 3865/3D/T6/A246KGS/FHAPO/S55CR/L03/081.033/058.033/V12/ZK05

Order example 4 (complete product configuration)

Product range	Model No.	Mechanism	Seat tilt	Seat depth	Model colour	Armrests	Base	Seat height/ gas unit	Castors/glides	Lumbar support	Cover	Delivery type	Extra feature
SH	**3865**	**3D**	**NA**	**T6**	**KGS**	**A246KGS**	**FHAPO**	**S55CR**	**R75HGS**	**L03**	**081.033 058.033**	**V12**	**ZK05**

Features (attributes)

Swivel chair

TK	Mechanism
N	Seat tilt
T	Seat depth
K	Model/plastic colour
A	Armrests
F	Base
S	Seat height/gas unit
R	Castors/glides
L	Lumbar support
BE	Cover
V	Delivery type
Z	Extra feature



Model number key (Overview features/attributes)

Features
see pages 4/5

Seat-tilt (N)

N0	without seat-tilt adjustment
N2	dual-position seat-tilt adjustment
N3	three-position seat-tilt adjustment
NA	automatic seat-tilt
NS	infinite seat-tilt adjustment
NV	pre-selectable seat tilt

Seat depth (T)

T0	Without seat-depth adjustment
T4	Seat-depth adjustment (4 cm)
T5	Seat-depth adjustment (5 cm)
T6	Seat-depth adjustment (6 cm)
T7	Seat-depth adjustment (7 cm)
T8	Seat-depth adjustment (8 cm)
T10	Seat-depth adjustment (10 cm)

Upholstered version (PV)

U	Non-upholstered seat and backrest
S	Upholstered seat, non-upholstered backrest
SR	Upholstered seat and backrest
SRV	Upholstered seat, fully upholstered backrest

Position of side table
See respective bench system

Model colour/plastic parts (K)

KBB	Berlin blue	(~ RAL 260 30 15)
KEG	Iron grey	(~ RAL 7011)
KER	English red	(~ RAL 040 50 50)
KFW	White	(flame retardant)
KGS	Graphite black	(RAL 9011)
KKG	Putty grey	(~ RAL 060 70 10)
KOG	Old green	(~ RAL 130 60 20)
KSB	Gentle blue	(~ RAL 250 60 15)
KSY	Mustard yellow	(~ RAL 070 60 60)
KVW	Traffic white	(~ RAL 9016)
KWG	Cloud grey	(~ RAL 220 70 05)
KXW	White	

Colour of wooden parts (H)

HBN	Natural beech
HCSS	CPL, black (both sides)
HCWW	CPL, white (both sides)
HNN	Natural walnut
HON	Natural oak

Armrests (A)
see pages 184/185

Side wall contour (SK)/Element height (EH)/ Quilted design (SD)
see Atelier

Seat direction (SR)/Back panel elements (RW)/ Side wall elements (SW)
see Reefs

Base (F)
see page 186

Frame (G)

GASX	Silver anodized frame	
GAGS	Graphite black frame	(RAL 9011)
GAEG	Iron grey frame	(~ RAL 7011)
GAVW	Traffic white frame	(~ RAL 9016)
GAKG	Putty grey frame	(~ RAL 060 70 10)
GAWG	Cloud grey frame	(~ RAL 220 70 05)
GASY	Mustard yellow frame	(~ RAL 070 60 60)
GAER	English red frame	(~ RAL 040 50 50)
GAOG	Old green frame	(~ RAL 130 60 20)
GASB	Gentle blue frame	(~ RAL 250 60 15)
GABB	Berlin blue frame	(~ RAL 260 30 15)
GFCR	Chrome feet	
GFPO	Polished feet	
GHBN	Natural beech wooden legs	
GHBGN	Walnut, stained beech wooden legs	
GHBGO	Oak, stained beech wooden legs	
GSCR	Chrome frame	
GSGS	Graphite-black frame	(RAL 9011)
GSMS	Silver frame	(~ RAL 9006)
GSPO	Polished frame	
GSVW	Traffic-white frame	(~ RAL 9016)
GTGS	Black circular base	

Seat height/gas unit (S)

S12GS	Gas unit (black base tube)
S14CR	Gas unit (chrome base tube)
S17CR	Gas unit with mechanical bounce spring (chrome base tube)
S20CR	Gas unit (chrome base tube)
S35CR	Gas unit with mechanical bounce spring (chrome base tube)
S40CR	Gas unit (chrome base tube)
S40GS	Gas unit (black base tube)
S50GS	Gas unit (black base tube)
S50VW	Gas unit (traffic-white base tube)
S53GS	Reinforced gas unit (black base tube)
S54CR	Reinforced gas unit with mechanical bounce spring (chrome base tube)
S55CR	Gas unit with mechanical bounce spring (chrome base tube)
S56GS	Telescopic gas unit (black base tube)
S62CR	Gas unit (chrome base tube)
S63CR	Reinforced gas unit with mechanical bounce spring (chrome base tube)
S75CR	Gas unit (chrome base tube)
S81CR	Gas unit (chrome base tube)
S81GS	Gas unit (black base tube)
S82CR	Gas unit (chrome base tube)
S90GS	Gas unit for seat height of approx. 46-57 cm (black base tube)
S95CR	Gas unit with mechanical bounce spring for seat height of approx. 46-57cm (chrome base tube)

Model number key (Overview features/attributes)

Castors/glides (R)

R00	Without castors/glides
R10HGS	Plastic glides for soft floors, black
R10UGS	Universal glides for hard or soft floors, black
R10WGS	Felt glides for hard floors, black
R10HCR	Glides for soft floors, chrome
R10WCR	Felt glides for hard floors, chrome
R11UXW	Universal glides for hard or soft floors, suitable for inside and outside, white
R11WGS	Felt glides for delicate hard floors, black
R15HGS	Height-levelling glides, black
R15WGS	Height-levelling glides with felt
R29UGS	Universal glides for hard or soft floors, black, with option to fix to the floor
R59HCR	Hard castors (Ø 65 mm) for soft floors
R59WCR	Soft castors (Ø 65 mm) for hard floors
R70HGS	Hard castors (Ø 50 mm) for soft floors, black
R70WGS	Soft castors (Ø 50 mm) for hard floors, black
R75HGS	Hard castors (Ø 60 mm) for soft floors, black
R75HVW	Hard castors (Ø 60 mm) for soft floors, white
R75WGS	Soft castors (Ø 60 mm) for hard floors, black
R75WVW	Soft castors (Ø 60 mm) for soft floors, white
R79HGS	Hard design castors (Ø 65 mm) for soft floors, black
R79WGS	Soft design castors (Ø 65 mm) for hard floors, black
R86WGS	Soft castors (Ø 50 mm) for hard floors, load-dependent locking, black

Lumbar support (L)

see page 187

Upholstery fabrics

GGG.GGG	see colour samples (collection.colour) – full shell
XXX.XXX	see colour samples (collection.colour) – seat
YYY.YYY	see colour samples (collection.colour) – backrest
ZZZ.ZZZ	two-tone upholstery

Surface (O)/table top design

see Atelier, Reefs flex, Reefs, Fiore or Fiore nesting

Delivery type (V)

V00	Model unpackaged in protective cover
V01	Model packed in a box (quantity: 1)
V02	Model packed in a box (quantity: 2)
V09	Model unpackaged in protective cover (with castor protection)
V10	Model partly knocked down in a box
V11	Model partly assembled in a box
V12	Model completely assembled in a box
V21	„Export packaging“ – *specitication on demand*
V23	Model film-wrapped

Extra features (Z)

ZB01	Fireproof version (classification P-b)
ZB02	Fireproof version (classification P-a according to DIN 66084)
ZCO1	CO_2 compensation (standard)
ZCO2	CO_2 compensation (option)
ZE1B	Electrification «Point» (socket, USB connections and C connection, 3 m power cabel); both sides
ZE1L	Electrification «Point» (socket, USB connections and C connection, 3 m power cabel); positioned on the left (looking down on the seats)
ZE1R	Electrification «Point» (socket, USB connections and C connection, 3 m power cabel); positioned on the right (looking down on the seats)
ZE2	Electrification “Reefs SU” (plug with 3 m supply cable, plug socket, double USB connection)
ZE3	Electrification “Reefs SUW” (plug with 3 m supply cable, plug socket, double USB connection, wireless charging module)
ZE4	Electrification “Reefs S” (plug with 3 m supply cable, double plug socket)
ZE5	Electrification “Reefs connect SU” (3 m connecting cable, plug socket, double USB connection)
ZE6	Electrification “Reefs connect S” (3 m connecting cable, double plug socket)
ZE7	Electrification “Reefs SU Belize” (plug with 3 m supply cable, plug socket, double USB connection)
ZE8	Set of clips for securing cable to carcass
ZE9	Connecting cable (3 m) incl. set of clips for securing to carcass
ZFK01	Box-spring core upholstery
ZK01	Coat hanger, chrome (for models with a high backrest)
ZK02	Coat hanger, chrome
ZK03	Coat hanger, chrome (for models with a high backrest)
ZK04	Coat hanger, chrome
ZK05	Coat hanger, chrome (for models with Ergo neckrest)
ZK05GS	Coat hanger, black (for models with Ergo neckrest)
ZK09	Coat hanger, black (for models with a high backrest)
ZK10	Coat hanger, black (for models with a high backrest)
ZT11	Rapid spring-force adjustment: Thanks to a side-mounted system allowing rapid adjustment of the backrest counter-pressure (10 index settings)
ZT12	Writing tablet – swivelling, folding and nesting
ZV01	Row connectors (only in conjunction with glides)
ZV03	Button-type row connectors (for models without armrests)
ZV04	Button-type row connectors (for models with armrests)
ZV06	Row connectors, long (pair), connection without/with armrests - four-legged chair
ZV10	Row connector (only in conjunction with glides; with the option to fix to the floor = anti-tipping device)

Features (Products)

Basic settings



Seat height:

A maintenance-free safety gas unit which meets EU standards allows the seat height to be infinitely adjusted to the user's individual body size.


For all swivel chairs and executive swivel chairs.



Bounce spring:

A mechanical, central spring ensures full suspension when a person sits down, even in the lowest seat position, thus providing lasting protection against compressions of the spinal column.


Optionally available for all swivel chairs and executive swivel chairs.



Tension adjustment:

Thanks to a side-mounted system allowing fine adjustment of the backrest counterpressure (with just a few turns), the tension can be noticeably adjusted while sitting to suit the user's individual bodyweight, size and personal preferences.


For **Cento Miglia 24h/XXL Shape** and **Stilo ES.**



Adjustable spring force with constant backrest counterpressure:

Side-mounted, infinite and immediately noticeable adjustment of the **constant (!)** backrest counterpressure allows the spring-force to be easily adjusted to individual needs based on a person's body weight, size and personal preferences when sitting.

For **Lordo** and **X-Code.**




Rapid spring-force adjustment:

Thanks to a side-mounted system allowing rapid adjustment of the backrest counterpressure (10 index settings) allows the spring force to be easily adjusted to individual needs based on a person's body weight, size and personal preferences when sitting.

For **@Just magic2, sim-o, Stilo** and **Stilo ES.**

Seat depths




Seat-depth adjustment using sliding seat:
Thanks to the adjustable seat surface, the seat depth can be varied in several stages to 10 cm and therefore adjusted to meet the specific requirements of both large and small people.

Seat-depth adjustment generally comes as standard.


Optionally available for **dat-o** (4 cm).

Seat tilt




Dual-position/ three-position seat-tilt adjustment:
The seat surface can be adjusted to a seat tilt of –6° thus preventing pressure points on the thighs and encouraging an active seated posture.

For **Indeed, @Just magic2, dat-o, Lordo, Sequel, sim-o, Stilo** and **Stilo ES.**



Infinite seat-tilt adjustment:
The seat surface can be infinitely adjusted forwards up to a seat tilt of –8°, thus preventing pressure points on the thighs and encouraging an active seated posture for active dynamic sitting. In the process, the seat tilt can be adjusted to meet the user's individual requirements.


For **X-Code**.



Pre-selectable seat tilt:
A pre-selectable seat tilt allows a seat tilt of 0° (backrest 90°) or –4° (backrest follows forwards up to 86°). Thanks to the seat tilt of –4°, pressure points on the thighs are prevented and an active seated posture is encouraged. The backrest follows the forward movement of the "user" and supports them in the forward seated position.

For **@Just evo, Indeed** and **Sequel.**


Automatic seat inclination




Automatic adjustment of the entire upper part of the chair:
The entire upper part of the chair can be automatically (or individually) adjusted forwards (up to –12° depending on the model), thus allowing the swivel chair to adapt to the individual requirements of both large and small people in any seated posture (even in the forward most seated posture). This produces impulses for an active seated posture and powerful muscles whilst providing optimum support and a relaxed feeling when sitting.

For **Indeed, Shape** and **Stilo ES.**

Three-dimensional sitting






Three-dimensional sitting (3D Balance):

Thanks to automatic adjustment of the seat and the backrest forwards (Syncro-3D-Balance®: –8°; Ball-Balance®: –4°) **and** to both sides (+/–6°; BB: +/–4°), the swivel chair adapts to the individual needs of the user and thus helps to encourage natural movements, maintains concentration and improves performance.

For **Indeed, Shape** and **Stilo ES.**


Features (Products)

Backrests



Height-adjustable backrest (at the push of a button):
Thanks to a technical feature integrated into the backrest, the backrest height can be easily adjusted at the push of a button and thus individually adjusted to the particular body size (upper body) of the user.


For **@Just, Lordo, Shape** and **Stilo ES.**



Height-adjustable backrest (with Easy-Touch feature):
Thanks to a technical feature integrated into the backrest, the backrest height can be quickly and easily adjusted in a user-friendly manner simply by raising the backrest (Easy-Touch) and thus individually adjusted to the particular body size (upper body) of the user.

For **Indeed, Shape** and **sim-o.**


Neckrests



Height-adjustable head and neckrest:

Thanks to a technical feature integrated into the backrest, the height of the head and neckrest can be manually adjusted simply by raising or lowering it and thus individually adjusted to the particular body size (upper body) of the user. As a result, the head is supported and the neck muscles are relaxed.


For **dat-o, Shape 24h, Shape XTL** and **sim-o.**



Height-adjustable and tiltable head and neckrest:

Thanks to a technical feature integrated into the backrest, the height of the head and neckrest can be manually adjusted and the headrest itself tilted forwards and thus individually adjusted to individual requirements. As a result, the head is supported and the neck muscles are relaxed.

For **@Just, Cento Miglia 24h/ XXL** and **Shape.**



Ergo neckrest:

Thanks to an optimally ergonomically shaped, height-adjustable and tiltable neckrest, the Ergo neckrest can be adapted to cater for individual needs. This means the head can be supported and the strain on the neck muscles can be relieved.


For **@Just, Indeed, Cento Miglia 24h/XXL, Lordo flex, Sequel, Shape** and **Stilo/Stilo ES.**

Lumbar support




Depth-adjustable lumbar support:
A depth-adjustable (3,5 cm) lumbar support ensures optimum and individual support for the lower back in a way which is kind to the intervertebral discs.

Optionally available for **@Just, @Just 24h, Indeed operator, sim-o, Shape** and **Stilo ES operator/comfort.**




Depth-adjustable lumbar support:
A depth-adjustable (3,5 cm) lumbar support ensures optimum and individual support for the lower back in a way which is kind to the intervertebral discs.

Optionally available for **Lordo flex.**



Depth-adjustable lumbar support:
A 2,5 cm depth-adjustable lumbar support provides customised support for the lumbar spine region and protects the intervertebral discs, regardless of the user‘s individual body size. Backrest height-adjustable (7cm).

Optionally available for **@Just mesh, Indeed** and **Stilo ES mesh.**



Height-adjustable lumbar support:
A 9 (If necessary 6) cm height-adjustable lumbar support provides customised support for the lumbar spine region and protects the intervertebral discs, regardless of the user‘s individual body size.


Standard for **X-Code style** (6 cm).

Optionally available for **Sequel:** 9 cm; ill.) or **(Shape mesh:** 8 cm; without ill.).



Height-adjustable lumbar support:
A 6 cm height-adjustable lumbar support provides customised support for the lumbar spine region and protects the intervertebral discs, regardless of the user‘s individual body size.

Optionally available for **Stilo mesh** or **X-Code mesh** (without ill.).




Height and depth-adjustable lumbar support:
A height-adjustable (7 cm) and depth-adjustable (2 cm) lumbar support ensures support for the lower back in a way which is kind to the intervertebral discs and matched to the user’s individual body size.

Optionally available for **Cento Miglia 24h/XXL.**



Height and depth-adjustable lumbar support:
A height-adjustable (5 cm) and depth-adjustable (3,5 cm) lumbar support ensures support for the lower back in a way which is kind to the intervertebral discs and matched to the user’s individual body size.

Optionally available for **Shape 24h.**



Height and depth-adjustable lumbar support:
A height-adjustable (4 cm) and depth-adjustable (1,5 cm) lumbar support ensures support for the lower back in a way which is kind to the intervertebral discs and matched to the user’s individual body size.

Optionally available for **dat-o.**

Features (Armrests)

height- and width-adjustable



A246KGS (2F)
height- (10 cm) and width-adjustable (6 cm) without the use of tools, black plastic arm posts, sleeve as per model colour, soft PU armpads

For **@Just, Indeed, Lordo, Sequel, Shape, sim-o** and **Stilo/Stilo ES**.



A243KGS (2F)
height- (10 cm) and width-adjustable (5 cm) without the use of tools, black plastic arm posts, black or white casing, soft PU armpads

For **X-Code.**

armrests 24h



A350KGS
height- (9 cm) and width-adjustable (5 cm) and can be folded backwards (50°), black plastic arm posts, black casing, soft PU armpads

For **@Just 24h.**



A241APO (2F)
height- (10 cm) and width-adjustable (5 cm) with the use of tools, polished aluminium arm posts, soft PU armpads (default setting: max. internal armrest width)

For **@Just 24h, Shape 24h** and **Cento Miglia 24h/XXL.**

multi-functional (F = function)



A346KGS (3F)
height- (10 cm), width- (6 cm) and depth-adjustable (5 cm) without the use of tools, black plastic arm posts, sleeve as per model colour, soft PU armpads

For **@Just, Indeed, Lordo, Sequel, Shape, sim-o** and **Stilo/Stilo ES**.



A446KGS (4F)
height- (10 cm), width- (6 cm) and depth-adjustable (5 cm) without the use of tools, 25° turnable in both directions, black plastic arm posts, black casing, soft PU armpads

For **@Just, Indeed, Lordo, Sequel, Shape, sim-o** and **Stilo/Stilo ES**.



A441APO (4F)
height- (10 cm), width- (6 cm) and depth-adjustable (5 cm) without the use of tools, 20° turnable in both directions, polished aluminium arm posts, sleeve as per model colour soft PU armpads
For **@Just, Indeed, Lordo, Sequel, Shape, sim-o** and **Stilo/Stilo ES**.



A442APO (4F)
height- (10 cm), width- (6 cm) and depth-adjustable (6 cm) without the use of tools, 20° turnable in both directions, polished aluminium arm posts, black casing, leather armpads (black with fabric covers; free choice of colours for leather covers, standard as seat)

For **@Just, Indeed, Lordo, Sequel, Shape, sim-o** and **Stilo/Stilo ES**.



A541APO (5F)
height- (10 cm), in two ways width- (10 cm, 5 cm each side), and depth-adjustable (6 cm) without the use of tools, 20° turnable in both directions, polished aluminium arm posts, soft PU armpads

For **@Just, Indeed, Lordo, Sequel, Shape, sim-o** and **Stilo/Stilo ES**.



A545APO (5F)
height- (10 cm), in two ways width- (10 cm) and depth-adjustable (4 cm) without the use of tools, 30° turnable in both directions, polished aluminium arm posts, black or white casing, black, soft PU armpads

For **X-Code.**



A660KGS (NPR) (6F)
height- (10 cm), in three ways width- (15 cm, 7,5 cm each side) and depth-adjustable (6 cm) without the use of tools, radially-adjustable by 360°, black plastic arm posts, soft PU armpads, **conforms NPR 1813**

For **@Just, Indeed** and **Lordo.**

Features (Armrests)

Price in SEK excluding statutory VAT., valid from: 01.07.2025

armrests (functions)		no.	prices	24h	@Just	dat-o	Indeed	Lordo	Sequel	Shape	sim-o	Stilo/ Stilo ES	X-Code
height/width* (*fixed)		A241APO	Standard	●	–	–	–	–	–	–	–	–	–
height/ width		A246KGS	1 131,-	–	❍	❍	❍	❍	❍	❍	❍	❍	–
		A243KGS	1 547,-	–	–	–	–	–	–	–	–	–	❍
multi-functional	**3F**	A350KGS	without surcharge	●	–	–	–	–	–	–	–	–	–
		A346KGS	1 785,-	–	❍	❍	❍	❍	❍	❍	❍	❍	–
	4F	A446KGS	1 904,-	–	❍	❍	❍	❍	❍	❍	❍	❍	–
		A441APO	2 202,-	–	❍	❍	❍	❍	❍	❍	❍	❍	–
		A442APO	3 511,-	–	❍	❍	❍	❍	❍	❍	❍	❍	–
	5F	A541APO	2 321,-	–	❍	❍	❍	❍	❍	❍	❍	❍	–
		A545APO	2 321,-	–	–	–	–	–	–	–	–	–	❍
	6F NPR	A660KGS	2 261,-	–	❍	–	❍	❍	–	❍	❍	❍	–

● = standard
❍ = option

Features (Bases – castors / glides – gas units)

Price in SEK excluding statutory VAT., valid from: 01.07.2025 Set-up without model-specific bases (type J, K, L, M)			 **Base H, Ø 72 cm** for @Just, Cento Miglia XXL[1], dat-o, Indeed, Sequel, Shape, sim-o, Stilo/Stilo ES und X-Code				
Code for Castors/glides	**Material number**	**Price per piece**	black plastic	white plastic	silver/ black aluminium	white aluminium	polished aluminium
R75HGS: hard castors (Ø 60 mm, black) for soft floors	100 1206 HGS	51,18	●	●	●	●	●
R75WGS: soft castors (Ø 60 mm, black) for hard floors[2]	100 1206 WGS	77,37	●	●	●	●	●
R75HVW: hard castors (Ø 60 mm, white) for soft floors	102 1206 HVW	152,35	–	●	●	●	●
R75WVW: soft castors (Ø 60 mm, white) for hard floors[2]	102 1206 WVW	178,54	–	●	●	●	●
R79HGS: hard designer castors (Ø 65 mm) for soft floors	100 1406 HGS	140,45	–	–	●	●	●
R79WGS: soft designer castors (Ø 65 mm) for hard floors[2]	100 1406 WGS	166,64	–	–	●	●	●
R70HGS: hard castors (Ø 50 mm) for soft floors	100 0446 HGS	92,84	for four-legged chairs on castors				
R70WGS: soft castors (Ø 50 mm) for hard floors[2]	100 0446 WGS	119,03					
R10HGS: glides for soft floors	–	–	●	●	●	●	●
R10WGS: glides for hard floors	–	–	●	●	●	●	●
R10HCR: chromed glide casings for conference swivel chairs	–	–	–	–	–	●	●
R10WCR: chromed glide casings with felt for conference swivel chairs	–	–	–	–	–	●	●

● = Combination exists – = Combination not available

In accordance with EN 12529, we supply braked double castors as standard for use on carpets.

We also supply soft castors for hard floors at no extra charge.

Note: Soft castors differ from hard castors (polyamide) by having a running ring made from non-smearing and abrasion-resistant polyurethane (grey).

Seat height	Safety gas units	Code with base H
normal seat height	for seat height approx. 40–53 cm (black base tube)	S50GS
	for seat height approx. 42–53 cm (with mechanical bounce spring; chrome base tube)	S55CR
	for seat height approx. 40–50 cm (with mechanical bounce spring; chrome base tube); @Just XL, Lordo	S35CR
NPR gas unit	for seat height approx. 41–55 cm (black base tube)	S56GS
higher seat height	for seat height approx. 46–57 cm (black base tube)	S90GS
	for seat height approx. 46–57 cm (with mechanical bounce spring; chrome base tube)	S95CR

Please note:

1) The following model versions come with a different seat height (standard type B):
- Models with mechanical bounce spring approx. 1.5 to 2 cm (at normal seat height)
- Models with Automatic-Evolution® approx. - 1 cm
- Indeed with Motionflex-Automatic® approx. 2 cm
- Indeed with Ball-Balance® approx. 3 cm
- X-Code with Syncro-Motion X® mechanism approx. 2 cm
- Lordo with Syncro-Dynamic Advanced® approx. 1 cm

2) The NPR gas unit is required to comply with the Dutch Practical Guideline NPR 1813.
3) For large individuals (from approx. 187 cm tall) and/or when using the Syncro-Activ-Balance®, Syncro-3D-Balance® or Ball-Balance®, we recommend a safety gas unit for a seat height of approx. 45 cm or more (for a surcharge).
4) For all 24h swivel chairs, a reinforced safety gas unit is used for a seat height of approx. 41-53 cm (black base tube, S53GS); reinforced safety gas unit with mechanical bounce spring for a seat height of approx. 42-53 cm (chrome base tube, S54CR; reinforced safety gas unit with mechanical bounce spring for a seat height of approx. 50-65 cm (chrome base tube, S63CR); Cento Miglia with a seat height that is 1 cm lower in each case

Features (Lumbar support)



L01
mechanically depth-adjustable (3,5 cm)

Option for **Shape economy/ comfort/comfort XT.**
(714,-)



L01
mechanically depth-adjustable (3,5 cm)

Option for **Shape elan, Shape economy2 comfort** (ill. similar).
(714,-)



L01
mechanically depth-adjustable (3,5 cm)

Option for **@Just magic2 operator XL, @Just 24h, sim-o, Stilo ES comfort/operator** (ill. similar).
(714,-)



L02
mechanically depth-adjustable (3,5 cm)

Option for **@Just evo/magic2 operator.**
(595,-)



L03
height-adjustable (8 cm)

Option for **Shape economy2 mesh.**
(119,-)



L04
height-adjustable (8 cm), upholstered

Option for **Shape mesh.**
(536,-)



L05
height-adjustable (6 cm)

Option for **Shape mesh soft.**
(536,-)



L06
height-adjustable (6 cm)

Option for **X-Code mesh.**
(119,-)

Standard for **X-Code style.**




L08
infinitely depth-adjustable (2,5 cm)

Option for **@Just mesh, Indeed mesh, Stilo ES mesh.**
(357,-)



L08
infinitely depth-adjustable (2,5 cm)

Option for **Indeed operator.**
(357,-)



L08
infinitely depth-adjustable (2,5 cm)

Option for **Indeed mesh.**
(357,-)




L09
infinitely height- (7 cm) and depth-adjustable (2 cm)

Option for **Cento Miglia 24h/XXL.**
(714,-)



L10
height- (5 cm) and depth-adjustable (3,5 cm)

Option for **Shape 24h.**
(1 428,-)




L11
height-adjustable (5 cm)

Option for **dat-o.**
(119,-)



L14
height-adjustable (6 cm), upholstered

Option for **Stilo.**
(536,-)




L15
mechanically depth-adjustable (3,5 cm)

Option for **Lordo flex.**
(298,-)



L17
height-adjustable (6 cm)

Option for **Stilo.**
(119,-)



L18
infinitely height- (4 cm) and depth-adjustable (1,5 cm)

Option for **dat-o.**
(536,-)



L28
infinitely depth-adjustable, upholstered (2,5 cm)

Option for **@Just magic2 mesh, Stilo ES mesh, Indeed mesh.**
(655,-)



L29
height-adjustable (9 cm)

Option for **Sequel.**
(119,-).

Upholstery fabrics (Specifications + notes)

price group	fabric	material	weight	abrasion cycles (Martindale EN ISO 12947-2)	pilling values 1 - 5	fastness to rubbing (EN ISO 105-X12) 1 - 5	fastness to light (EN ISO 105-BO2) 1 - 8	width in cm	fireprotection standards		
P	Fabio	100 % Polyester FR	560 g/m	80.000	5	4 - 5	5-8	140	B1	D2	F1; IM; J
P	Polo	100 % Polyester	350 g/m	150.000	4 - 5	4 - 5	6	140		D2	
A	Era	100 % Polyester	320 g/m²	100.000	4 - 5	4	5	140		D2	
A	King	100 % Trevira CS® (polyester)	420 g/m	100.000	4 - 5	4 - 5	6	140	B1	D2	F1; IM; J
A	Relax	100 % Trevira CS® (polyester)	450 g/m	100.000	5	4 - 5	6	140	B1	D2	F1; IM; J
A	Tonal	100 % recycled polyester	315 g/m	100.000	4 - 5	4 - 5	6 - 8	140		D2	
A	Valencia	100 % Polyester/PVC	650 g/m²	300.000	–	–	6 - 7	137	B2	D2	F2
A	X-Knit	100 % Wovenit® 3D (polyamide hybrid*)	290 g/m²	100.000	5	5	6	–		D2	
B	Fame	95 % New Zealand wool, 5 % Polyamide	630 g/m	200.000	4	4 - 5	5 - 7	140		D2	
B	Jet bioactive	100 % Trevira CS® (polyester)	365 g/m	65.000	5	4 - 5	6	140	B1	D2	F1; IM; J
B	Parotega NF	85 % PVC compound, 15 % Cotton	700 g/m²	50.000	–	4	5	137	B1	D2	F1; IM; J
B	Runner	80 % Polyester, 20 % recycled polyester	510 g/m	70.000	5	4 - 5	5 - 7	160		D2	
B	Sealife	100 % recycled polyester (SEAQUAL certified)	460 g/m	100.000	5	4 - 5	6	140		D2	IM
B	Select	85 % New Zealand wool, 15 % Polyamide	510 g/m	200.000	4	4 - 5	5 - 8	140		D2	J
B	Step/Step Melange	100 % Trevira CS® (polyester)	470 g/m	100.000	4 - 5	4 - 5	5 - 7	140	B1	D2	F1; IM; J
B	Ultra	72 % Cradura™, PA, 16 % certified virgin wool, WV, 12 % redesigned Lenzing FR™	437 g/m	500.000	4	4 - 5	6 - 7	140		D2	
B	Xtreme	100 % recycled polyester	310 g/m²	100.000	5	4	6	140	B1	D2	IM
C	Avalon	100 % Pure new wool	580 g/m	35.000	–	–	6	150		D2	
C	Blazer	100 % Pure new wool	460 g/m	50.000	–	4	5	140		D2	
C	Fenice/ Fenice Stuoia	75 % Wool, 25 % Polyamide	500 g/m	100.000	4	4 - 5	6	150		D2	J; IM
C	Grain Uni/ Melange	92 % recycled polyester, 8 % Polyester 80 % recycled polyester, 20 % Polyester	615 g/m	100.000	5	4 - 5	5 - 7	140		D2	
C	Maple	81 % Viscose, 15 % Linen, 4 % Polyester	910 g/m	30.000	4 - 5	4 - 5	5	140		D2	
C	Remix	90 % New wool, 10 % Nylon	420 g/m	100.000	4	–	6	140		D2	IM
D	Divina	100 % New wool, worsted	820 g/m	45.000	3	–	5	150	B1	D2	
D	Savak	80 % New Zealand wool, 20 % Cotton	780 g/m	50.000	3 - 4	4 / 4 - 5	5 - 7	140		D2	
D	Sera	94 % New wool, 6 % Polyamide	910 g/m	122.000	4 - 5	–	5	140		D2	IM
D	Steelcut 3/ Quartet	90 % New wool, worsted, 10% Nylon	825 g/m / 770 g/m	100.000	3 - 4 / 4 - 5	3 - 5 / 4 - 5	5 - 6 / 6 - 7	140		D2	IM
E	Leather	Semi-anilin leather	–	–	–	4 - 5	3	–		D2	
F	Leather	Premium leather	–	–	–	3 - 4	4	–		D2	
backrest fabrics	Web A	100 % Polyester	510 g/m	100.000	–	4	4 - 5	140		D1	
	Web B	100 % recycled polyester	365 g/m	100.000	5	4 - 5	6 - 8	140		D1	
	Web C	100 % Trevira CS® (polyester)	405 g/m	70.000	4 - 5	4 - 5	5 - 8	140	B1	D2	F1; J
	Web H	100 % Polyester	270 g/m	70.000	4 - 5	4 - 5	2	160		D1	
	Web K	100 % Polyester	–	–	–	4 - 5	4 - 5	–			
	Web L	100 % Polyester	–	30.000	–	4	6	–		D1	
	Web M	80 % Polyester, 20 % recycled polyester	510 g/m	70.000	5	4 - 5	5 - 7	160		D2	
	Web P	66 % Polyester, 34 % Polyamide	340 g/m	200.000	3 - 4	4 - 5	5 - 7	140		D1	
	Web Q	100 % Polyester (opaque textile knitted fabric)	–	40.000	–	4	5	–		D1	
	Web S	100 % Polyester	330 g/m	70.000	4 - 5	4	5	150		D2	
	Web T	100 % recycled polyester	315 g/m	100.000	4 - 5	4 - 5	6 - 8	140		D2	
	Web X	100 % Wovenit® 3D (polyamide hybrid*)	290 g/m²	100.000	5	5	6	–		D2	
	Web Y	100 % Wovenit® 3D (polyamide hybrid*)	290 g/m²	100.000	5	5	6	–		D2	

We reserve the right to make technical modifications to the upholstery fabrics.

B1 = DIN 4102-1 upholstery fabric class
B2 = DIN 4102-2 upholstery fabric class
D1 = DIN - EN 1021 Part 1 (Cigarette test)
D2 = DIN - EN 1021 Part 1 + 2 (Match test; naked flame)
F1 = NF-P-92-503 class M1
F2 = NF-P-92-503 class M2
IM = UN2 9175/87 (1. IM)
J = BS 5852 IS 0 + 1, crib 5

Cover fabrics (Fire safety/ general information)

Fire safety

Fire safety:

The table (on the left) shows which cover fabrics meet the respective fire safety standards, whether it is DIN 4102 B1, DIN EN 1021-1 or DIN 1021-2 or other important country-specific standards, for example from France (NF-P92-503), England (BS 5852 Crib 5) or Italy (UN2 9175/87 1IM).

As the cover fabrics are not used as a construction material in isolation but in upholstery as upholstered furniture, the fire safety standard and classification DIN 66084 is relevant to the fire safety for these models.
The flammability of upholstered composite materials (upholstered furniture) is tested.
Dauphin ensures that it meets a minimum level of fire safety requirements as standard.
For example, all cover fabrics comply with DIN 1021-1 and therefore the classification P-c according to DIN 66084.

In the upholstery, the following fabric collections already satisfy as standard the fireproof classification P-b according to DIN 66084:
- Avalon
- Fame
- Fenice/Fenice Stuoia
- Leder E
- Leder F
- Parotega NF
- Relax
- Valencia
- X-Knit

For the following collections, the use of a special foam or additional fabric allows the classification P-b to be achieved:
- Fabio
- King
- Polo
- Runner
- Step/Step Melange
- Tonal

We offer this option for the following series:
- @Just
- Allora
- Fiore
- Indeed
- Sequel

For the highest fire safety requirements (e.g. in public areas) we also use a non-flammable fire safety fabric in upholstery, and this structure means that the requirements of DIN 66084 P-a (high) are met.
Specifically, the test is carried out with a pre-defined cover fabric, e.g. King.
As an option, we offer the classification P-a for the following series:
- Allora
- Atelier
- Reefs flex/Reefs

Furniture that successfully passes the test according to DIN 66084 P-a (paper cushion test) has similar fire properties to construction materials that are certified as “B1 – flame-retardant” according to DIN 4102.
This means they are suitable for use in B1 areas as assessed by fire safety experts.

Cleaning/disinfection

Upholstery fabrics:

Marks on textile fabrics are best removed immediately after they occur. It is advisable to brush the material regularly with a soft brush or a vacuum cleaner fitted with an upholstery nozzle. In cases of more severe soiling, rub the material at once with a damp cloth.

Stain removal:

We recommend that you use a professional upholstery cleaner for removing stains. Nevertheless, if you wish to try it yourself, you should proceed as follows. First remove the dust, then check the colourfastness and for any changes in the surface of the upholstery material at a concealed location by rubbing with a soft, white and clean cloth soaked in cleaning or stain-removing agent. Damp spots must be dabbed beforehand using an absorbent cloth or paper. Any residues should be treated later with upholstery shampoo. Rub the stain from the edge to the centre using a cloth.

Imitation leather:

To clean imitation leather, wipe off the dirt with a damp cloth. More stubborn stains can be removed with a soft brush (wet with lukewarm soapy water). For serious levels of dirt, it is advisable to use a solution of alcohol and water mixed in a 1:1 ratio. No solvents or abrasive agents may be used for cleaning.

Disinfectants are not a substitute for cleaning. As a general rule, only standard colourless disinfectants which are listed by appropriate institutes (e.g. German Society of Hygiene and Microbiology, Association for Applied Hygiene) should be used and applied in accordance with the manufacturer‘s specifications. If required, we would be happy to send you an up-to-date list of tested cleaning products and disinfectants.

No warranty is provided in respect of resistance to disinfectants because we have no influence over the composition of the disinfectants.

Leather – general points:

Please do not use solvents (stain removers, turpentine, white spirit), shoe cream or polishing wax on leather furniture. Aniline leather should be protected from the sun and direct light. We recommend cleaning leather furniture regularly by wiping with a soft cloth or vacuuming. Leather care products should be used occasionally in accordance with the instructions for use. It is important to avoid rubbing too firmly. In cases of more severe soiling, the colourfastness of the leather must first be tested at a concealed location. To do this, rub with a white, soft and clean cloth moistened with the appropriate cleaning agents.

If the cloth reveals colouring, the cleaning agent is unsuitable. Always follow the manufacturer’s instructions for the cleaning agents used. Heavily used areas are best cleaned with neutral soap dissolved in hand-hot water. Moisten a soft cloth with the solution and wipe the area extensively. The furniture should subsequently be treated with a leather care product and freshened up.

Premium Aniline leather F:

Dust can be removed using a soft cloth. In cases of heavy soiling, please wipe the area with a moistened, wrung out cloth or chamois leather and then dry it using a soft cloth. After drying in the air, the furniture should be treated with a leather care product (leather cream or foam) and freshened up. (Please only use leather care products which are suitable for Lavalina®; available on request).

Wooden surfaces:

Please do not use furniture care products! These may contain silicone which makes it impossible to repair any surface damages. Dust and light dirt can be wiped off using a soft, dry cloth. In cases of heavier soiling, use a slightly moistened but not wet cloth or leather to clean the surface and then wipe it dry immediately using a soft, dry cloth.

Plastic surfaces:

Plastic surfaces are best treated with a soft cloth and plain water. A mild soap solution can be used for stubborn stains.

Upholstery fabrics Office chairs (Recommendations)

price group	fabric/product	Sequel	Indeed	@Just	Stilo/ Stilo ES	Shape	dat-o	sim-o	X-Code	Lordo	24h/XXL
P	Fabio	●	●	●	●	●	●	●	●	●	–
P	Polo	●	●	●	●	●	●	●	●	●	–
A	Era	●	●	●	●	●	●	●	●	●	–
A	King	●	●	●	●	●	●	●	●	●	●
A	Relax	●	●	●	●	●	●	●	●	●	●
A	Tonal	●	●	●	●	●	●	●	●	●	–
A	Valencia (artificial leather)	❍	❍	❍	❍ 2)	❍ 5)	●	●	❍	❍	–
A	X-Knit	–	–	–	–	–	–	–	●	–	–
B	Fame 1)	●	●	●	●	●	●	●	●	●	●
B	Jet bioactive	●	●	●	●	●	●	●	●	●	–
B	Parotega NF (artificial leather)	❍	❍	❍	❍ 2)	❍ 5)	●	●	❍	❍	–
B	Runner	●	●	❍	❍	❍	●	❍	❍	●	–
B	Sealife	●	●	●	●	●	●	●	●	●	–
B	Select 1)	●	●	●	●	●	●	●	●	●	●
B	Step/Step Melange 1)	●	●	●	●	●	●	●	●	●	–
B	Ultra	–	–	–	–	–	–	–	–	–	●
B	Xtreme	●	●	●	●	●	●	●	●	●	●
C	Avalon 1)	●	●	●	●	●	●	●	●	●	–
C	Blazer	●	●	●	●	●	●	●	●	●	–
C	Fenice/Fenice Stuoia 1)	●	●	●	●	●	●	●	●	●	–
C	Grain Uni/Melange	●	●	●	●	●	●	●	●	●	–
C	Maple	●	●	●	●	●	●	●	●	●	–
C	Remix	●	●	●	●	●	●	●	●	●	–
D	Divina	●	●	●	●	●	●	●	●	●	–
D	Savak	–	–	–	–	–	–	–	–	–	–
D	Sera	●	●	●	●	●	●	●	●	●	–
D	Steelcut 3/Quartet	●	●	●	●	●	●	●	●	●	–
E	Leather	●	●	●	● 2)	● 5)	●	● 4)	●	●	●
F	Premium leather 1)	●	●	●	● 2)	● 5)	●	● 4)	●	●	●
backrest fabrics	Web A/Trampoline	–	–	–	–	–	●	● 3)	–	–	–
	Web B/Tale	–	●	●	●	●	–	–	–	–	–
	Web C/Spin	–	●	–	–	–	–	–	–	–	–
	Web H/Matrix	●	–	–	–	–	–	–	–	–	–
	Web K	–	–	–	–	–	–	–	–	●	–
	Web L	–	–	–	–	●	–	–	–	–	–
	Web M/Runner	●	●	●	● 2)	●	–	● 3)	–	–	–
	Web P/Q	–	–	–	●	–	–	–	–	–	–
	Web S/String	–	–	●	●	–	●	–	–	–	–
	Web T/Tonal	–	–	–	–	●	–	–	–	–	–
	Web X/Y	–	–	–	–	–	–	–	●	–	–

1) fabrics ideal for two-tone designs / combination of seat and backrest
2) only for Stilo ES; leather only for Stilo ES mesh / comfort
3) only for visitor chairs
4) not for sim-o visitor
5) not possible for all Shape models

● = upholstery fabric recommended
❍ = upholstery fabric available
– = upholstery fabric not available

Upholstery fabrics Office lounge and Project chairs (Recommendations)

price group	fabric/product	Allora	Atelier	Reefs flex	Reefs	Fiore	Fiore nesting	Fiore club	Clynn	Cay	Plenar2	Shape elan visitor	Teo
P	Fabio	❍	❍	❍	❍	●	❍	❍	●	●	●	●	●
P	Polo	❍	●	❍	❍	●	❍	❍	●	●	●	●	●
A	Era	●	●	●	●	●	●	●	●	●	●	●	●
A	King	❍	●	●	●	●	● 3)	●	●	●	●	●	●
A	Relax	❍	●	●	●	●	●	●	●	●	●	●	●
A	Tonal	●	●	●	●	●	●	●	●	●	●	●	●
A	Valencia (artificial leather)	❍	❍	❍	❍	❍	❍	❍	❍	❍	❍	❍	❍ 2)
B	Fame 1)	●	●	●	●	●	●	●	●	●	●	●	●
B	Jet bioactive	●	●	●	❍	●	●	●	●	●	●	●	●
B	Parotega NF (artificial leather)	❍	❍	❍	❍	❍	❍	❍	❍	❍	❍	–	❍ 2)
B	Runner	–	–	–	–	❍	❍	❍	–	–	❍	●	❍
B	Sealife	●	●	●	●	●	●	●	●	●	●	●	●
B	Select	●	●	●	●	●	●	●	●	●	●	●	●
B	Step/Step Melange 1)	●	●	●	●	●	●	●	●	●	●	●	●
B	Ultra	–	–	–	–	–	–	–	–	–	–	–	–
B	Xtreme	❍	●	●	●	●	●	●	●	●	●	●	●
C	Avalon 1)	●	●	●	●	●	●	●	●	●	●	●	●
C	Blazer	●	●	●	●	●	●	●	●	●	●	●	●
C	Fenice/Fenice Stuoia 1)	●	●	●	●	●	●	●	●	●	●	●	●
C	Grain Uni/Melange	●	●	●	●	●	●	●	●	●	●	●	●
C	Maple	●	●	●	●	●	●	●	●	●	●	●	●
C	Remix	●	●	●	●	●	●	●	●	●	●	●	●
D	Divina	●	●	●	●	●	●	●	●	●	●	●	●
D	Savak	–	–	●	●	–	–	–	–	–	–	–	–
D	Sera	●	●	●	●	●	●	●	●	●	●	●	●
D	Steelcut 3/Quartet	●	●	●	●	●	●	●	●	●	●	●	●
E	Leather	–	–	–	–	●	●	●	–	❍	❍	● 3)	●
F	Premium leather 1)	–	–	–	–	●	●	●	–	❍	❍	● 3)	●
backrest fabrics	Web A/Trampoline	–	–	–	–	–	–	–	–	–	–	–	●
	Web B/Tale	–	–	–	–	–	–	–	●	●	–	–	–
	Web C/Spin	–	–	–	–	–	–	–	●	●	–	–	–
	Web H/Matrix	–	–	–	–	–	–	–	●	–	–	–	–
	Web M/Runner	–	–	–	–	–	–	–	–	●	–	–	●

1) fabrics ideal for two-tone designs / combination of seat and backrest
2) not suitable for Teo 1
3) only for fully upholstered models

● = upholstery fabric recommended
❍ = upholstery fabric available
– = upholstery fabric not available

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Fabio : **P**

Composition:	100 % Polyester FR
Weight:	approx. 560 g/m
Width:	140 cm
Light fastness:	value 5 – 8 (DIN EN ISO 105-B02)
Pilling:	value 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	80.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021: Part 1/2, DIN 4102 B1, NF-P 92-503 Class M1, BS 5852 IS 0+1, crib 5, UN2 9175/87 (1. IM)



012.047 (3094)
Mandarine




012.041 (4028)
Züco red



012.048 (4517)
Shiraz red



012.020 (6075)
Classic blue




012.027 (6071)
Royal blue




012.022 (6571)
Deep blue




012.029 (6598)
Midnight blue



012.011 (7541)
Vivid green



012.110 (7508)
Dark green



012.031 (8532)
Platin



012.039 (8517)
Java grey



012.033 (8033)
Midnight black

Polo : **P**

Composition:	100 % Polyester
Weight:	approx. 350 g/m
Width:	140 cm
Light fastness:	value 6 (DIN EN ISO 105-B02)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5
Abrasion resistance:	150.000 rubs (Martindale; DIN EN ISO 12947)
Flammability:	DIN EN 1021: Part 1/2



077.050 (1008)
Cappuccino



077.044 (3012)
Orange



077.040 (4011)
Chilli red



077.048 (4017)
Shiraz red



077.120 (6006)
Light blue



077.025 (6003)
Lagoon blue



077.021 (6075)
Azure blue



077.020 (6016)
Classic blue



077.011 (7032)
Vivid green



077.010 (7048)
Organic green



077.110 (7008)
Dark green



077.029 (6098)
Midnight blue



077.031 (8078)
Platin



077.030 (8010)
Metal grey



077.032 (8013)
Stone grey



077.033 (8033)
Midnight black

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Era : **A**

Composition:	100 % Polyester
Weight:	approx. 320 g/m²
Width:	approx. 140 cm
Light fastness:	value 5 (DIN EN ISO 105-B02)
Pilling:	value 4 – 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 / dry: 4 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021: Part 1/2



086.003 (CSE03)
Honey yellow



086.046 (CSE19)
Pink orchid



086.045 (CSE29)
Pure copper



086.043 (CSE06)
Red velvet



086.025 (CSE38)
Lagoon blue



086.120 (CSE08)
Light blue



086.020 (CSE12)
Classic blue



086.023 (CSE20)
Caribbean blue



086.016 (CSE34)
Ice green



086.011 (CSE16)
Vivid green



086.050 (CSE02)
Cappuccino



086.052 (CSE21)
Fango




086.031 (CSE41)
Platin



086.030 (CSE43)
Metal grey



086.036 (CSE13)
Asphalt grey



086.033 (CSE14)
Midnight black

King : **A**

Composition:	100 % Trevira CS® (polyester)
Weight:	approx. 420 g/m
Width:	approx. 140 cm
Light fastness:	value 6 (DIN EN ISO 105-BO2)
Pilling:	value 4 – 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12947)
Flammability:	DIN EN 1021: Part 1/2, DIN 4102 B1, NF-P 92-503 Class M1, BS 5852 IS 0+1, Crib 5, UN2 9175/87 (1. IM)



081.044 (4030)
Orange




081.041 (4027)
Züco red



081.040 (9244)
Chilli red



081.042 (4017)
Rubin red



081.120 (9606)
Light blue



081.021 (6071)
Azure blue



081.020 (9268)
Classic blue



081.025 (6018)
Lagoon blue



081.011 (7011)
Vivid green



081.010 (7013)
Organic green



081.110 (7008)
Dark green



081.022 (6098)
Deep blue



081.031 (8027)
Platin



081.030 (9289)
Metal grey



081.032 (8010)
Stone grey



081.033 (8033)
Midnight black

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Relax : **A**

Composition:	100 % Trevira CS® (polyester)
Weight:	approx. 450 g/m
Width:	140 cm
Light fastness:	value 6 (DIN EN ISO 105-B02)
Pilling:	value 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12947)
Flammability:	DIN EN 1021: Part 1/2, DIN 4102 B1, NF-P 92-503 Class M1, BS 5852 IS 0+1, crib 5, UN2 9175/87 (1. IM)

100.xxx = Relax (one color)
103.xxx = Relax bico (two-tone)



100.020 (6080)
Classic blue



103.039 (8502)
Java grey



100.033 (8033)
Midnight black

Tonal : **A** (Web T)

Composition:	100 % recycled polyester
Weight:	approx. 315 g/m
Width:	approx. 140 cm
Light fastness:	value 6 – 8 (DIN EN ISO 105-B02)
Pilling:	value 4 – 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	US CA TB 117-2013, ASTM E 84, EN 1021: Part 1/2, BS 5852 Part 1, 0,1, BS 476 Part 7, class 1


* Colours selection Web T (185.xxx)
(textile backrest Shape mesh comfort)




165.004 (62057)
Curry yellow




165.044* (63098)
Orange



165.046 (64210)
Pink orchid



165.047* (64207)
Mandarine




165.042 (64209)
Rubin red



165.025 (66185)
Lagoon blue



165.011* (62092)
Vivid green



165.016 (67089)
Ice green




165.018* (67090)
Opal green



165.014* (66186)
Jade green



165.031* (60122)
Platin




165.030* (60123)
Metal grey



165.050 (61180)
Cappuccino



165.052 (61182)
Fango



165.066 (64211)
Auburn



165.033* (60999)
Midnight black

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Valencia : **A**

Very strong synthetic leather, durable, resistant to disinfectants*

Composition:	Topcoat: 100 % Vinyl/ Backing: 100 % Polyester Hi-Loft²™
Weight:	approx. 650 g/m²
Width:	approx. 137 cm
Light fastness:	value 7 – 8 (DIN EN ISO 105-B02)
Abrasion resistance:	300.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021: Part 1/2, NF-P 92-503 Class M2, DIN 4102 B2

*recommended disinfectants on request

006.001 (107-2020)
Luminous yellow



006.040 (107-2075)
Chilli red



006.025 (107-3001)
Lagoon blue




006.020 (107-3067)
Classic blue



006.022 (107-3068)
Deep blue



006.010 (107-5041)
Organic green



006.030 (107-4042)
Metal grey



006.039 (107-4002)
Java grey



006.031 (107-4043)
Platin

006.070 (107-8032)
Arctic white

006.073 (107-8020)
Pure white



006.033 (107-9035)
Midnight black

X-Knit : **A** (Web X)

Composition:	100 % Wovenit® 3D (polyamide hybrid*)
Weight:	approx. 290 g/m²
Light fastness:	value 6 (DIN EN ISO 105-B02)
Pilling:	value 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 5 / dry: 5 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale)
Flammability:	DIN EN 1021: Part 1/2

*** Polyamide hybrid fibres are extremely durable and therefore resistant to the effects of abrasion. Lightweight and fine, they offer high elasticity, guaranteed dimensional stability and dry quickly.**

Only for X-Code (seat without wave structure).



063.044
Orange



063.041
Züco red



063.063
Torf



063.019
Indigo blue



063.022
Deep blue



063.010
Organic green



063.031
Platin



063.035
Graphite



063.033
Midnight black

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Fame : **B**

Composition:	95 % New Zealand-wool, 5 % Polyamide
Weight:	approx. 630 g/m
Width:	approx. 140 cm
Light fastness:	value 5 – 7 (DIN EN ISO 105-B02)
Pilling:	value 4 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	200.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021: Part 1/2



078.002 (62067)
Lime yellow



078.044 (63016)
Orange



078.041 (64119)
Züco red



078.040 (64089)
Chilli red



078.027 (66075)
Royal blue



078.020 (66032)
Classic blue



078.022 (66005)
Deep blue



078.010 (68035)
Organic green



078.036 (60017)
Asphalt grey



078.033 (60999)
Midnight black

Jet bioactive : **B**

Antimicrobial, flame retardant, soft-touch surface

Composition:	100 % Trevira CS® bioactive (polyester)
Weight:	approx. 365 g/m
Width:	approx. 140 cm
Light fastness:	value 6 (DIN EN ISO 105-B02)
Pilling:	value 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	65.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021: Part 1/2; DIN 4102 Class B1; UNI 9175 Class 1 IM; NF-P 92501-7 Class M1; BS 5852 Crib 5



154.040 (9401)
Chilli red



154.020 (9601)
Classic blue




154.022 (6013)
Deep blue



154.023 (6007)
Caribbean blue



154.011 (7041)
Vivid green



154.031 (8001)
Platin



154.036 (9805)
Asphalt grey



154.033 (8033)
Midnight black

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute a reason for complaint.

Parotega NF : **B**

Resistant to disinfectants*, flame retardant, soft-touch surface

Composition:	85 % PVC-Compound, 15 % Cotton
Weight:	approx. 700 g/m²
Width:	137 cm
Light fastness:	value 5 (DIN EN ISO 105-BO2)
Fastness to rubbing:	wet: 4 / dry: 4–5 (DIN EN ISO 105-X12)
Abrasion resistance:	50.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021: Part 1/2, DIN 4102 B1, NF-P 503 Class M1, BS 5852 IS 0+1, crib 5, UN2 9175/87 (1. IM)

*recommended disinfectants on request



039.042 (F6461665)
Rubin red



039.025 (F6461709)
Lagoon blue



039.027 (F6461710)
Royal blue



039.052 (F6461658)
Fango



039.037 (F6461731)
Vulcan grey



039.033 (F6461659)
Midnight black

Runner : **B** (Web M)


Composition:	80 % Polyester, 20 % recycled polyester
Weight:	approx. 510 g/m
Width:	160 cm
Light fastness:	value 5–7 (DIN EN ISO 105-B02)
Pilling:	value 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 / dry: 5
Abrasion resistance:	70.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021: Part 1/2



056.044 (63034)
Orange



056.040 (64089)
Chilli red




056.120 (66063)
Light blue



056.022 (66064)
Deep blue



056.011 (68056)
Vivid green



056.031 (60011)
Platin



056.035 (60025)
Graphite



056.033 (60999)
Midnight black

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Sealife : **B**

Composition:	100 % recycled polyester (SEAQUAL certified)
Weight:	approx. 460 g/m
Width:	approx. 140 cm
Light fastness:	value 6 (DIN EN ISO 105-B02)
Pilling:	value 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 / dry: 5 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021: Part 1/2, UNI 9175 Class 1 IM, BS 7176 Class Low



150.004 (3509)
Curry yellow



150.046 (4522)
Pink orchid



150.047 (4566)
Mandarine



150.042 (4528)
Rubin red




150.025 (6524)
Lagoon blue



150.020 (6512)
Classic blue



150.022 (6080)
Deep blue



150.023 (6591)
Caribbean blue




150.016 (7530)
Ice green



150.010 (7521)
Organic green



150.095 (1506)
Metal grey/Beige



150.030 (8532)
Metal grey



150.036 (8517)
Asphalt grey



150.033 (8033)
Midnight black

Select : **B**

Composition:	85 % New Zealand-wool, 15 % polyamide
Weight:	approx. 510 g/m
Width:	approx. 140 cm
Light fastness:	value 5 – 8 (DIN EN ISO 105-B02)
Pilling:	value 4 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	200.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	BS EN 1021-1 Cigarette, BS EN 1021-2 Match, BS 5852 Part 1 0,1 Cigarette & Match, The Furniture and Furnishing Regulations 1988, BS 5852 Crib 5, IMO MSC 307(88) Annex 1 part 8, MED Certificate IMO, IMO MSC 307(88) Annex 1 part 8 UK, MED Certificate IMO UK, CA TB 117-2013



184.053 (60005)
Sand



184.050 (61184)
Cappuccino



184.052 (61189)
Fango



184.004 (62098)
Curry yellow



184.046 (65117)
Pink orchid



184.040 (64216)
Chilli red



184.010 (68210)
Organic green



184.016 (67101)
Ice green



184.025 (66191)
Lagoon blue



184.018 (67099)
Opal green



184.022 (66144)
Deep blue



184.024 (61190)
Lila




184.032 (60132)
Stone grey



184.030 (60003)
Metal grey



184.039 (60134)
Java grey



184.033 (60999)
Midnight black

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Step : **B**

Composition:	100 % Trevira CS® (polyester)
Weight:	approx. 470 g/m
Width:	approx. 140 cm
Light fastness:	value 5 – 7 (DIN EN ISO 105-B02)
Pilling:	value 4 – 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	IMO MSC 307(88) Annex 1 part 8, MED Certificate IMO, DIN 4102 B1, NF-P 92-503/504/505 class M1, DIN EN 1021: Part 1/2, BS 5852 Part 1 0,1, BS 5852 Crib 5, ÖNORM B 3825-B1-3800-Q1 UK, BS 7176 Medium hazard, AM 18 - NF D 60-013, US CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, DIN EN 13501-1 B-s1,d0



046.004 (62057)
Curry yellow



046.041 (64180)
Züco red



046.059 (63012)
Rust



046.120 (66018)
Light blue




046.121 (66152)
Steel blue



046.022 (65011)
Deep blue



046.011 (68119)
Vivid green



046.010 (68162)
Organic green



046.052 (60090)
Fango



046.030 (60011)
Metal grey



046.036 (60021)
Asphalt grey



046.033 (60999)
Midnight black

Step Melange : **B**

Composition:	100 % Trevira CS® (polyester)
Weight:	approx. 470 g/m
Width:	approx. 140 cm
Light fastness:	value 5 – 7 (DIN EN ISO 105-B02)
Pilling:	value 4 – 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	IMO MSC 307(88) Annex 1 part 8, MED Certificate IMO, DIN 4102 B1, NF-P 92-503/504/505 class M1, DIN EN 1021: Part 1/2, BS 5852 Part 1 0,1, BS 5852 Crib 5, ÖNORM B 3825-B1-3800-Q1 UK, BS 7176 Medium hazard, AM 18 - NF D 60-013, US CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, DIN EN 13501-1 B-s1,d0



047.004 (62057)
Curry yellow



047.043 (64179)
Red velvet




047.025 (66018)
Lagoon blue



047.121 (66152)
Steel blue



047.022 (66149)
Deep blue



047.011 (62073)
Vivid green



047.013 (68163)
Olive green



047.010 (68162)
Organic green



047.015 (68158)
Emerald green



047.030 (60004)
Metal grey



047.037 (61149)
Vulcan grey



047.036 (60090)
Asphalt grey

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Ultra : **B**

Composition:	72 % Cradura™, PA, 16 % certified virgin wool, WV, 12 % redesigned Lenzing FR™
Weight:	approx. 437 g/m
Width:	approx. 140 cm
Light fastness:	value 6 – 7 (DIN EN ISO 105-B02)
Pilling:	value 4 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	500.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021-1/2, BS 5852-0/1, California TB 117



153.019 (CX1050-051)
Indigo blue



153.022 (CX1050-054)
Deep blue



153.110 (CX1050-081)
Dark green



153.035 (CX1050-093)
Graphite



153.038 (CX1050-096)
Lava grey



153.033 (CX1050-099)
Midnight black

Xtreme : **B**

Composition:	100 % recycled polyester
Weight:	approx. 310 g/m²
Width:	140 cm
Light fastness:	value 6 (DIN EN ISO 105-B02)
Pilling:	value 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 / dry: 4
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12947)
Flammability:	DIN EN 1021: Part 1/2, DIN 4102 B1, BS 7176 Medium Hazard, UNI 9175 Class 1 IM



005.040 (YS079)
Chilli red



005.049 (YS084)
Aubergine



005.027 (YS082)
Royal blue



005.022 (YS005)
Deep blue




005.028 (YS026)
Navy blue



005.029 (YS100)
Midnight blue



005.015 (YS047)
Emerald green



005.031 (YS094)
Platin



005.032 (YS141)
Stone grey



005.034 (YS046)
Oxid grey



005.037 (YS081)
Vulcan grey



005.033 (YS009)
Midnight black

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Avalon : C

Composition:	100 % Pure new wool
Weight:	approx. 580 g/m
Width:	approx. 150 cm
Light fastness:	value 6 (DIN EN ISO 105-B02)
Abrasion resistance:	35.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021: Part 1/2



166.040 (367M/M015858)
Chilli red



166.121 (104)
Steel blue



166.025 (M/02863)
Lagoon blue



166.019 (M/021443)
Indigo blue



166.010 (M/04019)
Organic green



166.030 (367/M6)
Metal grey



166.036 (367/M81)
Asphalt grey



166.053 (367/M8020)
Sand



166.110 (449)
Dark green

Blazer : C

Composition:	100 % Pure new wool
Weight:	approx. 460 g/m
Width:	approx. 140 cm
Light fastness:	value 5 (DIN EN ISO 105-B02)
Fastness to rubbing:	wet: 4 / dry: 4 (DIN EN ISO 105-X12)
Abrasion resistance:	50.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021: Part 1/2, BS 7176 Low Hazard; NF D 60-013



171.004 (CUZ58)
Curry yellow



171.044 (CUZ39)
Orange



171.045 (CUZ90)
Pure copper



171.023 (CUZ1R)
Caribbean blue



171.025 (CUZ1W)
Lagoon blue



171.013 (CUZ1F)
Olive green



171.053 (CUZ2Q)
Sand



171.050 (CUZ86)
Cappuccino



171.051 (CUZ31)
Light brown



171.031 (CUZ28)
Platin



171.030 (CUZ1E)
Metal grey



171.036 (CUZ30)
Asphalt grey



171.110 (CUZ35)
Dark green



171.033 (CUZ08)
Midnight black

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Fenice : **C**

Composition:	75 % wool, 25 % polyamide
Weight:	approx. 500 g/m
Width:	approx. 150 cm
Light fastness:	value 6 (DIN EN ISO 105-B02)
Pilling:	value 4 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 5 / dry: 4 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12497:2000)
Flammability:	DIN EN 1021: Part 1/2, BS 5852, Crib 5, US CA TB 117-2013, Italia - CLASSE 1 IM



163.003 (51)
Honey yellow



163.004 (52)
Curry yellow



163.044 (102)
Orange



163.048 (202)
Shiraz red



163.024 (252)
Lila



163.025 (351)
Lagoon blue



163.121 (301)
Steel blue



163.016 (455)
Ice green



163.011 (453)
Vivid green



163.036 (602)
Asphalt grey

Fenice Stuoia : **C**

Composition:	75 % wool, 25 % polyamide
Weight:	approx. 500 g/m
Width:	approx. 150 cm
Light fastness:	value 6 (DIN EN ISO 105-B02)
Pilling:	value 4 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 5 / dry: 4 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12497:2000)
Flammability:	DIN EN 1021: Part 1/2, BS 5852, Crib 5, US CA TB 117-2013, Italia - CLASSE 1 IM



164.044 (2053)
Orange



164.048 (2204)
Shiraz red



164.024 (2253)
Lila



164.025 (2353)
Lagoon blue



164.121 (2304)
Steel blue



164.011 (2457)
Vivid green

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Grain Uni : **C**

Composition:	92 % recycled polyester, 8 % Polyester
Weight:	approx. 615 g/m
Width:	approx. 140 cm
Light fastness:	value 5 – 7 (DIN EN ISO 105-B02)
Pilling:	value 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	BS EN 1021 1&2 Cigarette and Match; CA TB 117-2013



182.053 (61252)
Sand



182.068 (61037)
Black olive



182.052 (61230)
Fango



182.063 (61146)
Torf



182.004 (62122)
Curry yellow



182.045 (63117)
Pure copper



182.121 (66236)
Steel blue



182.022 (66232)
Deep blue



182.110 (68155)
Dark green



182.031 (60300)
Platin



182.035 (60303)
Graphite



182.033 (60999)
Midnight black

Grain Melange : **C**

Composition:	80 % recycled polyester, 20 % Polyester
Weight:	approx. 615 g/m
Width:	approx. 140 cm
Light fastness:	value 5 – 7 (DIN EN ISO 105-B02)
Pilling:	value 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	BS EN 1021 1&2 Cigarette and Match; CA TB 117-2013



183.053 (61251)
Sand



183.068 (61255)
Black olive




183.052 (61248)
Fango




183.063 (61249)
Torf



183.004 (62123)
Curry yellow



183.045 (63118)
Pure copper



183.121 (66237)
Steel blue



183.022 (66233)
Deep blue



183.110 (68260)
Dark green



183.031 (60320)
Platin



183.035 (60323)
Graphite




183.033 (60328)
Midnight black

Upholstery fabrics


Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Maple : **C**

Composition:	81% Viscose, 15% Linen, 4% Polyester
Weight:	approx. 910 g/m
Width:	approx. 140 cm
Light fastness:	value 5 (DIN EN ISO 105-B02)
Pilling:	value 4–5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4–5 / dry: 4–5 (DIN EN ISO 105-X12)
Abrasion resistance:	30.000 rubs (Martindale; DIN EN ISO 12497-2)
Flammability:	DIN EN 1021: Part 1/2



014.043 (562)
Red velvet



014.025 (742)
Lagoon blue



014.022 (792)
Deep blue




014.031 (722)
Platin




014.037 (162)
Vulcan grey



014.050 (222)
Cappuccino



014.052 (232)
Fango



014.069 (142)
Terra brown

Remix : **C**

Composition:	90% New wool, 10% Nylon
Weight:	approx. 420 g/m
Width:	approx. 140 cm
Light fastness:	value 6 (DIN EN ISO 105 B02)
Pilling:	value 4 (DIN EN ISO 12945/2)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12497-2)
Flammability:	DIN EN 1021: Part 1/2, BS 5852 part 1, UNI 9175 Class 1 IM



073.017 (873)
Jasper green



073.050 (233)
Cappuccino



073.043 (653)
Red velvet



073.025 (743)
Lagoon blue



073.022 (773)
Deep blue



073.037 (143)
Vulcan grey



073.039 (173)
Java grey



073.038 (393)
Lava grey

Savak : **D**

Composition:	80% New Zealand-wool, 20% Cotton
Weight:	approx. 780 g/m
Width:	approx. 140 cm
Light fastness:	value 5–7 (DIN EN ISO 105-B02)
Pilling:	value 3–4 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 / dry: 4–5 (DIN EN ISO 105-X12)
Abrasion resistance:	50.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	BS EN 1021 1&2 Cigarette and Match



197.077 (31005)
Brown and white



197.078 (41005)
Metal grey and white



197.079 (51005)
Black and white

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Divina : D

Composition:	100 % New wool, worsted
Weight:	approx. 820 g/m
Width:	approx. 150 cm
Light fastness:	value 5 (DIN EN ISO 105-B02)
Pilling:	value 3 (DIN EN ISO 12945/2)
Abrasion resistance:	45.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021: Part 1, DIN 4102-1



032.046 (0613)
Pink orchid



032.044 (0433)
Orange



032.043 (0584)
Red velvet



032.019 (0731)
Indigo blue



032.025 (0743)
Lagoon blue



032.022 (0791)
Deep blue



032.023 (0813)
Caribbean blue



032.010 (0913)
Organic green



032.031 (0713)
Platin



032.050 (0227)
Cappuccino



032.053 (0224)
Sand




032.052 (0353)
Fango



032.062 (0343)
Brown pepper



032.069 (0260)
Terra brown




032.036 (0170)
Asphalt grey




032.033 (0180)
Midnight black

Sera : D


Composition:	94 % New wool, 6 % Polyamide
Weight:	approx. 910 g/m
Width:	approx. 140 cm
Light fastness:	value 5 (DIN EN ISO 105-B02)
Pilling:	value 4 – 5 (DIN EN ISO 12945/2)
Abrasion resistance:	122.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN 4102-2, FAR 25.853, EN 13501-1




033.011 (tivoli)
Vivid green



033.047 (glow)
Mandarine



033.046 (lotus)
Pink orchid




033.023 (mirage)
Caribbean blue



033.020 (mare)
Classic blue



033.029 (amur)
Midnight blue




033.053 (almond)
Sand



033.062 (walnut)
Brown pepper



033.060 (rosewood)
Chocolate



033.030 (carbon)
Metal grey



033.035 (graphit)
Graphite



033.033 (ebony)
Midnight black

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Steelcut 3 : **D**

Composition:	90 % New wool, worsted, 10 % Nylon
Weight:	approx. 825 g/m
Width:	approx. 140 cm
Light fastness:	value 5 – 6 (DIN EN ISO 105-B02)
Pilling:	value 3 – 4 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 3 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	AS/NZS 1530.3, AS/NZS 3837 class

198.073 (0110)
Pure white



198.053 (0240)
Sand



198.047 (0522)
Mandarine



198.120 (0732)
Light blue




198.024 (0652)
Lila



198.022 (0775)
Deep blue




198.111 (0922)
Pale green




198.014 (0780)
Jade green




198.051 (0265)
Light brown



198.031 (0120)
Platin



198.032 (0155)
Stone grey



198.033 (0190)
Midnight black

Steelcut Quartet : **D**


Composition:	90 % New wool, worsted, 10 % Nylon
Weight:	approx. 770 g/m
Width:	approx. 140 cm
Light fastness:	value 6 – 7 (DIN EN ISO 105-B02)
Pilling:	value 4 – 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	AS/NZS 1530.3, AS/NZS 3837 class




199.096 (0434)
Curry yellow/Beige




199.094 (0414)
Beige/Orange



199.084 (0544)
Ant red/Blue



199.083 (0554)
Wine red/Yellow



199.097 (0644)
Lila/Beige



199.080 (0224)
Steel blue/Brown



199.081 (0654)
Deep blue/Brown



199.082 (0924)
Organic green/Yellow

Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Leather : **E**

Aniline dyed cowhide leather with light pigment dyeing, very hard wearing, full-grain.

Pigmented Nappa leather (semi-aniline leather)
Light fastness: value 3 (DIN EN ISO 105-B02)
Fastness to rubbing: wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 11640)
Flammability: DIN EN 1021: Part 1/2



001.052 (Atlantic torf)
Fango



001.069 (Atlantic tabak)
Terra brown



001.035 (Atlantic graphit)
Graphite



001.072 (Atlantic kiesel)
Cashmere



001.070 (Atlantic weiss)
Arctic white



001.033 (Atlantic black)
Midnight black

Premium leather : **F**

The finest natural Nappa leather top quality.
Aniline dyed cowhide leather. Treated with natural oils, fabric-soft touch, breathable, dermatologically safe, moisture control.
Water-soluble dyes without solvents.

Premium leather
Light fastness: value 4 (DIN EN ISO 105-B02)
Fastness to rubbing: wet: 4 / dry: 3 – 4 (DIN EN ISO 11640)
Flammability: DIN EN 1021: Part 1/2, DIN 75200



029.041 (34910-F03)
Züco red



029.048 (34910-S08)
Shiraz red



029.053 (34910-GEO)
Sand



029.050 (34910-G03)
Cappuccino



029.052 (34910-B16)
Fango



029.064 (34910-B13)
Tabak brown



029.062 (34910-GEP)
Brown pepper



029.061 (34910-G01)
Walnut



029.027 (34910-S18)
Royal blue



029.031 (34910-S05)
Platin



029.032 (34910-E08)
Stone grey



029.035 (34910-A02)
Graphite



029.036 (34910-EG2)
Asphalt grey



029.072 (34910-G16)
Cashmere

029.073 (34910-P07)
Pure white



029.033 (34910-T01)
Midnight black


Upholstery fabrics

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Web A/Trampoline

Price depending on upholstery of the seat
Composition: 100 % Polyester
Weight: approx. 510 g/m
Abrasion resistance: 100.000 rubs (Martindale; DIN EN ISO 12947-2)

Mesh fabric Web A for backrests dat-o and sim-o



050.033 (NP001)
Midnight black


Web B/Tale

Price depending on upholstery of the seat
Composition: 100 % recycled polyester
Weight: approx. 365 g/m
Width: approx. 140 cm
Light fastness: value 6 – 8 (DIN EN ISO 105-B02)
Pilling: value 5 (DIN EN ISO 12945/2)
Fastness to rubbing: wet: 4 – 5 / dry: 4 – 5 (DIN EN ISO 105-X12)
Abrasion resistance: 100.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability: DIN EN 1021: Part 1/2

Mesh fabric Web B only for backrests @Just mesh, Shape mesh, Stilo mesh, Stilo ES mesh, Indeed mesh, Clynn mesh and Cay mesh




181.046 (64210)
Pink orchid




181.042 (64209)
Rubin red




181.050 (61179)
Cappuccino




181.025 (66185)
Lagoon blue



181.016 (67089)
Ice green



181.031 (60122)
Platin



181.030 (60123)
Metal grey




181.033 (60999)
Midnight black

Web C/Spin

Price depending on upholstery of the seat
Composition: 100 % Trevira CS® (polyester)
Weight: approx. 405 g/m
Abrasion resistance: 70.000 rubs

Mesh fabric Web C for backrests Clynn mesh, Cay mesh and Indeed mesh



179.031 (60004)
Platin




179.033 (60999)
Midnight black

Web H/Matrix

Price depending on upholstery of the seat
Composition: 100 % Polyester

Mesh fabric Web H for backrests Clynn mesh and Sequel mesh



230.033
Midnight black


Web K

Price depending on upholstery of the seat
Composition: 100 % Polyester

Mesh fabric Web K for backrests Lordo



062.030
Metal grey



062.033
Midnight black

Web L

Price depending on upholstery of the seat
Composition: 100 % Polyester

Mesh fabric Web L for backrests Shape mesh



058.033
Midnight black

Web M

see page 198

Upholstery fabrics


Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Web P


Price depending on upholstery of the seat

Composition:	66 % Polyester, 34 % Polyamide
Weight:	approx. 340 g/m
Width:	140 cm
Light fastness:	value 5 – 7 (DIN EN ISO 105-B02)
Pilling:	value 3 – 4 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 4 – 5 / dry: 4 – 5
Abrasion resistance:	200.000 rubs (Martindale; DIN EN ISO 12947-2)
Flammability:	DIN EN 1021: Part 1, DIN 66084 P-c

Mesh fabric Web P for backrests Stilo



105.040 (Join 60 Shrinx)
Chilli red




105.020 (Join 71 Shrinx)
Classic blue



105.010 (Join 90 Shrinx)
Organic green



105.074 (Join 33 Shrinx)
White



105.030 (Join 16 Shrinx)
Metal grey



105.033 (Join 10 Shrinx)
Midnight black

Web Q

Price depending on upholstery of the seat

Composition:	100 % Polyester (opaque textile knitted fabric)
Light fastness:	value 5 (DIN EN ISO 105-B02)
Fastness to rubbing:	wet: 4 / dry: 4
Abrasion resistance:	40.000 rubs

Mesh fabric Web Q for backrests Stilo




106.033
Midnight black

Web S/String

Price depending on upholstery of the seat

Composition:	100 % Polyester
Weight:	approx. 330 g/m
Abrasion resistance:	70.000 rubs

Mesh fabric Web S for backrests dat-o and Stilo mesh



059.033 (60999)
Midnight black

Web T

see page 195

Web X

see page 196

Web Y


Price depending on upholstery of the seat

Composition:	100 % Wovenit® 3D (polyamide hybrid)
Weight:	approx. 290 g/m²
Light fastness:	value 6 (DIN EN ISO 105-B02)
Pilling:	value 5 (DIN EN ISO 12945/2)
Fastness to rubbing:	wet: 5 / dry: 5 (DIN EN ISO 105-X12)
Abrasion resistance:	100.000 rubs (Martindale)
Flammability:	DIN EN 1021: Part 1/2

Mesh fabric Web Y for backrests X-Code mesh



095.044
Orange



095.019
Indigo blue



095.035
Graphite



095.033
Midnight black

Materials – Project chairs

Differences in colour compared to the original fabrics are unavoidable in printed catalogues and do not constitute groands for complaint.

Fiore

Cover colours

Sunbrella®
Composition: 97 % Sunbrella Acryl (50 % recycled Acrylic), 3 % Polyester

Suitable for outdoor use, dirt and water-repellent, washable



178.004
Curry yellow



178.045
Pure copper



178.019
Indigo blue



178.016
Ice green



178.053
Sand



178.035
Graphite

Fiore

Plastic colours



KSY
Mustard yellow
(~ RAL 070 60 60)



KER
English red
(~ RAL 040 50 50)



KSB
Gentle blue
(~ RAL 250 60 15)



KBB
Berlin blue
(~ RAL 260 30 15)



KOG
Old green
(~ RAL 130 60 20)



KKG
Putty grey
(~ RAL 060 70 10)



KWG
Cloud grey
(~ RAL 220 70 05)



KEG
Iron grey
(~ RAL 7011)

KVW
Traffic white
(~ RAL 9016)

KFW
White (flame retardant)



KGS
Graphite black
(~ RAL 9011)

Fiore


Full shell
Natural beech or **CPL**
Standard: natural beech (HBN)



HBN
Natural beech




HON
Natural oak



HNN
Natural walnut



HCWW
CPL white
(both sides)



HCSS
CPL black
(both sides)


Measuring methods

General note

When taking measurements, the particular model-specific features (upholstery thickness, seat feature, gas unit etc.) are taken into account.
As a result, the seat depth in accordance with the standards can differ from the seat-area depth (not shown).


Measuring methods for all swivel chairs and executive chairs which conform to EN 1335:2020

The chair is loaded with a dummy (CMD = chair measuring device as per ISO 24496 weighing 64 kg. The dimensions are recorded by means of a CMD.



Measuring methods for all swivel chairs and executive chairs which conform to EN 1335:2002/DIN 68877


A load in the form of a dummy with a total weight of 64 kg is placed on the seat upholstery. The seat height is the vertical distance between the underside of the dummy in the area of the ischial tuberosities and the floor.




Measurement methods for all items of visitor seating which comply with EN 13761

A load in the form of a dummy with a total weight of 64 kg is placed on the seat upholstery (in accordance with EN 1335). The seat height is the vertical distance between the underside of the dummy and the floor.

Measurements for a swivel chair






Measurements

(Measurements for swivel/executive swivel chairs and visitor chairs)

SH = seat height
SB = seat width
ST = seat depth
RH = backrest height from seat
RB = backrest width
GH = overall height
GB = overall width
GT = overall depth
AHF = armrest height from floor


Measures in cm (approx.) – errors and modifications excepted.

Backrest counterpressure



The backrest counterpressure should be set to the user's individual body weight (approximately 40 to 125 kg) using the specific feature. The following assumptions are made for the weight details: Upright upper body in an approximately 90° upper body posture with uniform upper body and lower body proportions and uniform body-weight distribution.

Backrest tilt



The value of the angle at the front is based on a forward-oriented seated posture and measures the angle at the point of greatest backrest curvature (lumbar support). The value of the rear backrest angle is measured in the relaxed position and specifies the maximum possible backrest tilt. Slight product-specific variations are due to differences in upholstery.

Measuring methods

EN 1335 was modified in August 2020 and replaced the version from 2001.
Product launches since August 2020 have been based on the new standard EN 1335-1:2020.
The key differences relate to the measurement and the specified dimensions for the seat height, seat depth and the internal armrest width.
In addition, since then a chair measuring device (CMD) according to ISO 24496 has been used.
As was previously the case, a distinction is made between two essential, different types of office chair.
4F armrests may be required to comply with the internal armrest width.
Our **Sequel** and **Indeed** series have already been tested to the new standard and, in combination with 4F armrests, satisfy Type A.

Criterion	DIN 1335:2020 Type A	DIN 1335:2020 Type B
Seat height (min/max)/ dimension/adjustment range	400-520 mm/ 130 mm	420-510 mm/ 100 mm
Seat depth (min/max)/ dimension/adjustment range	425-450 mm/ 70 mm	425-445 mm/ 50 mm
Armrests/ internal width	410-510 mm	460-510 mm

EN 1335 is still based on a body weight of 110 kg.
It is assumed that the level of use will be 8 hours per working day over a life cycle of 10 years.
Some of our models can handle load weight of 130 kg or even 150 kg (tested according to DIN 4573).

A distinction should be made between the contact weight for the backrest counterpressure, which is generally designed to be approx. 45-125 kg.
When a person leans against the backrest, not all of their body weight is applied.
In addition, different lever ratios owing to different body proportions should be considered.
This is why the total weight specified differs from the weight specifications for the backrest counterpressure.
For the bottom range and the top range of the weight specification, we also offer on request and for a surcharge – depending on their technical availability – gas units with a reduced counterpressure (ZGDR) or reinforced backrest counterpressure (ZGDV).

The following illustration shows which series/models/mechanisms can be subjected to a higher body weight than the 110 kg typical for the standard and for which load the swivel chairs are designed.

Series	Sub-series	Models	Mechanism	Load weight (kg)
Sequel	operator/mesh		SE/AE	150
Indeed	operator/mesh		SE	150
Indeed	operator/mesh		MA	130
@Just evo	operator		SE	150
@Just magic2	operator		QS	150
Stilo	mesh/mesh comfort		QS	150
Stilo ES	operator		QS	150
Stilo ES	mesh		QS	150
Stilo ES	comfort		QS	150
Shape	mesh	3855	3D/3Df/AB	150
Shape	mesh comfort		3D/3Df/AB	150
Shape	mesh soft		3D/3Df/AB	150
Shape	elan		3D/3Df/AB	150
Shape	economy		3D/3Df/AB	150
Shape	comfort XT/XT2		3D/3Df/AB	150
@Just 24h			SE	130
Shape 24h			ST	150
Cento Miglia 24h			ST	150

Quick delivery programme Q

Prices in SEK excluding statutory VAT., valid from: 01.07.2025

The maximum order quantity is 20 chairs (larger quantities available on request).
Items will be delivered within 10 working days.



INDEED OPERATOR ID 7046_SLP 6 832,-

- High, height-adjustable upholstered backrest (61–68 cm)
- Seat and backrest cover **Polo black (077.033)**
- Syncro-Evolution® mechanism, can be locked in 4 positions
- Side-mounted adjustment of the backrest counterpressure by a handwheel
- Pre-selectable seat-tilt adjustment (0°/-4°)
- Seat-depth adjustment using sliding seat (8 cm)
- Plastic base, type H, black, with soft, large castors (Ø 60 mm)
- 2F armrests with soft PU armpads (A246KGS)
- Shipping method: partly dismantled, in box (V10)



INDEED MESH ID 7056_SLP 6 832,-

- High, height-adjustable mesh backrest (61–68 cm), **Web B/Tale, black (181.033)**
- Seat cover **Polo black (077.033)**
- Syncro-Evolution® mechanism, can be locked in 4 positions
- Side-mounted adjustment of the backrest counterpressure by a handwheel
- Pre-selectable seat-tilt adjustment (0°/-4°)
- Seat-depth adjustment using sliding seat (8 cm)
- Plastic base, type H, black, with soft, large castors (Ø 60 mm)
- 2F armrests with soft PU armpads (A246KGS)
- Shipping method: partly dismantled, in box (V10)



INDEED MESH ID 7056_SLP2 7 189,-

- High, height-adjustable mesh backrest (61–68 cm), **Web B/Tale, black (181.033)**
- Seat cover **Polo black (077.033)**
- **Lumbar support, depth-adjustable (2,5 cm)**
- Syncro-Evolution® mechanism, can be locked in 4 positions
- Side-mounted adjustment of the backrest counterpressure by a handwheel
- Pre-selectable seat-tilt adjustment (0°/-4°)
- Seat-depth adjustment using sliding seat (8 cm)
- Plastic base, type H, black, with soft, large castors (Ø 60 mm)
- 2F armrests with soft PU armpads (A246KGS)
- Shipping method: partly dismantled, in box (V10)

Quick delivery programme Q

Prices in SEK excluding statutory VAT., valid from: 01.07.2025

The maximum order quantity is 20 chairs (larger quantities available on request).
Items will be delivered within 10 working days.



INDEED AUTOMATIC OPERATOR ID 7046_SLP3 9 070,-

- High, height-adjustable upholstered backrest (61–68 cm)
- Seat and backrest cover **Sealife black (150.033)**
- Motionflex®-Automatic mechanism
- Synchronous technology with automatic body weight adjustment
- dual-position seat-tilt adjustment
- Seat-depth adjustment using sliding seat (6 cm)
- Plastic base, type H, black, with soft, large castors (Ø 60 mm)
- 3F armrests with soft PU armpads (A346KGS)
- with lumbar support, depth-adjustable (2,5 cm)
- Shipping method: partly dismantled, in box (V10)



INDEED AUTOMATIC MESH ID 7056_SLP3 9 070,-

- High, height-adjustable mesh backrest (61–68 cm), **Tale (Web B), black (181.033)**
- Seat cover **Sealife black (150.033)**
- Motionflex®-Automatic mechanism
- Synchronous technology with automatic body weight adjustment
- dual-position seat-tilt adjustment
- Seat-depth adjustment using sliding seat (6 cm)
- Plastic base, type H, black, with soft, large castors (Ø 60 mm)
- 3F armrests with soft PU armpads (A346KGS)
- with lumbar support, depth-adjustable (2,5 cm), upholstered
- Shipping method: partly dismantled, in box (V10)



@JUST EVO OPERATOR AJ 4876_SLP 7 546,-

- High, height-adjustable upholstered backrest (61–68 cm)
- Seat and backrest cover **Polo black (077.033)**
- Syncro-Evolution® mechanism, can be locked in 4 positions
- Side-mounted adjustment of the backrest counterpressure by a handwheel
- Pre-selectable seat-tilt adjustment (0°/-4°)
- Seat-depth adjustment using sliding seat (7 cm)
- Plastic base, type H, black, with soft, large castors (Ø 60 mm)
- 2F armrests with soft PU armpads (A246KGS)
- Shipping method: partly dismantled, in box (V10)



@JUST EVO MESH AJ 5776_SLP 7 784,-

- High, height-adjustable mesh backrest (61–68 cm), **Web M/Runner, black (056.033)**
- Seat cover **Polo black (077.033)**
- Syncro-Evolution® mechanism, can be locked in 4 positions
- Side-mounted adjustment of the backrest counterpressure by a handwheel
- Pre-selectable seat-tilt adjustment (0°/-4°)
- Seat-depth adjustment using sliding seat (7 cm)
- Plastic base, type H, black, with soft, large castors (Ø 60 mm)
- 2F armrests with soft PU armpads (A246KGS)
- Shipping method: partly dismantled, in box (V10)

Quick delivery programme Q

Prices in SEK excluding statutory VAT., valid from: 01.07.2025

The maximum order quantity is 20 chairs (larger quantities available on request).
Items will be delivered within 10 working days.



SEQUEL OPERATOR SQ 7246_SLP 6 356,-

- High upholstered backrest (63 cm)
- Lumbar support, height-adjustable (9 cm)
- Seat and backrest cover **Polo black (077.033)**
- Syncro-Evolution® mechanism, can be locked in 4 positions
- Side-mounted adjustment of the backrest counterpressure by a handwheel
- Pre-selectable seat-tilt adjustment (0°/-4°)
- Seat-depth adjustment using sliding seat (7 cm)
- Plastic base, type H, black, with soft, large castors (Ø 60 mm)
- 2F armrests with soft PU armpads (A246KGS)
- Shipping method: completely assembled in box (V12)



SEQUEL MESH SQ 7256_SLP 6 356,-

- High mesh backrest (63 cm),
  Web H/Matrix, black (230.033)
- **Seat cover Polo black (077.033)**
- Lumbar support, height-adjustable (9 cm)
- Syncro-Evolution® mechanism, can be locked in 4 positions
- Side-mounted adjustment of the backrest counterpressure by a handwheel
- Pre-selectable seat-tilt adjustment (0°/-4°)
- Seat-depth adjustment using sliding seat (7 cm)
- Plastic base, type H, black, with soft, large castors (Ø 60 mm)
- 2F armrests with soft PU armpads (A246KGS)
- Shipping method: completely assembled in box (V12)

Service conditions
(Dauphin group – July 2025)

1. General Terms and Conditions of Business

The deliveries and services which you have ordered and are to be provided by us shall be provided exclusively on the basis of the Terms and Conditions of Delivery («T & C's») of the Dauphin-Group for contracts with enterprises (B2B). You can find the T & C's on the internet at **http://www.dauphin-group.com/AGB/Terms_and_Conditions_GB.pdf**

2. Modifications of order

Changes to orders including postponements can only be considered if this is still possible and is confirmed by us in a written form. If the products are already being manufactured, we shall charge the contractually agreed remuneration minus the saving in expenditure, but at least 30 % of the gross value. In the case of sample chair orders, orders with a shorter delivery time compared to our standard delivery time (including spare parts and upholstery), and orders involving third-party collections (e.g. with customers own fabric or material), changes to the order are not possible.

3. Delivery

3.1 All deliveries are Ex Works Dauphin HumanDesign® Group GmbH & Co. KG, Offenhausen, Germany (EXW according to Incoterms 2020).

3.2 The transportation packaging normally used:
400 packaging units = 1 x 20' container = 27 m^3

4. Model specifications

All of our models are available exclusively with the specifications described in this price list. Our products are subject to continuous further development. We reserve the right to make changes to our products for reasons of technical progress or product improvement.

5. Special versions

Special versions shall be charged at effective cost required to make them.

6. Wood

Special colours can be provided on request for a surcharge per order and per chair following submission of a wood colour sample. Deliveries shall be made within the standard delivery time after the sample has been approved.

7. Embroidery on textiles and leather

Company logos can be embroidered on fabric or leather based on the digital data specification to be provided by the customer. The additional expenses shall be charged at cost depending on the design.

8. Internet, Partner Portal

Information and downloads to help with sales are available on our websites (e.g. *www.dauphin.de, www.trendoffice.com, www.zueco.com*) and on the partner portal. You can use the images, product data sheets and certificates provided there to put together quotations and presentations.

9. Customer Service

Our customer service department will be delighted to assist you with repairs and orders for replacement parts. In order to be able to deal with your enquiry as quickly as possible, we ask that you use the customer service form on the website www.dauphin-group.com (**Services section**). Please always use the form on the website to submit your request for a repair or customer service order with the details of the product (e.g. label on the bottom of the seat or below the panel on the bottom of the seat or under the table top) and the description of the defect (including pictures). If you do not provide the above details, we will be unable to process your request and reserve the right to refuse to provide a service.

All stated prices are plus statutory VAT.
Errors and modifications excepted.

Conditions of Manufacturer's Guarantee

(Dauphin group – July 2025)

1. Liability for material defects

The current valid *Terms and Conditions of Delivery («T & C's»)* of the Dauphin-Group for contracts with enterprises (B2B) shall apply to deliveries of products from Dauphin to enterprises. You can find the T & C's on the internet at

http://www.dauphin-group.com/AGB/Terms_and_Conditions_GB.pdf

Liability for material defects and any other liability are conclusively regulated in the T & C's.

2. Manufacturer's Guarantee

In addition to the liability for material defects, Dauphin grants a Manufacturer's Guarantee on the products from the brands Züco, Dauphin, Dauphin Industry and Trendoffice to the contractual partner that entered into a delivery contract with Dauphin for Dauphin products in accordance with the provisions which are set out below. The rights arising from this Manufacturer's Guarantee shall not be transferred to third parties.

2.1 Guarantee period

The guarantee period shall begin with the passing of risk in respect of the product to the contractual partner in accordance with section 8 of the T & C's. **The guarantee shall apply for a period of 5 years (Sequel: 10 years).** If the products are used for more than 8 hours per day (1-shift operation), the guarantee period shall be reduced in accordance with the figures given in the following table (in brackets: for a 10-year warranty period):

useful life		warranty period in months
1-shift operation	(220 working days/year with 8 h/day)	60 (120)
2-shift operation	(220 working days/year with 16 h/day)	30 (60)
3-shift operation	(220 working days/year with 24 h/day)	20* (40)
permanent operation	(365 working days/year with 24 h/day)	12*

*note: any claims based on liability for material defects are not affected by the reduction of the guarantee period to 20 or 12 months and apply regardless of this guarantee.

A guarantee period of 60 months from the date when risk was transferred applies to products which are explicitly intended for permanent operation (24h-executive swivel chair).

2.2 Services provided under the terms of Guarantee

The services provided by Dauphin under the Conditions of Manufacturer's Guarantee are conclusively as follows:

- the spare parts which are necessary in order to eliminate any faults shall be supplied free of charge (this includes shipping and packaging)in the first 5 years (10 years for a 10-year warranty period)
- a mobile customer-services team shall repair the products on the premises of the contractual partner or its customer («end user») in Germany.

The following warranty services will be provided (in brackets: for a 10-year warranty period)::

warranty period (month)	spare parts	shipping and packaging	customer service travel costs	customer service labour costs
0–24	free of charge	free of charge	free of charge	free of charge
25–60 (120)	free of charge	free of charge	64,- €	64,- €/hour

The provision of services under the guarantee shall not result in any extension of the guarantee period and also not result in any new guarantee period for replaced or rectified parts. Once the respective guarantee period has expired, no more services shall be provided under the guarantee. All original parts that were replaced as part of the provision of services shall become the property of Dauphin. The new parts or replacement parts shall become the property of the customer.

2.3 Value limit

Services under the Conditions of Manufacturer's Guarantee in accordance with the above table shall be provided only if the value of the part to be replaced as per the current spare part price list does not exceed EUR 500 gross (excl. VAT). Where values exceed this figure, Dauphin shall invoice in full any services provided under the guarantee. If the contractual partner is able to demonstrate that the service was to be provided in accordance with the Conditions of Manufacturer's Guarantee, Dauphin shall subsequently issue a credit note to the value of this invoice amount.

2.4 Claiming on and Exclusion of the Warranty

The requirement for making a claim under this warranty is that the product in question has been properly assembled in accordance with the operating and assembly instructions (product package insert or website).

To make a claim under the warranty, the contractual partner must provide written notification via the contact form on the website www.dauphin-group.com within a cut-off period of four weeks from the time when the defect was detected or ought to have been detected, specifying the product (e.g. label on the bottom of the seat or below the panel under the seat, under the table top), the proof of purchase and the description of the defect (including pictures).

To make a claim under the warranty, the contractual partner must also report the defect promptly so that no consequential damage occurs. No liability is accepted for consequential damage.

At the request of Dauphin Customer Service, the product must be sent to Dauphin to perform warranty services in its original (or equivalent) packaging; the travel by the Customer Service team to carry out services on site shall be charged.

At Dauphin's request, the contractual partner shall provide evidence that the prerequisites for warranties are met. If Dauphin is able to prove or there is an objectively justified suspicion that these prerequisites for claiming under the warranty are not met, Dauphin may refuse the warranty, unless the contractual partner can demonstrate that the prerequisites mentioned above are met.

The warranty services shall be excluded in cases, for example, of inappropriate handling or interventions/maintenance by third parties, non-designated use, extreme climatic conditions, materials that are provided by the customer, and a failure to provide notification of the commission number. A definitive overview can be found on the following website www.dauphin-group.com (**T & C's section**).

2.5 Consequences in the Event of an Unjustified Warranty Claim

If the contractual partner registers a defect as a claim under the warranty, but the prerequisites are not met for providing this voluntary warranty or incorrect details have been provided, the costs resulting from shipping or transporting the product must be paid by the contractual partner itself. In addition, the contractual partner must pay the costs, including any labour costs, that Dauphin may incur for disassembling, inspecting or returning the product.

If the contractual partner, after receiving notification that the warranty does not apply and about the costs that the repair is expected to incur, still wants the repair to be carried out, it must pay the costs of the replacement parts and the labour costs itself.

If the product did not have the defect that is the subject of the complaint when it was delivered, Dauphin shall decide in each individual case whether the defect shall be fixed as a goodwill gesture. In this case, the contractual partner has no legal entitlement for the defect to be fixed.

2.6 Limitation Period

The warranty claim shall lapse when the warranty period expires. If a claim has been lodged within the warranty period in accordance with the requirements set out above, but the warranty service that Dauphin is obliged to provide has not yet been provided, the limitation period shall cease until the service has been provided.

2.7 Disclaimer

Under the warranty, Dauphin shall not be liable for financial losses, downtimes, leased or rented devices, travel expenses, lost profit or similar; Dauphin's liability is limited to the purchase value of the product.

2.8 Ancillary Agreements

There are no verbal ancillary agreements. Ancillary agreements in writing shall only be binding if they are from the Head of Quality Management.

2.9 Place of jurisdiction

The exclusive place of jurisdiction for all disputes arising from the Manufacturer's Guarantee shall be Nuremberg, Germany.

2.10 Applicable law

This *Manufacturer's Guarantee* shall be subject to the law of the Federal Republic of Germany. The application of the *United Nations Convention* on contracts for the *International Sale of Goods* dated 11 April 1980 shall be excluded.

All stated prices are plus statutory VAT.
Errors and modifications excepted.

dauphin.de
dauphin-group.com

Dauphin HumanDesign® Group GmbH & Co. KG
Espanstraße 36
91238 Offenhausen, Germany
+49 9158 17-700
info@dauphin-group.com
AG Nürnberg HRA 7040; pers. haft. Ges.: Friedrich W. Dauphin GmbH, AG Nürnberg HRB 6402.

DAUPHIN

10 1322 a 01 08/26 43 WM_30020_EN Differences in colour, errors and modifications excepted.