

profim

A brand by Flokk

ARBETSSTOLAR

ADDA

Price List

All prices: SEK



Contents

Order entry specifications

Profim ACCIS PRO	    
Profim LIGHTUP	    
Profim MICKEY	   
Profim MOTTO	   
Profim PACE	    
Profim TRILLO PRO	     
Profim VIOLLE	   

Technical details

Packaging - swivel chair

Technical details

Additional information

Terms of guarantee

Profim Quick-ship

Fabrics and finishings

Profim Standard fabrics

Fabrics and finishings

Fabrics and finishings - Extended

Legend

Order entry specifications

When placing your order please remember to specify the following information:

- All configuration details of products
- Required delivery/dispatch date
- Required delivery address

Binding sales agreement for the ordered products is concluded by formal order confirmation sent by Flokk.

Flokk sales conditions override any individual customer’s general terms& conditions or regulations.

PRICES

All prices in SEK exclusive of VAT. Valid from 2026-01-01 Any typographical errors shall not be binding for Flokk and will be subject to correction without liability to the vendor.

CONDITIONS OF DELIVERY

Ex Works (Incoterms 2020), including packaging. Visible transport damage and discrepancies in the number of items received must always be noted on the bill of carriage at the time of receipt and reported to the carrier. Invisible transport damage (damaged product, but not package) should be reported in writing to Customer Service or Claim Department Flokk within 7 days.

In case of delays in ready products collection storage fees will apply, details available at Customer Service.

For transport damage you need to take photos and document the damage, before reporting in writing to Customer Service, Flokk. Please document:

- Picture of Flokk product label (including order no.)
- Pictures of damaged goods
- Pictures of damaged packaging
- Copy of transport document (if provided)
- Short description of claim

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations and follow your local regulations.

Name	Charge	Currency
Charge for change/cancel	500	SEK
Fabric testing	500/1000	SEK

CHANGE/CANCELLATION OF ORDERS

Any requests for change or cancellation of the order must be submitted within 2 working days after the receipt of the order confirmation. After this time each amended or cancelled order will incur a charge of 750 SEK per order. Once production has started orders cannot be changed.

NON-STANDARD PRODUCTS

Non-standard products not available in this pricelist could be proceed with quantities starting from 5 pcs and will be priced individually.

It may be possible to offer products in customer own fabrics, but the fabric would have to be tested. Cost of the test is 500 SEK for swivel and conference chair and 1000 SEK for soft seating, this price refers to each tested model/version of the product.


Product	standard: 10-20 working days	extended: 30 working days
Task chairs	10-20 working days	-
Visitor chairs	10-20 working days	exceptions: Com (chrome version, plywood shells), Acos ^{Pro} , MyTurn, Normo - 20-30 working days. Extended colours for Noor and Ana: 20-30 working days.
Soft seating	10-20 working days	exceptions: Chic Lounge - chrome version 20-30 working days
Tables & Coat hangers	20-30 working days	-
Special colors of frames: Gold	40 working days	exceptions: Allround, Eminent, U-connect, Standard Folding Table - Extended versions up to 35 working days

Transport days must be added. Longer delivery times may occur periodically during holidays and for large orders.

Profim ACCIS PRO

ITO Design

- Innovative system of independent side-to-side movement of both backrest and seat (SmarHPS)
- Easy adjustment of the basic functions of the mechanism ensuring synchronised tilt of the backrest and seat
- Adjustable armrests, lumbar support and seat extension
- For safety reasons, the gaps between moving parts are no more than 5 mm and where this was not possible special covers were used
- Blue Angel certificate - confirms that our chair is environmentally friendly

Item no	Base model +	Price Group (PG)	Price Group						Price
			0	①	②	③	④	⑤	
MAT150SF00	Profim ACCIS PRO 150SFL • swivel • mesh backrest • Synchro mechanism, sliding seat, seat forward tilt • seat side-movement function • base: black • armrests: P63TPU • gaslift with shock (gaslift cover - always in base colour)		7 354	7 566	7 799	8 110	8 442	8 391	9 365
MAT151SF00	Profim ACCIS PRO 151SFL • swivel • mesh backrest • Synchro mechanism,sliding seat,seat forward tilt • seat side-movement function • base: black • armrests: P63TPU • gaslift with shock (gaslift cover - always in base colour) • headrest		8 404	8 638	8 884	9 240	9 612	9 464	10 441
MAT0010000	Profim ACCIS PRO 001 Headrest (001) - height and angle adjustment (rear part of headrest black or light grey)		1 061	1 061	1 061	1 061	1 061	1 061	1 061
Accessories/Options/Surcharges:									
7BASC006	Base: lightgray - base color (Only for: 150SFL, 151SFL)								851
7BASC002	Base: white - base color (Only for: 150SFL, 151SFL)								1 296
7BASC005	Base: graphite - base color (Only for: 150SFL, 151SFL)								679
7BASC003	Base: polished aluminum - base color (Only for: 150SFL, 151SFL)								679
7LUSU003	Lumbar support TYPE B - height and depth adjustable - lumbar support TYPE B - height and depth adjustable (Only for: 150SFL, 151SFL)								346

Castors/glides:

- hard castors - for soft floors (set),
- soft castors - for hard floors (set),
- teflon glides - universal (set).

When ordering please clearly indicate the chosen option.

Armrest P63TPU - height adjustable armrest (range 100 mm), sliding pad (+/- 50 mm) with span option (+/- 27 mm), and pivot option (+/- 33°), polyurethane pad.

Armrest colour:

- black - used with base: black, graphite, polished aluminum
- lightgrey - used with base: lightgrey, white.

It is no possible to purchase the chair in version without armrests.

Plastic colours:

- bases: black / graphite / polished aluminium,
- plastics always black,
- bases: lightgrey / white - plastics always lightgrey.

Plastic elements: seat cover + adjustments levers, armrests, backrest frame, rear part of headrest, lumbar support, castors.

AccisPro can be upholstered in Runner or Rhythm mesh. When ordering please clearly indicate the chosen option.

Seat covers can be made also for Rhythm and Runner upholstery.

In the 150SFL model it is possible to buy a headrest (001) for self-assembly. The headrest can be made in the seat upholstery or in Runner or Rhythm meshes. When ordering, please clearly indicate the chosen option. The price does not change.



www.blauer-engel.de/uz117

Profim LIGHTUP

ITO Design

- The backrest comes in two variants: mesh and upholstered
- Two colours of the plastic finish and 3 colours of the base open up design possibilities
- Available as a hocker with footrest
- Option with jacket hanger
- Consists of a very small number of components and is 95% recyclable
- Blue Angel certificate - confirms that our chair is environmentally friendly
- Möbelfakta certificate - a guarantee of durability, safety, environmental care and social responsibility during the production process

Item no	Base model +	Price Group (PG)	0	①	②	③	④	⑤	Price
MLY300SL00	Profim LIGHTUP 230SL • upholstered backrest • Synchro mechanism, sliding seat • base: black • non-arm version		3 480	3 788	3 986	4 146	5 208	4 624	
MLY300SF00	Profim LIGHTUP 230SFL • upholstered backrest • Synchro mechanism, sliding seat • seat and backrest forward tilt • base: black • non-arm version		3 640	3 948	4 134	4 300	5 368	4 796	
MLY300SN00	Profim LIGHTUP 230STN • upholstered backrest • Synchro Self mechanism • base: black • non-arm version		3 233	3 541	3 740	3 891	4 960	4 339	
MLY300TN00	Profim LIGHTUP 230STLN • upholstered backrest • Synchro Self mechanism • sliding seat • base: black • non-arm version		3 480	3 788	3 986	4 146	5 208	4 624	
MLY500SL00	Profim LIGHTUP 250SL • mesh backrest • Synchro mechanism • sliding seat • base: black • non-arm version		3 394	3 541	3 715	3 863	4 232	4 308	
MLY500SF00	Profim LIGHTUP 250SFL • mesh backrest • Synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version		3 541	3 715	3 875	4 030	4 382	4 495	

Item no	Base model +	Price Group (PG)	0	①	②	③	④	⑤	Price
MLY500SN00	Profim LIGHTUP 250STN • mesh backrest • Synchro Self mechanism • base: black • non-arm version		3 147	3 319	3 469	3 606	3 986	4 023	

MLY500TN00	Profim LIGHTUP 250STLN • mesh backrest • Synchro Self mechanism • sliding seat • base: black • non-arm version		3 394	3 541	3 715	3 863	4 232	4 308	
------------	--	---	-------	-------	-------	-------	-------	-------	--

MLY330SN00	Profim LIGHT UP 330STN • hocker with footrest • upholstered backrest • Synchro Self mechanism • base: black • non-arm version		4 429	4 762	4 936	5 134	6 169	5 727	
------------	---	---	-------	-------	-------	-------	-------	-------	--

MLY350SN00	Profim LIGHT UP 350STN • hocker with footrest • mesh backrest • Synchro Self mechanism • base: black • non-arm version		4 332	4 492	4 640	4 826	5 159	5 382	
------------	--	---	-------	-------	-------	-------	-------	-------	--

Accessories/Options/Surcharges:

7BASC006	Base: lightgray (Only for: 230SL, 230SFL, 250SL, 250SFL)	679
7BASC003	Base: polished aluminum	679
7ARMR033	Armrests P67TPU Black (set) **	556
7ARMR034	Armrests P67TPU - light grey (set) ** (Only for: 230SFL, 230SL, 230STLN, 250SFL, 250SL, 250STLN)	692
7ARMR035	Armrests P68TPU - black (set) **	803
7LUSU004	Lumbar support TYPE A - height adjustable	111
7LUSU003	Lumbar support TYPE B - height and depth adjustable	210
7TGAS005	Gas lift with shock absorber - black or lightgrey, gas lift cover always in base colour (Only for: 230SL, 230SFL, 250SL, 250SFL)	346
7HANG002	Clothes hanger (HA), black or light grey, maximum load 4 kg.	333
7SEQU004	Quilting - front side of the seat (Q1)	456

Castors/glides:

- hard castors - for soft floors (set),
- soft castors - for hard floors (set),
- teflon glides - universal (set).

When ordering please clearly indicate the chosen option.

While ordering LightUp 230SL / 230SFL with light grey base all plastic elements (seat cover, backrest frame, lumbar support, armrests, hanger) will be light grey as well.

P67TPU – height adjustable (range 100 mm), soft termo polyurethane (TPU) pad.

P68TPU – height adjustable (range 100 mm), sliding pad adjustment (range 50 mm), with span option (range 27 mm), swivel pad adjustment (range 33°), soft termo polyurethane (TPU) pad.

Armrest colour:

- black - used with base: black, chrome (polished aluminum) (for armrest P67TPU and P68TPU),
- light grey - used with base: light grey, white (for armrest P67TPU).

In LightUp 330STN /350TNS castors are equipped with reverse brake, which enable chair from moving away while seated.

Types of mesh: Runner, String. When ordering please clearly indicate the chosen option.

Quilting - extra charge to all price groups, lead time 30-40 working days.







* Only models with mesh backrest



www.blauer-engel.de/uz117

Profim MOTTO

- Wide range of colours and finishing fabrics
- Backrests tilting in any direction
- Adjustable armrests and headrest
- Collection is completed with two versions of conference chairs (with low and high backrest)
- Blue Angel certificate - confirms that our chair is environmentally friendly
- Möbelfakta certificate - a guarantee of durability, safety, environmental care and social responsibility during the production process

Item no	Base model +	Price Group (PG)	0	①	②	③	④	⑤	Price
MMO100S000	Profim MOTTO 10S • fully upholstered backrest • Synchro mechanism • base: black • non-arm version		3 602	4 010	4 270	4 441	5 690	4 954	
MMO100SL00	Profim MOTTO 10SL • fully upholstered backrest • Synchro mechanism • sliding seat • base: black • non-arm version		3 838	4 246	4 516	4 697	5 936	5 239	
MMO100SF00	Profim MOTTO 10SFL • fully upholstered backrest • Synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version		4 010	4 405	4 665	4 851	6 084	5 411	
MMO110S000	Profim MOTTO 11S • high backrest • Synchro mechanism • base: black • non-arm version • headrest		4 665	5 072	5 332	5 545	7 070	6 185	
MMO110SL00	Profim MOTTO 11SL • high backrest • Synchro mechanism • sliding seat • base: black • non-arm version • headrest		4 912	5 319	5 565	5 787	7 317	6 454	
MMO110SF00	Profim MOTTO 11SFL • high backrest • Synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version • headrest		5 072	5 466	5 726	5 954	7 465	6 642	

Accessories/Options/Surcharges:

7BASC003	Base: polished aluminum	766
7ARMR033	Armrests P67TPU Black (set) *	556
7ARMR035	Armrests P68TPU - black (set) *	803
7LUSU002	Lumbar support - depth adjustable - depth adjustment (schukra)	333
7TGAS005	Gas lift with shock absorber	246
7TGAS003	Gas lift with memory	784
7SBQU005	Quilting - front side of the seat (Q1)	456
7SBQU006	Quilting - front of the backrest (Q2)	519

Castors/glides:

- hard castors - for soft floors (set),
- soft castors - for hard floors (set),
- teflon glides - universal (set).

Glides in Motto 10F/20F:

- standard - teflon glides (universal),
- option - felt glides (for hard floors).

When ordering please clearly indicate the chosen option.

P67TPU – height adjustable (range 100 mm), soft termo polyurethane (TPU) pad.

P68TPU – height adjustable (range 100 mm), sliding pad adjustment (range 50 mm), with span option (range 27 mm), swivel pad adjustment (range 33°), soft termo polyurethane (TPU) pad.

The connector of the backrest with the seat is always black, irrespective of the colour of base.

Option of mixing two colours of the same fabric according to below scheme:

A - front of seat and backrest, B - sides of seat, rear part and sides of backrest

In case of order of such option, following example should be specified: SC-67097/SC-60132 (gdzie SC-67097 - A, SC-60132 - B). Option is available at no extra charge.

Quilting - extra charge to all price groups, lead time 30-40 working days.

* Order entry day 17.03.2025.





www.blauer-engel.de/uz117

Profim PACE

- Patented Synchro SFL MAX mechanism with synchronized backrest and seat adjustment, plus additional features such as seat depth adjustment and forward tilt for enhanced comfort.
- Innovative second-generation lumbar support adjustment – SmartADLS (available in the 150SFL MAX, 151SFL MAX models), which adapts the geometry of the entire backrest to support the spine's natural S-curve.
- Convenient backrest resistance adjustment with a single turn of a knob allows for quick customization of the chair to the user's weight and preferences, ensuring optimal support during work.
- Pace is partially made from recycled and recyclable materials, designed without the use of staples or glue for easier disassembly and sustainability.

ITO Design

Item no	Base model +	Price Group (PG)	0	①	②	③	④	⑤	⑥	Price
MNN100SF00	Profim Pace 100SFL MAX • upholstered backrest • Synchro mechanism, sliding seat, seat forward tilt • base: black • select additionally one of two types of armrests • no version without armrests,		5 068	5 282	5 335	5 548	5 815	6 189	7 149	
MNN101SF00	Profim Pace 101SFL MAX • upholstered backrest • Synchro mechanism, sliding seat, seat forward tilt • base: black • select additionally one of two types of armrests • no version without armrests, • headrest		5 439	5 668	5 725	5 954	6 240	6 641	7 672	
MNN150SF00	Profim Pace 150SFL MAX • mesh backrest • Synchro mechanism, sliding seat, seat forward tilt • Innovative lumbar support with depth adjustment (changing backrest curvature) SmartADLS • base: black • select additionally one of two types of armrests • no version without armrests,		4 973	5 183	5 235	5 444	5 706	6 073	7 015	
MNN151SF00	Profim Pace 151SFL MAX • mesh backrest • Synchro mechanism, sliding seat, seat forward tilt • Innovative lumbar support with depth adjustment (changing backrest curvature) SmartADLS • base: black • select additionally one of two types of armrests • no version without armrests, • headrest		5 344	5 569	5 625	5 850	6 131	6 525	7 538	

Accessories/Options/Surcharges:

7HANG002	Clothes hanger	154
7LUSU003	Lumbar support TYPE B - height and depth adjustable (Only for: 100SFL MAX, 101SFL MAX)	339
7LUSU003	Lumbar support TYPE B - height and depth adjustable (Only for: 150SFL MAX, 151SFL MAX)	431
7ARMR025	Armrests P65TPU (set)	755
7ARMR027	Armrests P66TPU (set)	1 079
7TGAS005	Gas lift with shock absorber	308

Accessories/Options/Surcharges:

7BASC006	Base: lightgray (Only for: 100SFL MAX, 101SFL MAX)	657
7BASC006	Base: lightgray (Only for: 150SFL MAX, 151SFL MAX)	1 314
7BASC015	Base: polished aluminum	894
7TSEA022	Soft Seat	433

0 price group: Alba, Evo, Next

1 price group: Cura, Medley, Tonal, Valencia*, Xtreme

2 price group: Select

3 price group: Capture, Oceanic, Step, Synergy

4 price group: Steelcut 3, Steelcut Trio 3

5 price group: Leather

6 price group: Leather Premium

Castors/glides:

- hard castors - for soft floors (set),
- soft castors - for hard floors (set),
- teflon glides - universal (set).

When ordering please clearly indicate the chosen option.

While ordering Pace 100SFL MAX / 101SFL MAX / 150SFL MAX/ 151SFL MAX with light grey base all plastic elements (seat cover, backrest frame, lumbar support, armrests, hanger) will be light grey as well.

Armrest colour:

- black - used with base: black, polished aluminum
- lightgrey - used with base: lightgrey.

It is no possible to purchase the chair in version without armrests.

Armrests:

P65TPU – height adjustable (range 100 mm), soft termo polyurethane (TPU) pad

P66TPU – height adjustable (range 100 mm), sliding pad adjustment (range 50 mm), with span option (range 27 mm), swivel pad adjustment (range 33°), soft termo polyurethane (TPU) pad.

Type of backrest mesh: String, Runner, Rhythm

SmartADLS - available in the 150SFL MAX, 151SFL MAX models.

Lumbar support element for 150SFL MAX and 151SFL MAX when backrest in Runner and Rhythm always the same upholstery as the seat, when backrest in String mesh – black Valencia

Irrespective of the type of the backrest, headrest is always the same upholstery as the seat.

* Only on models 150SFL MAX and 151SFL MAX.



Profim TRILLO PRO

ITO Design

- Easily adjustable basic functions.
- Synchro self mechanism ensures adjustment to user's weight,
- Several versions to choose from: backrest in plastic or with upholstered pad, plastics in two colours,
- Blue Angel certificate - confirms that our chair is environmentally friendly

Item no	Base model +	Price Group (PG)	0	①	②	③	④	⑤	Price
MSX200ST00	Profim TRILLO PRO 20ST • plastic backrest • self mechanism • 5-star base • base: black		2 852	3 085	3 196	3 323	3 592	3 706	
MSX210ST00	Profim TRILLO PRO 21ST • plastic backrest with upholstered pad • self mechanism • 5-star base • base: black		3 333	3 665	3 886	4 042	4 617	4 508	
MSX200HS00	Profim TRILLO PRO 20HST • plastic backrest • self mechanism • 4-star base, high • base: black / white / graphite / polished aluminum / MetallicPro		3 991	4 261	4 400	4 568	4 838	5 107	
MSX210HS00	Profim TRILLO PRO 21HST • plastic backrest with upholstered pad • self mechanism • 4-star base, high • base: black / white / graphite / polished aluminum / MetallicPro		4 518	4 914	5 184	5 390	6 031	6 005	
MSX300ST00	Profim TrilloPro 30ST • hocker with footrest • plastic backrest • self mechanism • 5-star base • base: black		4 035	4 270	4 382	4 556	4 762	5 082	
MSX310ST00	Profim TrilloPro 31ST • hocker with footrest • plastic backrest with upholstered pad • self mechanism • 5-star base • base: black		4 492	4 825	5 035	5 237	5 775	5 840	

Accessories/Options/Surcharges:

7BASC006

Base: lightgray (Only for: MSX200ST00, MSX210ST00, 30ST, 30ST)

236

Castors/glides:

- glides (set)
- hard castors - for soft floors (set).
- soft castors - for hard floors (set),

Plastic colours:- black, grey (RAL 7043), light grey (RAL 7047).

Plastic elements: backrest and armrests.

In models 20HST / 21HST:

- base colour black / MetallicPro - plastic elements black, castors black,
- base colour white - plastic elements lightgrey (RAL 7047), castors lightgrey,
- base colour graphite - plastic elements black or grey (RAL 7043), castors black,
- base colour polished aluminium - plastic elements black, grey (RAL 7043) and castors black or plastic elements light grey (RAL 7047) and castors lightgrey.

Please clearly indicate on your order the chosen option.




www.blauer-engel.de/uz117

Profim VIOLLE

ITO Design

- Innovative synchronous mechanism equipped with essential, easily accessible adjustments which are fully integrated with the seat
- Multigrip armrests with soft pad
- Backrest with mesh or upholstery and available with lumbar support, height and depth adjustable, upholstered headrest and jacket hanger
- Function instructions also in Braille
- Plastic and aluminium parts available in several colours (white, light grey and black)
- Available in a conference version on a 4-star aluminium base
- Blue Angel certificate - confirms that chair is environmentally friendly
- Möbelfakta certificate - a guarantee of durability, safety, environmental care and social responsibility during the production process

Item no	Base model +	Price Group (PG)	Price Group						Price
			0	①	②	③	④	⑤	
MLX130SF00	Profim VIOLLE 130SFL • swivel • high backrest • lumbar support TYPE B - height and depth adjustable • synchro mechanism • sliding seat • seat forward tilt • base: black • non-arm version • plastic colours: black • aluminum colours: white / black / polished aluminum		8 688	9 192	9 700	10 087	11 637	10 983	12 389
MLX131SF00	Profim VIOLLE 131SFL • swivel • high backrest • lumbar support TYPE B - height and depth adjustable • synchro mechanism • sliding seat • seat forward tilt • base: black • non-arm version • plastic colours: black • aluminum colours: white / black / polished aluminum • headrest		9 700	10 193	10 687	11 114	12 895	11 981	13 574
MLX150SF00	Profim VIOLLE 150SFL • swivel • high mesh backrest • synchro mechanism • sliding seat • seat forward tilt • base: black • non-arm version • plastic colours: black • aluminum colours: white / black / polished aluminum		8 193	8 415	8 661	9 008	9 304	9 454	10 033
MLX151SF00	Profim VIOLLE 151SFL • swivel • high mesh backrest • synchro mechanism • sliding seat • seat forward tilt • base: black • non-arm version • plastic colours: black • aluminum colours: white / black / polished aluminum • headrest		9 170	9 440	9 663	10 049	10 588	10 441	11 192

Castors/glides:

- hard castors - for soft floors (set),
- soft castors - for hard floors (set),
- teflon glides - universal (set).

Glides in models 130F / 150F:

- standard - teflon glides (universal),
- option - felt glides (for hard floors).

When ordering please clearly indicate the chosen option.

Armrest P62PU black - height adjustable armrest (range 90 mm), sliding pad (range +/- 50 mm) with span option (+/- 28 mm).), polyurethane pad.

Armrest PU - fixed, aluminum, polyurethane pad.

Seat covers can be made also for Rhythm and Runner upholstery. When ordering please clearly indicate the chosen option.

Gas lift with shock absorber - colour of column cover always the same as base colour.

Models Violle 130, 150, 151 can be upholstered in Runner or Rhythm mesh.

Headrest may be covered in seat-upholstery or in Rhythm or Runner-mesh. Please clearly indicate on your order the chosen option.

Plastic elements: seat cover+adjustments levers, outer frame in mesh backrest, lumbar support, rear part of headrest.

Aluminium elements: armrest frame, backrest frame. It is not possible to mix different colours in particular group of elements.

In models Violle 130F / 150F gas lift with memory as standard (without height adjustment). Colour of column cover - always the same as base colour.

In models Violle 130F:

- base white and polished aluminium - cover colour lightgrey,

In models Violle 150F:

- cover colour always the same as frame of backrest.

In models with armrests:

- base white and polished aluminium, armpad lightgrey - cover colour lightgrey,

When ordering please clearly indicate the chosen option.




www.blauer-engel.de/uz117

Technical details

Technical details

VISOTR CHAIRS/SWIVEL CHAIRS



		A	B	C	D	E	F(G)	H	I	J	K(L)	M	N	O
AccisPro	150SFL	1030-1160	430-560	(390-520)	580		690 (ø 720)	500	470	805	390-460 (460)	720	650	P63 180-280
	151SFL	1030-1160	430-560	(390-520)	580	155	690 (ø 720)	500	470	805	390-460 (460)	720	650	P63 180-280
Action	100SFL	1130-1250	470-590	(410-530)	690		690 (ø 720)	500	490	690	450-500 (490)	720	770	150-250
	105SFL	1130-1250	470-590	(410-530)	690		690 (ø 720)	500	490	690	450-500 (490)	720	770	150-250
	110SFL	1260-1500	470-590	(410-530)	690	135-250	690 (ø 720)	500	490	690	450-500 (490)	720	770	150-250
	115SFL	1260-1500	470-590	(410-530)	690	135-250	690 (ø 720)	500	490	690	450-500 (490)	720	770	150-250
	115SFL	1260-1500	470-590	(410-530)	690	135-250	690 (ø 720)	500	490	690	450-500 (490)	720	770	150-250
ElliePro	10ST	1000-1130	430-560	(400-530)	590		680 (ø 710)	420	450	680	440 (470)	650	630	190
	20ST	890-1020	430-560	(400-530)	480		680 (ø 710)	420	450	680	440 (470)	650	520	190
	10HST	1050	490	(460)	590		580	420	450	770	440 (470)	770	630	190
	20HST	940	490	(460)	480		580	420	450	770	440 (470)	770	520	190
	10V3	1050	490	(460)	590		570	420	450	790	440 (470)	790	630	190
	20V3	940	490	(460)	480		570	420	450	790	440 (470)	790	520	190
	10HW	1050	490	(460)	590		570	420	450	800	440 (470)	790	630	190
	20HW	940	490	(460)	480		570	420	450	800	440 (470)	790	520	190
LightUp	230S	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395 (460)	660	550	P67 180-280 P68 180-280
	230SL	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395-470 (460)	660	550	P67 180-280 P68 180-280
	230SFL	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395-470 (460)	660	550	P67 180-280 P68 180-280
	230STN	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395 (460)	660	550	P67 180-280 P68 180-280
	230STLN	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395-470 (460)	660	550	P67 180-280 P68 180-280
	250S	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395 (460)	660	550	P67 180-280 P68 180-280
	250SL	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395-470 (460)	660	550	P67 180-280 P68 180-280

	250SFL	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395-470 (460)	660	550	P67 180-280 P68 180-280
	250STN	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395 (460)	660	550	P67 180-280 P68 180-280
	250STLN	970-1100	450-580	(400-530)	550		690 (ø 720)	480	470	P67 700 P68 790	395-470 (460)	660	550	P67 180-280 P68 180-280
	330STN	1200-1460	690-950	(650-910)	550		690 (ø 720)	480	470	P67 700 P68 790	395 (460)	660	550	180-280
	350STN	1200-1460	690-950	(650-910)	550		690 (ø 720)	480	470	P67 700 P68 790	395 (460)	660	550	180-280
Mickey			570-900	(550-880)			320			360				
Motto	10S	965-1180	450-580	(400-530)	535-620		690 (ø 720)	490	480	P67 710 P68 800	395 (450)	660	590	P67 170-270 P68 170-270
	10SL	965-1180	450-580	(400-530)	535-620		690 (ø 720)	490	480	P67 710 P68 800	395-470 (450)	660	590	P67 170-270 P68 170-270
	10SFL	965-1180	450-580	(400-530)	535-620		690 (ø 720)	490	480	P67 710 P68 800	395-470 (450)	660	590	P67 170-270 P68 170-270
	11S	1135-1410	450-580	(400-530)	535-620	170-230	690 (ø 720)	490	480	P67 710 P68 800	395 (450)	660	590	P67 170-270 P68 170-270
	11SL	1135-1410	450-580	(400-530)	535-620	170-230	690 (ø 720)	490	480	P67 710 P68 800	395-470 (450)	660	590	P67 170-270 P68 170-270
	11SFL	1135-1410	450-580	(400-530)	535-620	170-230	690 (ø 720)	490	480	P67 710 P68 800	395-470 (450)	660	590	P67 170-270 P68 170-270
MyTurn	10S	1200-1310	450-560	(400-510)	780		700 (ø 740)	530	500	PU/O - 730 FO - 700	480 (490)	660	870	O 230 PU 220
	20S	990-1100	450-560	(400-510)	560		700 (ø 740)	530	500	PU/O - 730 FO - 700	480 (490)	660	650	O 230 PU 220
Pace	100SFL MAX	1000-1135	420-555	(390-520)	580		705 (ø 730)	490	470	P65 720 P66 810	375-450 (455)	675	660	170-270
	101SFL MAX	1165-1395	420-555	(390-520)	580	165-260	705 (ø 730)	490	470	P65 720 P66 810	375-450 (455)	675	660	170-270
	150SFL MAX	1000-1135	420-555	(390-520)	580		705 (ø 730)	490	470	P65 720 P66 810	400-475 (455)	675	660	170-270
	151SFL MAX	1165-1395	420-555	(390-520)	580	165-260	705 (ø 730)	490	470	P65 720 P66 810	400-475 (455)	675	660	170-270
Trillo^{Pro}	20HST	910	460	(440)	480		580	490	450	770	440 (500)	770	460	210
	21HST	910	460	(440)	480		580	490	450	770	420 (500)	770	460	210
	20ST	880-1010	430-560	(370-500)	480		680 (ø 710)	490	450	680	440 (500)	650	460	210
	21ST	880-1010	430-560	(370-500)	480		680 (ø 710)	490	450	680	420 (500)	650	460	210
	30ST	1130-1380	680-930	(620-870)	480		680 (ø 710)	490	450	680	440 (500)	650	460	210
	31ST	1130-1380	680-930	(620-870)	480		680 (ø 710)	490	450	680	420 (500)	650	460	210
Veris Net	100SFL	1080-1190	490-600	(420-530)	610		690 (ø 720)	510	470	680	440-490 (500)	660	590	P48 160-260 P54 150-230
	101SFL	1080-1190	490-600	(420-530)	610		690 (ø 720)	510	470	680	440-490 (500)	660	590	P54 150-230 P48 160-260
	110SFL	1260-1420	490-600	(420-530)	610	190-240	690 (ø 720)	510	470	680	440-490 (500)	660	590	P48 160-260 P54 150-230
	111SFL	1260-1420	490-600	(420-530)	610	190-240	690 (ø 720)	510	470	680	440-490 (500)	660	590	P54 150-230 P48 160-260
Violle	130SFL	990-1130	440-580	(390-520)	580		690 (ø 720)	510	470	690	420-480 (470)	660	570	P62 150-240
	131SFL	1160-1360	440-580	(390-520)	580		690 (ø 720)	510	470	690	420-480 (470)	660	570	P62 150-240
	150SFL	1000-1140	440-580	(390-520)	590		690 (ø 720)	510	470	690	430-490 (470)	660	570	P62 150-240

	151SFL	1170-1370	440-580	(390-520)	580		690 (ø 720)	510	470	690	430-490 (470)	660	570	P62 150-240
	130F	1010	480	(430)	570		570 (ø 790)	500	470	570	450 (480)	610	570	680
	130F PU	1010	480	(430)	570		570 (ø 790)	500	470	570	450 (480)	610	570	680
	150F	1010	480	(430)	570		570 (ø 790)	500	470	570	470 (480)	610	570	680
	150F PU	1010	480	(430)	570		570 (ø 790)	500	470	570	470 (480)	610	570	680
Xenon	10S	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	10SL	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	10SFL	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	10STN	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	10STLN	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	11S	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	11SL	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	11SFL	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	11STN	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	11STLN	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
Xenon Net	110S	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	560	P69 170-270 P70 170-270
	110SL	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	560	P69 170-270 P70 170-270
	110SFL	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	560	P69 170-270 P70 170-270
	110STN	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	560	P69 170-270 P70 170-270
	110STLN	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	560	P69 170-270 P70 170-270
	111S	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	560	P69 170-270 P70 170-270
	111SL	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	560	P69 170-270 P70 170-270
	111SFL	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	560	P69 170-270 P70 170-270
	111STN	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	560	P69 170-270 P70 170-270
	111STLN	1020-1150	450-580	(395-525)	590		690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	560	P69 170-270 P70 170-270
	100S	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	101S	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	100SL	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	101SL	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	100SFL	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	101SFL	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270

	100STN	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	101STN	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395 (475)	660	570	P69 170-270 P70 170-270
	100STLN	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270
	101STLN	1190-1380	450-580	(395-525)	590	170-230	690 (ø 720)	500	460	P69 710 P70 800	395-470 (475)	660	570	P69 170-270 P70 170-270

		 Netto	 Brutto											
Accis^{Pro}	150SFL	18,0			•									
	151SFL	18,5			•									
Action	100SFL	20,5		•										
	105SFL	20,5		•										
	110SFL	21,5		•										
	115SFL	21,5		•										
Ellie^{Pro}	10ST	16,0		•	•									
	20ST	15,0		•	•									
	10HST	16,0		•	•									
	20HST	15,0		•	•									
	10V3	16,0		•	•									
	20V3	15,0		•	•									
	10HW	15,0		•	•									
	20HW	14,0		•	•									
LightUp	230S	17,0			•								•	
	230SL	17,0			•								•	
	230SFL	17,0			•								•	
	230STN	17,0			•								•	
	230STLN	17,0			•								•	
	250S	16,0			•								•	
	250SL	16,0			•								•	
	250SFL	16,0			•								•	
	250STN	16,0			•								•	
	250STLN	16,0			•								•	
	330S	18,0			•								•	
	350S	19,0			•								•	
Mickey		11,5	13,5		•									
Motto	10S	18,5			•									
	10SL	18,5			•									

	10SFL	18,5			•								
	11S	19,5			•								
	11SL	19,5			•								
	11SFL	19,5			•								
MyTurn	10S	22,5											
	20S	21,5											
Pace	100SFL MAX	19,5			•							•	
	101SFL MAX	20,0			•							•	
	150SFL MAX	18,5			•							•	
	151SFL MAX	19,0			•							•	
Trillo ^{Pro}	20HST	12,5			•								
	21HST	13,0			•								
	20ST	11,5			•								
	21ST	12,0			•								
	30ST	14,5			•								
	31ST	14,0			•								
Veris Net	100SFL	16,5											
	101SFL	16,5											
	110SFL	17,5											
	111SFL	17,5											
Violle	130SFL	20,0			•							•	
	131SFL	20,5			•							•	
	150SFL	19,5			•							•	
	151SFL	20,0			•							•	
	130F	13,5		•	•								
	130F PU	13,5		•	•								
	130F 2P	16,0		•	•								
	150F	13,0		•	•								
	150F PU	13,0		•	•								
	150F 2P	15,5		•	•								
Xenon	10S	19,5			•							•	
	10SL	19,5			•							•	
	10SFL	19,5			•							•	
	10STN	19,5			•							•	
	10STLN	19,5			•							•	
	11S	20,5			•							•	
	11SL	20,5			•							•	
	11SFL	20,5			•							•	
	11STN	20,5			•							•	
	11STLN	20,5			•							•	
Xenon Net	110S	18,5			•							•	
	110SL	18,5			•							•	
	110SFL	18,5			•							•	
	110STN	18,5			•							•	

	110STLN	18,5			•								•	
	111S	18,5			•								•	
	111SL	18,5			•								•	
	111SFL	18,5			•								•	
	111STN	18,5			•								•	
	111STLN	18,5			•								•	
	100S	19,5			•								•	
	101S	19,5			•								•	
	100SL	19,5			•								•	
	101SL	19,5			•								•	
	100SFL	19,5			•								•	
	101SFL	19,5			•								•	
	100STN	19,5			•								•	
	101STN	19,5			•								•	
	100STLN	19,5			•								•	
	101STLN	19,5			•								•	

CASTORS / GLIDES

Castors / glides	Models	Type
	Accis ^{Pro} , Action, Ellie ^{Pro} , LightUp, Motto, Noor, Trillo ^{Pro} , Veris, Veris Net, Violle, Xenon, Xenon Net	soft / hard (ø 65 mm)
	Accis ^{Pro} , Action, LightUp, Motto, Veris, Violle, Xenon, Xenon Net	teflon (ø 50 mm)
	LightUp 330ST/350ST Trillo ^{Pro} 30ST/31ST	soft / hard (ø 65 mm)

BASES

Base	Applied to the models	Colour	Type of material	Diameter (mm)
	Accis ^{Pro} , Fan, LightUp, Motto, Veris, Veris Net, Violle, Xenon, Xenon Net	black	plastic - polyamide	720
	Accis ^{Pro} , LightUp, Violle	light grey	plastic - polyamide	720
	Accis ^{Pro} , Violle	white	powder coated aluminum	720
	Accis ^{Pro}	graphite	powder coated aluminum	720
	Accis ^{Pro} , Action, Fan, LightUp ,Motto, Veris, Veris Net, Violle, Xenon, Xenon Net	polished aluminum	aluminum	720
	Pace	light grey	plastic - polyamide	730
	Pace	black	plastic - polyamide	730
	Pace	polished aluminum	aluminium	730


MECHANISMS



SYNCHRO*

Accis^{Pro}

- A - Seat height
- B - Value of the backrest reclining force
- C - Seat side-movement function
- D - Tilt angle of the backrest and the seat / additional backrest and seat angle
- E - Seat depth



SYNCHRO*

Violle

- A - Seat height
- B - Tilt angle of the backrest and the seat
- C - Value of the backrest reclining force
- D - Seat depth
- E - Additional seat angle



SYNCHRO*

LightUp / Motto / Xenon / Xenon Net

- A - Seat height
- B - Tilt angle of the backrest and the seat
- C - Value of the backrest reclining force
- D - Seat depth
- E - Additional backrest and seat angle (only in SFL models)



SYNCHRO SELF

LightUp / Xenon / Xenon Net

- A - Seat height
- B - Value of the backrest and seat reclining force
- C - Tilt angle of the backrest and the seat
- D - Seat depth



SYNCHRO SELF*

Trillo^{Pro}, Ellie^{Pro}

- A - Seat height
- B - Tilt angle of the backrest and the seat

SYNCHRO SELF*

Trillo^{Pro}, Ellie^{Pro}

- A - Tilt angle of the backrest and the seat

SYNCHRO*

Pace

- A - Seat height
- B - Value of the backrest and seat reclining force
- C - Tilt angle of the backrest and the seat / additional backrest and seat angle
- D - Seat depth

ARMRESTS



P62

Violle

Height adjustable armrest (range 90 mm),
sliding pad (range +/- 50 mm)
with span option (+/- 28 mm).
Colour of armrest frame: black, light grey,
white, graphite, polished aluminum.
Armpad type: PU (polyurethane pad)



P63

Accis^{Pro}

Height adjustable armrest (range 100 mm),
sliding pad (range +/- 50 mm),
span option (+/- 27 mm),
with pivot option (+/- 33°).
Colour of armrest frame: black, light grey.
Armpad type: TPU.



P65

Pace

Height adjustable armrest (range 100 mm).
Colour of armrest frame: black, light grey.
Armpad type: TPU.



P66

Pace

Height adjustable armrest (range 100 mm),
sliding pad (range +/- 50 mm),
span option (+/- 27 mm),
with pivot option (+/- 33°).
Colour of armrest frame: black, light grey.
Armpad type: TPU.



P67

LightUp / Motto

Height adjustable armrest (range 100 mm).
Colour of armrest frame: black, light grey (only
LightUp).
Armpad type: TPU.



P68

LightUp / Motto

Height adjustable armrest (range 100 mm),
sliding pad (range +/- 50 mm),
span option (+/- 27 mm),
with pivot option (+/- 33°).
Colour of armrest frame: black.
Armpad type: TPU.

QUILTING



LightUp / Motto / MyTurn / Veris / Veris Net /
Xenon / Xenon Net

Q1 - quilting on the front side of the seat,
without sides, without headrest
Q2 - quilting on the front of the backrest,
without sides

Quilting available in standard upholsteries (excluding Valencia, Velvet and Revive and Extended offer).

Terms of guarantee

applies to products manufactured after January 15th, 2019

1. Profim (the Guarantor) guarantees the efficient operation of its products.
2. Claims must be submitted at the purchase location, on a claims form (which can be downloaded from www.profim.eu), together with a purchase document (invoice or guarantee) and the guarantee certificate, if the certificate in question was issued to the Purchaser.
3. Claimed products will be accepted only if cleaned, packaged, and secured against damage in shipping.
4. The claimed product should be delivered, along with the documents listed in point 2, to the purchase location. If the claim is rejected, the product is sent back to the purchase location at the cost of the Purchaser.
5. The Guarantor shall determine whether the claim is justified within 14 days from the claimed products' delivery to manufacturer (together with claim application). A claims department employee will contact the Purchaser by phone or e-mail in order to determine the date and manner of product repair/replacement. Any doubts related to the claims procedure may be clarified at the phone number + 48 63 289 88 40 from Monday to Friday, 9-15, or at the e-mail address export@profim.pl. Submitting a claim does not entitle the Purchaser to withhold payment for the product.
6. In order to enable the manufacturer to identify the product, the claim notice should include information from the product's LABEL, i.e. the date of manufacture, order number, product number, and configuration. Any tampering with the LABEL will cause the guarantee to become null and void.
7. Guarantee period.
Refers to the products listed in the current price list and on the website www.profim.eu.

Guarantee period	Offer	Operating mode
5 years not longer however than 7 years from production date	Standard Classic - selected products	5 days a week, 8 hours per day (single shift work)
3 years not longer however than 4 years from production date	Classic	5 days a week, 8 hours per day (single shift work)

8. If the product is used for more than 8 hours per day, the guarantee period is reduced to three years.
9. Chair parts (e.g. castors, mechanisms, plastic parts) sold to the Purchaser are covered by a 2 years warranty.
10. If the product is replaced with another product free of defects or repaired by having one of its parts replaced, the course of the guarantee for such product or element is restarted. The guarantee period is extended by the period in which the Purchaser could not make use of the product.
11. If a defect cannot be removed or the removal involves excessive costs, the Guarantor may replace the product with another product free of defects. Any replaced defective products or parts thereof become the property of the Guarantor.
12. In case where an identical product is not available, the Guarantor may replace it with another product free of defects and with identical/similar parameters.

13. Claims concerning mechanical damage (scratches, dents, abrasions, upholstery soiling, missing parts etc.) will be accepted only if submitted within 7 days from the date of handing the product over to the Purchaser. By the above deadline, the Purchaser should unpack the product and remove the wrapping and protective elements in order to rule out mechanical damage. If reservations are made upon delivery with respect to the delivered product, a damage protocol must be drawn up in the presence of the courier or carrier and sent to the Guarantor together with the claims notice.
14. The refusal to hand the product (or any part thereof) over for repair in factory conditions, or preventing repair at the site of the Purchaser, causes the Guarantor to be released from its guarantee obligations and any guarantee claims to be waived.
15. The date of product repair at the site of the Purchaser is scheduled by the Guarantor.
16. Customized products i.e. chairs covered with fabric provided by the Purchaser and manufactured using technology that is not standard for a given product (such as using another base, armrests, covered by a fabric that is not part of standard offer etc.) are covered by one year guarantee.
17. The guarantee covers solely products located on the territory of the Republic of Poland or the country of the Distributor.
18. The Guarantor reserves the right to make innovations in the products that do not alter their durability and usability.
19. Repairs conducted by unauthorized persons or using unauthorized parts will cause the guarantee to become null and void.
20. The Purchaser's rights hereunder do not include the right to pursue lost profits and be indemnified for any potential damage caused by product failure.
21. The Guarantor's liability covers solely defects inherent in the product sold.
22. If the product is damaged after the expiry of the guarantee, the Guarantor may send, if possible, the Purchaser the required element or cure the defect using its factory service. In both cases the Purchaser will be charged accordingly.

THE GUARANTEE DOES NOT COVER:

- a) defects caused by assembling the product in a manner not compliant with the manual and using it in a manner not compliant with its purpose,
- b) damage caused during transport and transloading (does not apply to transport provided by the Guarantor),
- c) failure to observe the recommendations contained in the user's manual, damage to castors, glides or floor caused by the inappropriate choice of available options (e.g. using hard castors on hard surfaces); the proper choice of options does not rule out damages that may be caused by using the chairs on carpets, panels, parquet floors etc. of inappropriate quality or on soiled surfaces (e.g. by sand),
- d) damage resulting from extreme climate conditions or environmental factors (e.g. acids, humidity etc.),
- e) damage caused by departing from standard specifications at the customer's request,
- f) operational wear and tear of wheels or upholstery materials,
- g) wear and tear of felt glides, which can be replaced under warranty, only in case the felt come away,
- h) differences in the fabrics shade, if the products come from different manufacturing series of the fabric manufacturer, and differences in individual products purchased by the Purchaser successively are claimed,
- i) discolouration of upholstery caused by some of the clothing colourants and additional colourants (such as those used in denim) which may transfer onto lighter upholstery (the effect can be intensified due to humidity and temperature and is irreversible),
- j) soiling and permanent discolouring of upholstery caused by external factors,
- k) leather upholstery products, where the natural features of the material, such as smell, difference in the structure, texture and shade differences, scars and insects pricks are claimed; during use (e.g. on the seat) the leather takes on shine and becomes looser; the Guarantor does not accept claims motivated by the above features,
- l) foam deformations,
- m) differences in the hardness of polyurethane cold-moulded foam resulting from parameter variations, which according to the DIN 53576/ISO 2439 norm are acceptable if within the range of $\pm 10\%$,
- n) damaging the surface of wooden elements as a result of contact with the edges of desks or other office furniture; mechanical damage of wooden surfaces is not considered to be a product defect,
- o) wooden components used in products, if the slight differences occurring in individual elements are claimed; the character of the raw material makes it impossible to precisely determine the final aesthetic effects, defined by the wood colour, shade, and figure,
- p) differences in geometry of plywood shells, which, because of their natural properties, may differ in tolerance of ± 1.5 degrees,
- r) small variations in HPL colours, in accordance with PN-EN 438 norm.
- s) differences in colour, gloss, tone or pattern in ceramic table tops. It is natural material and above features are characteristic of this type of surface.

GENERAL REMARKS CONCERNING PRODUCT USE:

- 23. The products should be protected against the direct influence of sunrays.
- 24. Leather products should not be placed next to a heater or another heat source. Please observe a minimum distance of 30 cm from the heat source.
- 25. Leather should be maintained using special care products that create a protective layer resistant to water and oil substances.
- 26. Products should be protected against becoming wet.
- 27. The upholstery fabric should be protected against soiling by grease, sweat, lubricants etc. In case of soiling, apply appropriate cleaning agents.
- 28. Avoid exposing upholstery to extensive, focused tension (for example standing on a chair) that can result in splitting or a rip of stitching as well as mechanical damage to upholstery.
- 29. Upholstered furniture is supposed to be used to sit evenly on the seat surface to avoid natural tendency of fabrics and leather to creasing and wrinkling due to ongoing pressure, temperature and the moist of the body (wrinkling and creasing is not a product fault but a natural effect; the bigger the upholstered surface the higher tendency for this effect to occur).
- 30. Products should be dusted at least once a week.
- 31. Hard castors are used with soft carpeting and carpets.
- 32. Soft castors are used with hard floors (e.g. PVC, parquet floors, floor panels).
- 33. Remarks concerning the use of products containing plywood elements:
 - temperature range from $+15^{\circ}\text{C}$ to $+30^{\circ}\text{C}$,
 - humidity range from 40% to 65%.
- 34. Ceramic tops meet the frost resistance requirements per EN 10545-12.
- 35. Table Chic RH and RR with metal and ceramic table top (apply only when frame/column is made of EPO1, EPO2, EPO3, with hard or teflon glides) can be for outdoor use according to EN 12944-2 cat. C3.
- 36. Plastic elements of the products like bases, armrests cover (especially light grey colours) require regular cleaning adequate to density of usage.

Profim Quick-ship

Profim Quick-ship has been put together for you in order to make it easier to choose model, fabric and colour. In the table below you can see the Profim Quick-ship combinations. The Profim Quick-ship collection offers delivery from factory in only 7 to 10 working days after order has been registered.

MODEL	EVO 001	EVO 002	EVO 005	EVO 014	EVO 011	NX 14	NX 16	SC 60999	EXR 009	VAN 4003	VAN 9035	CUL 60999	CUL 60109	ALA 8003	ALA 8033	PLYWOOD	Colour	limit of chairs	Delivery time
LIGHTUP 250S P67TPU armrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
LIGHTUP 250SFL P67TPU armrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
LIGHTUP 250SL P67TPU armrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
XENON NET 100SFL P69TPU armrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
XENON NET 100SL P69TPU armrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
XENON NET 101S P69TPU armrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
XENON NET 101SFL P69TPU armrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
XENON NET 101SL P69TPU armrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
XENON 10SFL P69TPU armrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
XENON 10SL P69TPU armrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
XENON 10S P69TPU armrest	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
FAN 10H,HS,HC	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
TRILLO	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
RAYA S, SL	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
PLAYA	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
ELLIE ^{PRO}	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	--	Black	10	7-10 working days
COM K12H																H6,H5, H12,LW01	Chrome, Black, MetallicPro,	10	5-10 working days

MICKEY	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			10	7-10 working days
--------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--	--	----	-------------------

X = Available in Profim Quick-ship

Please note: to be able to provide this service to all customers, there is a limit of 10 chairs per customer per day. For orders over 10 chairs, please contact Customer Service for delivery details. Please specify that your order is Profim Quick-ship. During holidays we may not be able to deliver Profim Quick-ship within the specified time frame. For more information about holiday periods, please contact Customer Service, e-mail: info-international@flokk.com

Fabrics and finishings

Profim Standard fabrics

The Standard Fabric & Colour Collection is our collection of fabrics, leathers and other materials and the delivery time 10-20 working days.
30 working days delivery time when you choose a color other than the standard colors below. The same price group applies but longer delivery time.

EVO - PRICE GROUP 0

Evo is a uni-coloured polyester crepe fabric. The irregular weave structure add shine and good stretch.

Composition: 100% polyester

Weight: 320 g/m²

Abrasion resistance: 180 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match)

Light fastness: 4-5 (EN ISO 105-B02)

Rubbing fastness: 4-5 (Wet/Dry) (EN ISO 105-X12)


Pilling resistance: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Miranda Design Team

Produced in: Poland

Cleaning & disinfection: Dry cleaning with tetrachloroethylene and water solution of carbonate fluoride



CURA (GABRIEL) - PRICE GROUP 1

Cura is a two-coloured fabric made from 100% post-consumer recycled polyester. It has a matt, slightly irregular and natural-looking texture where the dark, underlying grey fibers create a discreet yet vibrant melange effect. High durability and stretchability and its soft, voluminous touch make Cura suitable for both office and lounge furniture.

Composition: 100% post-consumer recycled polyester

Weight: 420 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, CA TB 117-2013, ASTM E 84 Class I

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no Flame Retardant chemicals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Wash or dry cleaning. Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)



TONAL (GABRIEL) - PRICE GROUP 1

Tonal is a post-consumer recycled polyester fabric in a two-coloured melange. It has a discreet textured look with a fusion of light and dark tones adding depth to the colours.

Composition: 99% post-consumer recycled polyester, 1% polyester

Weight: 315 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 476 Part 7 class 1, CA TB 117-2013, ASTM E 84 Class I

Light fastness: 6-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no Flame Retardant chemicals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Wash or dry cleaning. Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)



XTREME (CAMIRA) - PRICE GROUP 1

Xtreme is a crepe fabric made from 100% post-consumer recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

Composition: 100% post-consumer recycled polyester

Weight: 310 g/m²

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 IM, NF D 60-013

Light fastness: 6 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)


Pilling: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable to 60°C and bleach cleanable (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)



SELECT (GABRIEL) - PRICE GROUP 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.

Composition: 85% New Zealand wool, 15% polyamide

Weight: 510 g/lm

Abrasion resistance: 200 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013, IMO MSC 307(88) Annex 1 part 8/MED registration IMO

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)



CAPTURE (GABRIEL) - PRICE GROUP 3

Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strenght. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.

Composition: 85% New Zealand wool, 15% polyamide

Abrasion resistance: 200.000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5 (on request)*, BS 5852 Part 1 0,1 (Cigarette & match), CA TB 117-2013, Class Uno UNI 9175 Class 1 IM

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN-ISO 12945-2)


Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines – www.gabriel.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



OCEANIC (CAMIRA) - PRICE GROUP 3

Oceanic is made from 100 % post-consumer recycled polyester yarn where 90% are created from post-consumer plastic bottles diverted from landfill and 10% is upcycled marine plastic (from marine litter). It is a fabric born out of the SEAQUAL Initiative designed to combat marine plastic pollution and achieve a waste free environment. Oceanic has a two coloured diagonal structure with a matte surface and soft touch.

Composition: 100 % post-consumer recycled polyester, including 50% SEAQUAL yarn

Weight: 497 g/m² ±5%

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low, BS 7176 Medium Hazard with EnviroFlam5, CA TB 117-2013

Light fastness: 5 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable at 60 °C and bleach cleanable (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)



STEP (GABRIEL) - PRICE GROUP 3

Step is unique in both texture and performance. With its delicate surface, Step is perceived as vivid and interesting. The texture with the fire-resistant Trevira CS yarn ensures that the fabric is suited for use in environments with high fire safety and durability requirements.

Composition: 100% Trevira CS

Weight: 336 g/m²

Composition: 100% Trevira cs

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Certificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM

Light fastness: 5-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Inger Mosholt Nielsen

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)



SYNERGY (CAMIRA) - PRICE GROUP 3

Synergy is a lightly felted wool fabric with a soft-handle. The range feature fibre dyed shades and piece dyed solids.

Composition: 95% pure new wool, 5% polyamide

Weight: 400 g/m² ±10%

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 7176 Low Hazard, NFD 60-013, UNI 9175 Classe 1 IM, IMO FTP Code (Part 8), EN 13501-1 Adhered Class D, s1, d0

Light fastness: 5 (EN ISO 105 - B02)


Rubbing fastness: Wet: 4, Dry: 4 (EN ISO 105 - X12)

Environmental facts: EU Ecolabel, Indoor Advantage Gold, ISO 14001 certified company

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Professional dry cleaning (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)



STEELCUT 3 (KVADRAT) - PRICE GROUP 4

Steelcut 3 is a unicoloured strong worsted wool and polyamide woven fabric, combining durability, soft touch and colour depth. The construction create a three-dimensional surface resembling small pyramids or steel points. Despite its complex weaving technique, it has a simple and precise expression.

Composition: 90% worsted New Zealand wool, 10% polyamide

Weight: 825 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (on request)*, BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, ASTM E84 Class A Unadhered, ASTM 84 Class B Adhered

Light fastness: 6 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 3-4 (EN ISO 12945-2)


Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat's cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



STEELCUT TRIO 3 (KVADRAT) - PRICE GROUP 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. Like Steelcut 3, despite the complexity of the textile's innovative weave, it has a simple, precise expression.

Composition: 90% worsted New Zealand wool, 10% polyamide

Weight: 770 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (on request)*, BS 5852 part 1, BS 5852 ignition source 3, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, GB 50222 B1 with treatment (Chinese)

Light fastness: 6-7 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)


Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat's cleaning guidelines – www.kvadrat.dk)

*Requires chemical treatment to meet Crib 5 standard. Must be specifically requested when ordering. Additional cost and lead time apply.



STT383

STT276

STT133

STT153

STT796

STT253

STT645

STT213

PALOMA SOFT (WOLLSDORF) - PRICE GROUP 6

High quality semi-aniline leather. All our standard colours from Paloma have a special finish adding a particular softness to the leather. Excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO A.652 (16)

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 -Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion: 2,0 N/cm ISO 11644

Tear-strength: 20 N/mm DIN 53329- A

Environmental facts: Tanned without using chromium salts, BlueAngel, ECO2L-certificate, ISO 14001 certified company

Produced in: Austria

Animal Welfare: All hides are by-products from the meat and dairy industries, only use hides from healthy and uninjured animal. Following European standards as a minimum and the "Five Freedoms" of livestock as defined by FAWC (Farm Animal Welfare Council)

Cleaning: Follow the leather care guide from our supplier – www.wollsdorf.com



ATG56100

ATG55185

ATG55206

ATG55115

ATG55130

FABRICS AND FINISHINGS

Mesh

Action / Ariz




GZ-21

Mesh (Runner)


Accis^{Pro} / Bit / LightUp / Pace / Veris / Violle / Xenon Net



Runner 60061



Runner 60011



Runner 60999



Runner 63125




Runner 66248




Runner 68186

Mesh (String)

LightUp / Pace / Xenon Net



String 60118




String 60999


FABRICS AND FINISHINGS

Mesh (Rhythm)

Accis^{Pro} / Pace / Violle



Rhythm 60165




Rhythm 60176



Rhythm 60999

Plastics

Ariz



CODE 20



CODE 517



CODE 01



CODE 516



CODE 503




CODE 513



CODE 3020

Plastics

Accis^{Pro} / Ellie^{Pro} / LightUp / Pace / Trillo^{Pro} / Violle



Light grey (RAL 7047)




Black

Finishings colours in print may dier from real ones.

FABRICS AND FINISHINGS

Plastics

Mickey




Telegrey 4 (RAL 7047)



Traffic grey B (RAL 7043)

Plastics / frames


Zoo



Light grey




Grey




Black (RAL 9005)

Tempered glass

Chic Tables



G1 (Milky)



G2 (Black)



G3 (RAL 7044)



G4 (RAL 7042)

Finishings colours in print may dier from real ones.

FABRICS - EXTENDED

Lead time 30-40 working days

Legend:

1 — Possibility of making the product in the given upholstery
 2 — Possibility of making only the seat in the given upholstery
 3 — No possibility of making the walls in the given upholstery

4 — Handle always in fabric Next
 - — Impossibility of making a product in a given upholstery

	Camira								
	Blazer	Era	Halcyon	Main Line Flax	Quest	RePlay	Rivet	Urban	X2
	PG 3	PG 3	PG 3	PG 3	PG 3	PG 3	PG 3	PG 3	PG 3
Accis ^{Pro}	1	1	1	1	1	1	1	1	1
Acos ^{Pro}	1	1	1	1	1	1	1	1	1
Action	1	1	-	1	1	1	1	1	1
Ana	1	1	1	1	1	1	1	1	1
Ariz	1	1	1	1	1	1	1	1	1
Bit	1	1	1	1	1	1	1	1	1
Chic	1	1	1	1	1	1	1	1	1
Chic Lounge	1	1	-	1	1	1	1	1	1
Com	1	1	1	1	1	1	1	1	1
Decenta	1	1	1	1	1	1	1	1	1
Ellie ^{Pro}	1	1	1	1	1	1	1	1	1
Fan	1	1	1	1	1	1	1	1	1
LightUp	1	1	-	1	1	1	1	1	1
Mickey	1	1	1	1	1	1	1	1	1
Motto	1	1	1	1	1	1	1	1	1
MyTurn	1	1	-	1	1	1	1	1	1
MyTurn Sofa	1	1	1	1	1	1	1	1	1
Noor	1	1	1	1	1	1	1	1	1
Noor F	1	-	-	1	-	-	-	-	1
Normo	1	1	1	1	1	1	1	1	1
Nu	1	1	1	1	1	1	1	1	1
October	1	1	1	1	1	1	1	1	1
Pace	1	1	1	1	1	1	1	1	1
Revo	1	1	-	1	1	1	1	1	1
Snap 20H	-	1	-	1	1	1	-	1	1
Snap 21H	-	1	-	1	1	1	-	1	1
SoftBox	1	1	1	1	1	1	1	1	1
Soriso	1	1	1	1	1	1	1	1	1
Trillo ^{Pro}	1	1	1	1	1	1	1	1	1
Vancouver Lite	1	1	1	1	1	1	1	1	1
Vancouver Oto	1	1	1	1	1	1	1	1	1
Veris Net	1	1	1	1	1	1	1	1	1
Violle	1	1	1	1	1	1	1	1	1
Wall In	1	1	1	1	1	1	1	1	1
Xenon	1	1	1	1	1	1	1	1	1
Xenon Net	1	1	1	1	1	1	1	1	1
Zoo	1	1	1	1	1	1	1	1	1
Cushions	1	1	1	1	1	1	1	1	1

FABRICS - EXTENDED

Lead time 30-40 working days

Legend: 1 — Possibility of making the product in the given upholstery
2 — Possibility of making only the seat in the given upholstery
3 — No possibility of making the walls in the given upholstery

4 — Handle always in fabric Next
- — Impossibility of making a product in a given upholstery

	Gabriel														
	Breeze Fusion	Chili	Comfort+	Crisp	Fame	Focus	Focus Melange	Focus Royal	Go Check	Go Couture	Go Uni	Just	Mica	Renewed Loop	Step Melange
	(PG 4)	(PG 3)	(PG 5)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)
Accis ^{Pro}	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Acos ^{Pro}	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Action	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Ana	1	1	1	1	1	1	1	1	1	-	-	-	-	1	1
Ariz	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bit	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Chic	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Chic Lounge	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Com	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Decenta	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ellie ^{Pro}	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Fan	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
LightUp	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Mickey	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Motto	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MyTurn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MyTurn Sofa	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Noor	1	1	1	1	1	1	1	1	1	-	-	-	1	1	1
Noor F	-	1	-	-	1	1	1	1	1	-	-	-	-	1	1
Normo	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nu	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
October	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Pace	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Revo	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Snap 20H	1	1	-	-	1	1	1	1	1	1	1	1	1	1	1
Snap 21H	1	1	-	-	1	1	1	1	1	1	1	1	1	1	1
SoftBox	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Sorisso	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Trillo ^{Pro}	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Vancouver Lite	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Vancouver Oto	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Veris Net	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Violle	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Wall In	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Xenon	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Xenon Net	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Zoo	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1
Cushions	-	1	1	-	1	1	1	1	1	1	1	1	1	1	1

FABRICS - EXTENDED

Lead time 30-40 working days

- Legend:

1 Possibility of making the product in the given upholstery

2 Possibility of making only the seat in the given upholstery

3 No possibility of making the walls in the given upholstery
- 4 Handle always in fabric Next

- Impossibility of making a product in a given upholstery

	GU	Kvadrat														
	Amdal	Atlas	Canvas	Coda	Divina Melange	Divina 3	Divina MD	Hallingdal 65	Melange Nap	Naveli	Remix	Revive	Re-wool	Steelcut Quartet	Twill Weave	Vidal 4
	(PG 4)	(PG 3)	(PG 4)	(PG 6)	(PG 5)	(PG 5)	(PG 5)	(PG 5)	(PG 4)	(PG 4)	(PG 3)	(PG 3)	(PG 3)	(PG 4)	(PG 5)	(PG 6)
AccisPro	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	1
AcosPro	-	1	1	-	1	1	-	-	1	1	1	1	1	1	1	1
Action	-	1	1	-	1	1	-	-	1	1	1	1	1	1	1	1
Ana	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ariz	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bit	-	1	1	-	1	1	-	-	1	1	1	1	1	1	1	1
Chic	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Chic Lounge	1	1	1	1	-	1	1	1	1	-	1	-	1	-	1	1
Com	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Decenta	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
ElliePro	1	1	1	-	1	1	1	1	1	-	1	1	1	1	1	1
Fan	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
LightUp	-	1	1	2	2	2	-	-	1	1	1	1	2	1	2	1
Mickey	1	1	1	4	4	4	1	1	1	1	1	1	1	1	1	1
Motto	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1
MyTurn	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
MyTurn Sofa	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Noor	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Noor F	1	-	-	1	1	1	1	1	1	1	-	-	1	1	1	1
Normo	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nu	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
October	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	1
Pace	-	1	1	-	1	1	-	-	1	1	1	1	1	1	1	-
Revo	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	1
Snap 20H	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-
Snap 21H	1	-	1	1	1	1	1	1	1	1	1	-	1	-	-	-
SoftBox	1	1	1	1	1	1	1	1	1	-	1	1	1	-	1	1
Sorisso	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	1
TrilloPro	-	1	-	1	1	1	-	-	1	1	1	1	1	1	1	1
Vancouver Lite	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Vancouver Oto	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Veris Net	-	1	1	-	1	1	-	-	1	1	1	1	1	1	1	1
Violle	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	1
Wall In	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Xenon	-	1	1	1	1	1	-	-	1	1	1	1	1	-	1	1
Xenon Net	-	1	1	1	1	1	-	-	1	1	1	1	1	-	1	1
Zoo	-	1	1	-	1	1	-	-	1	1	1	1	1	1	1	1
Cushions	-	1	1	1	1	1	-	-	1	1	1	1	1	1	1	1

FABRICS - EXTENDED

Lead time 30-40 working days

Legend:

1 — Possibility of making the product in the given upholstery
 2 — Possibility of making only the seat in the given upholstery
 3 — No possibility of making the walls in the given upholstery

4 — Handle always in fabric Next
 - — Impossibility of making a product in a given upholstery

	Sanwil	Skai				Spradling				Svensson		Textafoam
	Softline	Palena	Palma	Parotega	Sotega	Chronos	Silvertex	Silvertex B1	Valencia B1	Semi	Poppy	Velvet
	(PG 1)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 3)	(PG 4)	(PG 1)
Accis ^{Pro}	1	1	1	-	-	-	2	2	2	1	1	1
Acos ^{Pro}	1	1	1	1	1	-	1	1	1	1	1	1
Action	1	1	-	-	-	-	2	2	2	1	1	-
Ana	1	-	-	-	-	-	1	-	1	1	1	1
Ariz	1	1	1	1	1	1	1	1	1	1	1	1
Bit	-	1	1	1	1	1	1	1	1	1	1	-
Chic	1	1	1	1	1	1	1	1	1	1	1	1
Chic Lounge	-	-	-	-	-	-	-	-	-	1	1	1
Com	1	1	1	1	1	1	1	1	1	1	1	-
Decenta	1	1	1	1	1	1	1	1	1	-	1	1
Ellie ^{Pro}	-	-	-	-	-	-	-	-	-	1	1	1
Fan	1	1	1	1	1	1	1	1	1	1	1	1
LightUp	1	2	-	2	1	2	2	1	1	1	-	1
Mickey	-	-	-	4	-	-	4	1	1	1	1	1
Motto	1	1	1	1	1	1	1	1	1	1	1	1
MyTurn	1	-	-	1	-	-	1	-	-	1	1	-
MyTurn Sofa	1	1	1	1	1	1	1	1	1	-	1	1
Noor	1	-	-	-	-	-	1	-	1	1	1	1
Noor F	-	-	-	-	-	-	-	-	-	1	1	-
Normo	-	-	-	-	-	-	-	-	-	1	1	1
Nu	-	1	1	-	-	1	1	1	1	1	1	1
October	1	1	1	1	1	1	1	1	1	1	1	1
Pace	1	2	2	2	2	2	2	2	2	1	-	-
Revo	1	-	-	-	-	-	1	-	-	1	1	-
Snap 20H	1	-	-	-	-	-	1	1	-	1	-	-
Snap 21H	-	-	-	-	-	-	-	-	-	1	-	-
SoftBox	1	3	3	3	3	3	3	3	3	1	1	1
Sorisso	1	1	1	-	-	1	1	1	1	1	1	1
Trillo ^{Pro}	1	1	1	1	1	1	1	1	1	1	1	1
Vancouver Lite	1	1	1	1	1	1	1	1	1	1	1	1
Vancouver Oto	1	1	1	1	1	1	1	1	1	1	1	1
Veris Net	1	1	1	1	1	1	1	1	1	1	1	-
Violle	1	1	1	1	1	1	1	1	1	1	1	1
Wall In	1	3	3	3	3	3	3	3	3	1	1	-
Xenon	1	1	1	1	1	1	1	1	1	1	1	1
Xenon Net	1	1	1	1	1	1	1	1	1	1	1	1
Zoo	-	1	1	1	1	1	1	1	1	1	1	1
Cushions	-	1	1	1	1	1	1	1	1	1	1	1



Flokk is a family of design-led brands shaping workspaces where people and organisations thrive.

From our roots in Scandinavian task seating design, we've grown into a global leader in workspace solutions – creating furniture that supports people wherever and however they work.

The name Flokk comes from the Norwegian word for “group” or “herd”. It reflects our belief that workspaces should bring people together – to focus, collaborate and connect.

We believe great design can do more than look good. It can enhance well-being, enable productivity, and help reduce environmental impact. We work closely with architects, designers, and businesses to shape workspaces where people feel supported, valued, and able to do their best.

Our collection of brands brings this purpose to life – delivering thoughtful, durable solutions for every kind of workspace and every kind of person.

Our growing family includes renowned names such as HÅG, Offecct, Giroflex, RH, Profim, Stylex, 9to5 Seating, Via Seating, Connection, and Malmstolen – each with its own identity, yet united by a shared commitment to design quality.

Headquartered in Oslo, Norway, we have production sites across Europe, North America, and Asia, including Røros (Norway), Nässjö (Sweden), Turek (Poland), Mirfield (UK), Zhongshan (China), Hawthorne (USA), Delanco (USA) and Reno (USA). Our global reach is supported by sales offices in over 15 countries, serving customers in more than 80 markets.

With around 2,000 dedicated employees, we work together to bring better spaces to life and to fulfil our vision; to **inspire great work**.

Flokk AB
Showroom Försäljning
Box 17198 | 104 62 Stockholm
Rosenlundsgatan 40, trapphus B 3 tr.
118 53 Stockholm

Showroom & Produktion
Vallgatan 1 | Box 294 | 571 23 Nässjö
Tel: 0380-55 53 00 | Fax: 0380-182 85
Email: inof-se@flokk.com
Web: www.flokk.com

Front page:
VANCOUVER LITE VL1,5 HC
Fabric - Oceanic OOC11
Natural Veneer - NO